PB81-196685

Historical Visibility Over the Eastern U.S. Daily Extinction Coefficient Contour Maps 1968-1972. Appendix E

Washington Univ.
St. Louis, MO

Prepared for

Environmental Sciences Research Lab.
Research Triangle Park, NC

May 80

U.S. Department of Commerce
National Technical Information Service
NTIS

PB81-196685

EPA-600/3-80-043f
May 1980

HISTORICAL VISIBILITY OVER THE EASTERN U.S.
Appendix E
Daily Extinction Coefficient Contour Maps
1968-1972

by

David E. Patterson, Janet M. Holloway and Rudolf B. Husar
Center for Air Pollution Impact and Trend Analysis (CAPITA)
Washington University
St. Louis, MO 63130

Grant No. R803896

Project Officer

William E. Wilson, Jr.
Atmospheric Chemistry and Physics Division
Environmental Sciences Research Laboratory
Research Triangle Park, NC 27711

PRODUCT OF:
NATIONAL TECHNICAL
INFORMATION SERVICE
U.S. DEPARTMENT OF COMMERCE
SPRINGFIELD, VA. 22161

ENVIRONMENTAL SCIENCES RESEARCH LABORATORY
OFFICE OF RESEARCH AND DEVELOPMENT
U.S. ENVIRONMENTAL PROTECTION AGENCY
RESEARCH TRIANGLE PARK, NC 27711

TECHNICAL REPORT DATA
(Please read Instructions on the reverse before completing)

1. REPORT NO.	2.	3. RECIPIENT'S ACCESSION NO.
EPA-600/3-80-043f		PB81 196685

4. TITLE AND SUBTITLE	5. REPORT DATE
HISTORICAL VISIBILITY OVER THE EASTERN U.S. Appendix E. Daily Extinction Coefficient Contour Maps 1968-1972	May 1980 6. PERFORMING ORGANIZATION CODE
7. AUTHOR(S) David E. Patterson, Janet M. Holloway and Rudolf Husar	8. PERFORMING ORGANIZATION REPORT NO.
9. PERFORMING ORGANIZATION NAME AND ADDRESS Washington University CAPITA, Bpx 1185 Lindell and Skinker Blvds. St. Louis, Missouri 63130	10. PROGRAM ELEMENT NO. 1AA603A AA-149 (FY-79) 11. CONTRACT/GRANT NO. Grant No. R803896
12. SPONSORING AGENCY NAME AND ADDRESS Environmental Sciences Research Laboratory--RTP, NC Office of Research and Development U.S. Environmental Protection Agency Research Triangle Park, N.C. 27711	13. TYPE OF REPORT AND PERIOD COVERED Final 1/78 - 1/79 14. SPONSORING AGENCY CODE EPA/600/09

15. SUPPLEMENTARY NOTES

Reference: EPA-600/3-80-043a - g

16. ABSTRACT

The changes and causes of reduced visibility in the Eastern U.S. during the past three decades were examined. Contour maps of local midday extinction coefficients (inversely related to visibility) are presented for the years 1968-1972. Daily mean extinction coefficient maps illustrate the formation and movement of air masses with reduced visibility; they are supplemented by tables and stripcharts of regional meteorological parameters.

17. KEY WORDS AND DOCUMENT ANALYSIS

a. DESCRIPTORS	b. IDENTIFIERS/OPEN ENDED TERMS	c. COSATI Field/Group
Air pollution *Visibility *Haze *Absorptivity *Trends *Nomographs *Meteorological data *Seasonal variations *Air masses	Regional haziness Long range transport Eastern U.S.	13B 04B 12A

18. DISTRIBUTION STATEMENT	19. SECURITY CLASS (This Report)	21. NO. OF PAGES
RELEASE TO PUBLIC	UNCLASSIFIED	
	20. SECURITY CLASS (This page) UNCLASSIFIED	22. PRICE

EPA Form 2220-1 (9-73)

Appendix E
Daily and Quarterly Extinction Coefficient Contour Maps
1968-1972

NOTE:

Appendices A-F are continuations of a published report entitled HISTORICAL VISIBILITY OVER THE EASTERN U.S. Daily and Quarterly Extinction Coefficient Contour Maps, EPA-600/3-80-043a. This report contains background information and documentation of the data volume for the study and presents daily contour maps of light extinction coefficients for the Eastern U.S. in 1978; these are supplemented by tables and stripcharts of regional meteorological parameters. Plots of quarterly average extinction coefficients from 1948-1978 are also included.

This report is available from the

National Technical Information Service
U.S. Department of Commerce
5285 Port Royal Road
Springfield, VA 22161

DISCLAIMER

This report has been reviewed by the Environmental Sciences Research Laboratory, U.S. Environmental Protection Agency, and approved for publication. Approval does not signify that the contents necessarily reflect the views and policies of the U.S. Environmental Protection Agency, nor does mention of trade names or commercial products constitute endorsement of recommendation for use.

ABSTRACT

The changes and causes of reduced visibility in the Eastern U.S. during the past three decades were examined. Contour maps of local midday extinction coefficients (inversely related to visibility) are presented for the years 1968-1972. Daily mean extinction coefficient maps illustrate the formation and movement of air masses with reduced visibility; they are supplemented by tables and stripcharts of regional meteorological parameters.

This report was submitted in partial fulfillment of EPA Grant No. R803896 by the Center for Air Pollution Impact and Trend Analysis (CAPITA) under the sponsorship of the U.S. Environmental Protection Agency. This report covers a period from January 1, 1978 to June 30, 1979, and work was completed as of July 31, 1979.



REGION	# STNS	DEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.31	97	-9.44	-17.21
2	12	2.01	52	-8.83	-15.71
3	20	2.52	52	-13.76	-17.21
4	14	4.04	86	-10.05	-11.56
5	20	2.82	66	7.07	1.88
6	12	5.05	83	-1.36	-4.58
7	18	3.69	82	5.80	0.78



REGION	# STNS	DEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	2.05	90	-12.88	-18.68
2	12	2.41	66	-8.60	-16.44
3	20	0.51	72	-7.18	-11.49
4	14	3.66	69	-11.75	-12.48
5	20	6.65	76	6.58	2.02
6	12	11.18	91	5.84	5.78
7	18	8.07	82	8.08	5.03



REGION	# STNS	DEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	13.75	78	-5.88	-8.99
2	12	13.35	86	-2.95	4.29
3	20	5.49	71	-7.90	-9.82
4	14	1.95	61	-13.93	-14.89
5	20	8.11	84	9.75	7.04
6	12	9.87	90	7.40	5.83
7	18	8.37	87	7.11	4.82



REGION	# STNS	DEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	10.02	78	-4.10	-7.66
2	12	9.72	80	-2.50	-5.66
3	20	4.38	59	-11.87	-15.31
4	14	1.76	57	-11.25	-15.49
5	20	6.40	78	12.95	9.04
6	12	2.50	75	2.31	-1.71
7	18	2.41	78	4.44	0.55



REGION	# STNS	DEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.32	41	-7.89	-15.83
2	12	2.58	52	-8.25	-15.79
3	20	2.72	58	-8.99	-14.49
4	14	4.77	64	-5.30	-8.83
5	20	1.58	42	4.10	-8.06
6	12	1.71	45	-0.48	-11.15
7	18	0.83	62	5.13	1.84



REGION	# STNS	DEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.61	42	-5.44	-16.03
2	12	3.55	56	-4.48	-12.46
3	20	9.25	67	-8.35	-12.32
4	14	6.05	58	-13.32	-11.31
5	20	8.91	70	7.77	2.34
6	12	11.71	80	4.21	2.82
7	18	7.08	65	5.51	2.66

CAPITA

Reproduced from
best available copy.



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	5.08	81	-0.10	-12.91
2	12	3.76	56	-9.25	-15.44
3	20	5.58	52	-14.18	-16.96
4	14	1.57	55	-15.67	-100.00
5	28	1.75	62	6.18	-2.98
6	12	1.76	58	-4.76	-9.99
7	16	2.00	84	-4.81	-10.55

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	2.41	41	-14.89	-100.00
2	12	1.88	47	-12.66	-20.65
3	20	2.93	50	-15.89	-17.77
4	14	2.00	62	-8.87	-11.07
5	28	1.75	61	9.47	-6.75
6	12	1.98	49	-1.81	-8.46
7	16	0.00	80	-2.81	-6.87



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.31	32	-12.48	-100.00
2	12	4.05	46	-13.07	-18.38
3	20	7.77	77	-5.48	-8.85
4	14	1.84	62	-7.69	-10.41
5	28	6.04	66	4.74	-0.66
6	12	8.90	88	2.82	1.35
7	18	7.85	88	5.68	1.70



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.69	32	-11.80	-100.00
2	12	2.16	57	-9.16	-18.56
3	20	5.67	64	-6.57	-10.51
4	14	2.09	63	-7.95	-13.48
5	28	7.10	80	7.16	3.66
6	12	8.48	83	3.70	2.12
7	18	6.22	86	2.77	-0.34



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.36	33	-12.21	-100.00
2	12	2.35	61	-11.67	-23.88
3	20	5.65	62	-6.38	-12.10
4	14	7.57	89	-8.10	-8.04
5	28	6.93	78	3.47	-1.18
6	12	8.58	82	1.98	-0.88
7	18	9.52	78	5.86	1.90



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.31	27	-6.66	-100.00
2	12	2.12	42	-10.32	-18.89
3	20	8.07	59	-5.24	-11.55
4	14	6.60	70	-8.24	-10.55
5	28	3.96	63	1.90	-3.46
6	12	5.27	73	2.35	-2.17
7	18	6.50	84	5.27	-1.42

CAPITA

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.98	91	-4.55	-16.36
2	12	9.26	98	-4.76	-12.56
3	20	10.81	81	-2.98	-5.95
4	14	9.97	73	-10.12	-18.20
5	28	9.15	83	5.31	-2.58
6	12	8.01	79	0.19	-5.14
7	10	1.08	48	4.81	-4.52



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.52	56	-2.98	-11.48
2	12	5.84	79	0.19	-3.26
3	20	10.54	85	-0.61	-3.18
4	14	6.22	73	-6.76	-9.81
5	28	6.32	66	4.12	-1.48
6	12	7.66	76	-3.85	-8.06
7	10	2.19	48	8.62	-4.82



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	7.39	74	0.21	-3.88
2	12	10.26	78	-1.61	-6.31
3	20	5.58	69	-5.69	-8.48
4	14	6.18	77	-6.70	-10.18
5	28	3.72	58	6.85	-2.47
6	12	6.82	69	1.09	-3.52
7	10	1.64	47	8.18	-1.87



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.31	43	-12.21	-100.00
2	12	2.25	48	-8.25	-16.38
3	20	3.60	58	-6.31	-11.77
4	14	3.59	72	-1.30	-6.06
5	28	2.21	45	5.57	-5.51
6	12	3.12	63	1.43	-4.78
7	10	3.16	51	8.99	0.07



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.34	46	-8.10	-17.21
2	12	3.10	53	-2.58	-10.92
3	20	5.04	72	-0.72	-5.16
4	14	3.41	70	1.04	-3.13
5	28	3.00	46	8.78	-2.41
6	12	4.89	57	5.58	-2.82
7	10	2.72	65	13.57	8.97



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	3.35	59	-0.77	-8.10
2	12	4.37	57	3.19	-4.71
3	20	5.05	67	3.48	-2.10
4	14	3.13	63	1.34	-5.27
5	28	3.69	46	12.67	1.27
6	12	3.41	49	10.27	-0.23
7	10	0.53	16	10.98	0.52

CAPITA



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	6	3.18	54	8.80	-2.99
2	12	6.55	64	4.76	-1.88
3	20	3.25	71	3.71	-2.84
4	14	1.74	67	3.27	-4.58
5	28	2.17	41	16.80	2.48
6	12	5.28	48	12.03	1.08
7	18	7.70	80	8.80	6.89



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	6	2.91	48	4.77	-5.86
2	12	2.86	59	4.53	-4.48
3	20	3.69	65	4.10	-1.82
4	14	2.81	68	6.02	-3.85
5	28	2.02	38	16.55	0.33
6	12	4.80	55	12.28	2.77
7	18	5.47	81	11.31	7.87



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	6	5.60	58	4.46	-3.82
2	12	2.79	68	5.86	-1.62
3	20	4.98	67	3.52	-2.29
4	14	2.50	87	5.67	-0.81
5	28	2.11	45	16.83	4.81
6	12	5.11	54	15.18	5.18
7	18	6.30	77	12.48	8.08



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.36	38	-0.71	-19.55
2	12	3.79	57	2.46	-5.08
3	20	11.41	85	2.52	0.08
4	14	1.06	73	2.85	-1.70
5	28	2.77	45	14.89	2.85
6	12	7.23	66	13.74	6.58
7	18	5.62	78	12.32	9.68



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	4.68	68	4.21	-1.22
2	12	8.17	81	1.29	-1.66
3	20	3.72	64	-3.44	-9.27
4	14	1.60	64	-4.00	-8.06
5	28	5.08	58	15.13	6.76
6	12	7.01	84	8.60	8.30
7	18	1.67	63	8.70	2.01



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	6	1.91	51	-5.21	-12.07
2	12	1.78	60	-6.94	-13.51
3	20	2.00	61	-7.10	-13.48
4	14	4.91	66	1.50	-4.59
5	28	3.71	70	4.06	-1.14
6	12	2.75	60	-0.32	-7.31
7	18	1.69	51	8.18	-1.58

CAPITA



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	3.48	87	-0.10	-19.04
2	12	2.77	60	-8.05	-16.23
3	20	3.52	58	-4.80	-12.18
4	14	3.07	68	4.80	-1.78
5	28	3.07	62	2.32	-4.48
6	12	2.88	67	1.96	-8.48
7	10	1.68	81	14.62	4.87



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.48	46	-2.68	-11.88
2	12	2.76	41	-1.38	-13.28
3	20	4.90	55	1.85	-8.77
4	14	2.68	79	1.56	-2.93
5	28	2.72	68	7.81	-6.55
6	12	2.04	62	8.84	-3.85
7	10	2.45	84	18.78	10.18



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	2.05	46	2.33	-8.68
2	12	5.20	47	4.27	-6.75
3	20	7.94	69	5.53	-0.24
4	14	8.21	82	-0.88	-1.82
5	28	2.88	38	13.11	-1.66
6	12	2.82	47	12.48	1.24
7	10	5.06	78	17.14	13.12



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	2.38	81	-2.11	-8.66
2	12	8.65	76	3.18	-0.97
3	20	13.08	89	5.80	4.02
4	14	10.75	91	1.03	-0.27
5	28	2.98	38	15.47	1.88
6	12	2.52	49	14.20	5.65
7	10	6.94	79	18.22	14.40



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	3.67	71	-0.46	-5.10
2	12	8.07	87	3.97	2.08
3	20	12.41	89	8.48	6.74
4	14	1.82	70	-4.85	-8.33
5	28	3.19	43	17.77	4.68
6	12	3.59	58	17.07	8.05
7	10	2.97	79	18.01	14.93



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	10.73	84	2.10	-0.33
2	12	11.98	66	4.43	2.03
3	20	3.55	73	1.94	-1.30
4	14	2.85	66	-1.27	-8.06
5	28	3.81	55	18.28	8.76
6	12	6.13	76	15.04	10.69
7	10	6.18	93	15.71	10.69

CAPITA



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	2.01	80	0.55	-0.44
2	12	2.58	70	4.67	-0.41
3	20	11.05	88	4.82	3.07
4	14	8.58	87	1.68	-0.05
5	28	6.28	67	14.51	8.18
6	12	6.17	78	15.78	11.96
7	18	5.76	77	18.12	13.96



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.07	88	0.33	-4.77
2	12	7.72	81	3.19	0.82
3	20	8.06	86	10.82	9.34
4	14	5.00	77	-0.91	-9.24
5	28	7.37	74	12.25	7.38
6	12	5.63	78	15.87	12.03
7	18	2.91	81	16.48	9.12



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	11.68	90	6.88	6.44
2	12	8.52	96	6.62	6.38
3	20	6.52	77	0.10	-5.41
4	14	1.66	98	0.29	-0.23
5	28	6.74	77	14.83	10.68
6	12	1.78	65	8.69	2.51
7	18	1.52	98	15.01	-1.48

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	6.22	70	4.22	-1.21
2	12	2.63	62	0.83	-5.78
3	20	2.23	57	0.27	-7.35
4	14	2.36	53	3.25	-6.08
5	28	1.60	41	12.05	-1.36
6	12	1.59	41	8.97	-3.68
7	18	1.68	97	18.98	-0.68



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.40	52	-0.77	-9.49
2	12	1.60	51	0.32	-8.88
3	20	1.99	50	2.60	-8.80
4	14	2.41	62	1.90	-5.07
5	28	1.98	37	13.05	-2.49
6	12	1.68	33	10.82	-4.30
7	18	1.68	94	15.78	4.30



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	2.49	52	-3.22	-11.77
2	12	1.88	52	2.03	-7.12
3	20	3.37	43	4.88	-8.71
4	14	5.00	65	3.42	-2.85
5	28	1.69	34	13.33	-3.31
6	12	1.85	51	11.70	-4.99
7	18	2.21	51	15.81	5.08

CAPITA



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	2.17	51	-2.94	-11.38
2	12	1.62	48	2.77	-10.31
3	20	3.15	45	5.88	-5.77
4	14	2.00	67	-0.95	-8.64
5	28	2.48	58	12.87	-2.47
6	12	2.58	53	11.94	-4.07
7	18	1.95	41	14.23	1.08



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.38	48	-2.88	-12.85
2	12	1.02	48	3.00	-7.72
3	20	4.39	65	1.61	-5.21
4	14	1.71	64	-2.59	-8.79
5	28	2.16	52	11.60	-4.62
6	12	4.04	57	4.38	-3.93
7	18	1.61	50	8.88	-6.84



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.48	50	-6.55	-14.18
2	12	1.62	42	-1.67	-13.46
3	20	2.97	67	-1.18	-8.48
4	14	1.61	52	1.38	-7.89
5	28	2.06	38	8.32	-6.73
6	12	4.18	63	2.56	-6.02
7	18	1.60	36	8.08	-8.10



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.45	34	-9.27	-15.27
2	12	4.78	55	0.78	-7.81
3	20	5.68	53	-8.49	-10.84
4	14	1.08	48	-2.54	-10.21
5	28	2.80	38	8.76	-4.48
6	12	2.29	45	6.08	-5.36
7	18	1.61	40	12.25	-1.17



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	8.34	85	-6.55	-12.92
2	12	1.08	47	-9.95	-19.71
3	20	4.11	55	-10.74	-18.24
4	14	2.22	47	-5.63	-11.10
5	28	1.68	33	5.15	-7.47
6	12	1.62	36	3.67	-9.81
7	18	2.05	53	13.85	9.87



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	4.45	48	-11.32	-100.00
2	12	3.14	48	-9.57	-17.43
3	20	5.92	51	-9.98	-15.05
4	14	1.70	40	-7.68	-11.38
5	28	1.97	41	5.05	-3.96
6	12	1.70	38	-3.15	-12.72
7	18	2.87	57	8.31	-1.04

CAPITA



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	4.45	60	-6.60	-15.27
2	12	3.00	49	-6.66	-15.56
3	20	2.68	51	-7.80	-14.88
4	14	2.44	43	-8.88	-16.58
5	28	1.84	30	5.25	-10.32
6	12	1.71	29	1.20	-15.09
7	18	2.08	66	0.23	0.07

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.77	48	-11.96	-17.21
2	12	4.64	48	-10.27	-18.68
3	20	2.02	48	-8.71	-15.36
4	14	2.22	50	-8.40	-18.98
5	28	1.77	28	5.71	-9.77
6	12	1.82	55	3.29	-12.82
7	18	3.00	66	4.02	-2.48



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.86	54	-5.65	-12.07
2	12	2.03	48	-1.80	-11.66
3	20	1.99	55	-5.19	-11.38
4	14	1.87	50	-4.76	-12.41
5	28	1.97	25	0.28	-10.35
6	12	2.70	58	2.28	-11.79
7	18	3.81	78	1.94	-2.16



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	3.50	58	-3.88	-11.55
2	12	5.04	51	0.00	-9.67
3	20	2.78	53	-0.77	-9.52
4	14	3.09	55	-3.74	-9.71
5	28	2.33	37	10.21	-4.75
6	12	5.07	75	3.20	-2.91
7	18	3.39	78	4.37	1.00



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.31	37	-6.98	-10.94
2	12	1.00	46	-1.15	-11.47
3	20	2.09	47	2.69	-7.89
4	14	1.98	45	0.25	-9.53
5	28	2.16	41	10.74	-2.25
6	12	3.29	57	5.32	-2.06
7	18	3.33	74	6.45	2.01



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	3.07	48	1.88	-8.21
2	12	2.94	46	-1.48	-10.48
3	20	3.27	42	-10.48	-16.29
4	14	2.07	40	-9.11	-13.48
5	28	2.04	38	12.89	0.30
6	12	2.35	42	5.06	-4.55
7	18	4.58	70	8.10	0.55

CAPITA



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	2.41	98	-7.66	-17.77
2	12	1.04	36	-4.89	-15.66
3	20	1.65	30	-4.32	-15.48
4	14	1.68	36	-5.18	-12.21
5	28	2.03	31	0.49	-6.33
6	12	1.82	31	0.83	-15.02
7	16	0.17	71	0.24	0.87



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	5.48	40	-6.68	-16.89
2	12	1.71	33	-1.84	-16.83
3	20	3.52	38	-1.55	-12.77
4	14	2.00	46	0.87	-6.47
5	28	2.42	32	7.83	-5.30
6	12	1.76	26	5.18	-13.12
7	16	0.29	71	0.61	0.38

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	2.34	46	-5.99	-10.73
2	12	6.76	55	-3.83	-13.80
3	20	5.08	51	-7.30	-15.08
4	14	4.70	57	-7.95	-10.90
5	28	2.68	42	12.21	-1.48
6	12	2.60	58	10.08	1.01
7	16	1.77	58	14.88	6.91



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.53	82	-19.51	-100.09
2	12	6.57	42	-10.36	-22.22
3	20	5.36	48	-10.85	-18.47
4	14	1.98	50	-12.81	-19.85
5	28	1.06	30	5.21	-6.31
6	12	2.07	43	-0.32	-10.21
7	16	2.79	70	4.88	-0.45

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.38	57	-8.21	-17.21
2	12	3.92	46	-5.58	-13.80
3	20	1.84	45	-5.27	-15.49
4	14	3.08	49	-8.58	-13.46
5	28	2.66	40	5.27	-5.49
6	12	1.58	58	-1.11	-13.73
7	16	4.05	70	0.58	-4.85



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.48	57	-5.21	-10.84
2	12	1.78	45	-1.43	-12.21
3	20	2.54	44	-1.02	-11.60
4	14	3.08	47	-5.51	-12.84
5	28	3.59	48	7.11	-3.54
6	12	5.19	45	1.38	-10.18
7	16	2.91	65	1.59	-4.71

CAPITA

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.31	28	-2.98	-17.77
2	12	2.27	40	-2.26	-13.71
3	20	2.56	48	-0.61	-10.13
4	14	3.52	84	-0.61	-0.89
5	28	2.53	48	6.62	-4.09
6	12	2.25	30	5.86	-11.01
7	10	1.81	85	8.48	-0.90

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.82	36	-3.96	-19.68
2	12	1.78	36	0.13	-16.69
3	20	2.15	48	-0.39	-10.71
4	14	5.78	88	2.41	-3.19
5	28	1.81	31	7.88	-8.86
6	12	2.43	35	8.58	-8.09
7	10	2.42	84	14.88	8.48



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.91	28	0.21	-15.77
2	12	1.91	53	2.88	-13.74
3	20	4.57	48	1.35	-8.55
4	14	9.88	71	2.88	-2.87
5	28	1.88	30	8.00	-8.27
6	12	2.54	57	7.88	-8.20
7	10	1.86	42	10.87	3.38



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.85	36	0.00	-19.68
2	12	3.40	33	2.86	-10.58
3	20	8.04	87	0.38	-5.07
4	14	2.76	68	2.10	-9.32
5	28	2.17	31	11.60	-5.75
6	12	3.03	56	8.35	-2.72
7	10	1.90	51	14.85	6.61



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	2.08	48	3.10	-7.65
2	12	5.61	51	4.21	-6.83
3	20	2.92	62	-0.38	-6.85
4	14	4.62	80	-3.53	-8.48
5	28	2.09	41	10.96	-2.31
6	12	8.61	71	5.78	0.50
7	10	2.10	71	10.82	8.37



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	5.78	72	3.33	-1.53
2	12	7.67	75	1.57	-2.69
3	20	3.39	62	-5.35	-9.77
4	14	1.83	51	-3.25	-11.29
5	28	7.05	73	7.51	2.61
6	12	9.86	88	1.57	-4.43
7	10	1.58	44	8.00	-5.55

CAPITA



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	0.98	76	0.00	-9.88
2	12	2.79	68	0.69	-6.66
3	20	2.06	48	3.72	-9.98
4	14	1.57	46	0.75	-2.06
5	28	1.67	42	4.66	-7.57
6	12	2.01	43	5.05	-6.93
7	10	1.81	58	12.60	-1.07

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.51	41	1.55	-10.46
2	12	4.86	69	1.63	-5.22
3	20	3.88	81	-1.25	-8.05
4	14	1.81	58	-9.41	-10.82
5	28	1.68	80	13.34	-1.02
6	12	1.85	45	12.17	0.41
7	10	1.98	57	14.71	8.14



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.08	40	-9.88	-17.77
2	12	3.18	45	-8.82	-17.16
3	20	1.81	35	-0.55	-12.58
4	14	1.54	32	1.98	-15.07
5	28	1.56	36	9.18	-6.20
6	12	1.57	41	4.62	-7.45
7	10	2.07	50	8.78	-3.18



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.31	41	-1.77	-13.33
2	12	1.88	39	3.42	-10.08
3	20	1.87	29	7.80	-9.77
4	14	1.54	35	10.90	-5.03
5	28	1.53	23	12.19	-8.68
6	12	1.55	22	8.88	-11.81
7	10	1.86	41	8.87	-6.71



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.83	47	0.77	-8.21
2	12	1.68	48	4.89	-5.22
3	20	2.58	42	0.55	-6.18
4	14	2.31	58	8.13	-0.87
5	28	1.83	20	15.76	-7.18
6	12	1.88	22	14.20	-7.91
7	10	6.24	59	11.68	2.74



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.45	43	-1.88	-11.24
2	12	2.72	50	2.17	-7.63
3	20	2.33	49	3.30	-8.76
4	14	2.27	50	0.52	-2.02
5	28	2.95	47	13.30	0.75
6	12	3.29	50	10.98	0.64
7	10	2.36	67	13.48	8.73

CAPITA



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.52	28	-4.43	-15.55
2	12	2.20	30	0.32	-10.18
3	20	2.43	36	5.80	-7.52
4	14	2.28	48	13.28	0.51
5	28	2.59	37	12.67	-2.28
6	12	2.98	36	12.72	-2.03
7	10	3.59	70	15.08	8.18



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.38	32	3.11	-11.00
2	12	2.08	30	0.76	-7.37
3	20	3.78	48	11.07	-1.46
4	14	6.26	71	10.03	6.30
5	28	2.67	37	17.48	2.37
6	12	2.99	38	18.23	3.78
7	10	3.97	68	18.67	11.48



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	2.43	38	8.21	-6.99
2	12	7.98	71	7.96	2.73
3	20	10.00	78	10.07	8.49
4	14	2.54	68	8.18	0.85
5	28	2.75	45	21.58	9.00
6	12	5.19	62	16.97	11.56
7	10	2.98	64	19.86	12.46



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	8.96	84	5.77	-0.55
2	12	12.36	87	6.70	4.57
3	20	3.89	87	5.52	-0.13
4	14	1.75	53	2.88	-8.70
5	28	5.25	78	18.30	14.26
6	12	4.59	73	17.88	12.68
7	10	3.68	71	15.84	10.56



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	2.05	45	6.55	-4.43
2	12	1.71	60	4.62	-2.58
3	20	2.08	54	4.16	-4.55
4	14	2.00	51	-0.27	-8.81
5	28	2.73	58	10.18	8.87
6	12	4.09	76	14.39	10.10
7	10	7.00	78	8.88	5.09



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.91	42	-0.88	-12.44
2	12	9.00	61	-1.06	-6.07
3	20	8.63	72	-2.48	-8.94
4	14	2.58	43	-1.88	-12.07
5	28	7.27	78	16.10	12.31
6	12	4.51	76	12.31	8.00
7	10	1.84	58	6.38	-1.87

CAPITA



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	0.39	82	-1.55	-4.10
2	12	6.02	68	-1.75	-6.94
3	20	1.83	43	-2.80	-15.78
4	14	1.97	38	0.89	-11.66
5	29	3.43	59	7.10	-2.27
6	12	1.52	48	3.70	-7.54
7	10	1.55	46	10.72	-1.21



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.51	41	-2.89	-14.39
2	12	1.08	48	-0.18	-8.85
3	20	2.35	46	2.83	-8.52
4	14	3.60	47	0.98	-2.08
5	29	1.73	36	0.32	-6.30
6	12	1.62	52	0.76	-7.26
7	10	1.71	48	15.98	6.46

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.66	61	9.55	-5.77
2	12	2.01	51	6.76	-3.00
3	20	2.29	51	9.41	-0.98
4	14	2.22	41	12.66	-1.30
5	29	2.23	47	15.36	3.77
6	12	2.52	51	14.71	6.46
7	10	2.06	58	17.70	8.10



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.77	84	8.10	1.66
2	11	3.92	73	8.60	4.03
3	20	5.27	86	10.80	4.52
4	14	1.57	32	14.50	-2.00
5	29	3.23	66	18.01	11.18
6	11	4.49	81	14.54	11.32
7	10	2.94	49	20.62	9.60



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	8.08	87	6.21	4.21
2	11	11.04	88	6.06	4.96
3	20	2.88	45	14.77	2.60
4	14	5.71	39	17.08	0.55
5	29	3.20	57	15.90	6.08
6	12	1.90	39	17.07	2.08
7	10	1.83	56	20.29	10.79



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	8.35	68	5.65	2.52
2	12	3.20	76	7.81	3.10
3	20	4.38	53	13.07	3.08
4	14	4.59	71	11.90	8.34
5	28	1.87	38	18.44	1.76
6	12	1.98	53	19.62	2.56
7	10	2.54	65	19.43	11.94

CAPITA



REGION	# STNS	DEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	4.81	83	7.66	4.84
2	12	1.96	68	18.23	6.13
3	20	3.75	58	10.52	0.48
4	14	4.22	81	5.07	-2.48
5	28	1.62	82	21.65	2.73
6	12	1.98	59	22.45	7.03
7	10	3.81	71	16.25	12.42



REGION	# STNS	DEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	9.76	81	10.68	7.46
2	12	6.68	78	12.81	7.64
3	20	5.48	67	6.96	5.08
4	14	5.05	67	-1.11	-8.80
5	28	2.21	48	24.28	9.00
6	12	2.95	58	22.68	15.89
7	10	6.88	76	12.07	8.68



REGION	# STNS	DEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	8.70	78	9.68	8.10
2	12	8.32	78	10.38	8.68
3	20	8.33	80	3.87	-1.13
4	14	1.77	48	-3.87	-11.02
5	28	2.91	43	24.77	10.01
6	12	5.05	78	14.30	10.63
7	10	2.08	66	6.41	0.52



REGION	# STNS	DEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	11.48	88	9.10	8.00
2	12	8.32	83	7.21	6.44
3	20	8.48	71	-0.41	-5.52
4	14	1.70	61	-9.60	-12.25
5	28	2.65	53	23.11	12.17
6	12	10.98	84	8.30	5.00
7	10	2.47	50	8.30	-2.15



REGION	# STNS	DEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	8.68	81	7.21	5.80
2	12	7.04	86	5.82	3.04
3	20	7.31	67	-1.58	-7.18
4	14	1.70	38	9.72	-9.98
5	28	2.20	48	9.50	-1.66
6	12	5.38	68	1.38	-4.53
7	10	1.81	41	10.82	-2.15



REGION	# STNS	DEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.61	48	1.77	-7.88
2	12	1.08	51	2.68	-6.80
3	20	1.85	45	5.71	-4.82
4	14	1.54	53	14.20	-2.41
5	28	1.63	35	10.77	-4.36
6	12	1.57	47	6.38	-4.34
7	10	1.58	40	16.60	2.94

CAPITA



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.91	81	5.83	-12.52
2	12	1.58	35	6.75	-7.85
3	20	2.60	52	12.15	2.55
4	14	1.84	86	17.28	0.98
5	28	1.68	31	15.13	-2.08
6	12	1.62	48	13.70	-0.50
7	10	1.70	47	18.43	7.06



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.81	48	8.77	-6.10
2	12	2.08	28	12.77	-1.26
3	20	2.52	50	17.13	6.24
4	14	1.68	58	19.08	9.78
5	28	1.80	32	20.03	2.65
6	12	1.80	56	19.81	5.18
7	10	1.88	52	20.58	8.78



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.77	55	11.53	2.77
2	12	2.78	45	16.88	5.06
3	20	2.31	42	20.85	7.21
4	14	2.85	51	15.15	9.25
5	28	1.85	36	23.36	8.70
6	12	1.91	57	22.35	8.66
7	10	2.01	60	19.85	10.93



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	2.29	80	11.44	1.33
2	12	2.53	42	18.61	5.27
3	20	2.05	41	20.50	8.77
4	14	1.78	51	20.84	1.38
5	28	2.01	38	24.08	8.60
6	12	1.92	44	22.91	9.85
7	10	2.65	60	22.52	15.81

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	3.48	69	10.44	4.98
2	12	3.22	46	20.55	7.77
3	20	1.97	39	20.07	6.88
4	14	1.54	32	17.85	0.38
5	28	1.88	38	26.07	8.67
6	12	2.38	49	23.88	12.58
7	10	3.20	69	22.77	16.75



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.91	28	12.10	-8.10
2	12	1.54	22	15.87	-5.06
3	20	1.80	28	18.91	-0.50
4	14	2.69	59	21.30	8.38
5	28	1.98	40	23.62	8.66
6	12	2.78	52	24.53	14.11
7	10	2.27	58	23.84	14.30

CAPITA



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.91	26	14.82	-6.84
2	12	1.68	38	20.50	6.59
3	20	2.75	64	15.45	8.57
4	14	1.78	36	8.87	-7.65
5	28	1.68	47	24.65	12.23
6	12	3.53	83	20.65	16.29
7	18	3.01	81	19.62	11.48

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.42	82	9.10	1.22
2	12	1.52	47	7.81	-2.02
3	20	1.64	55	7.49	-7.26
4	14	1.78	25	11.82	-8.84
5	28	1.58	46	19.83	6.88
6	12	1.88	47	18.35	6.81
7	18	2.81	79	18.10	11.08



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.51	27	9.10	-0.77
2	12	1.83	30	12.26	-6.27
3	20	2.08	25	12.77	-5.41
4	14	6.40	65	8.82	3.18
5	28	1.79	38	17.63	2.28
6	12	5.76	60	14.39	8.88
7	18	9.48	71	20.68	14.82



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.68	25	12.77	-8.77
2	12	1.88	31	15.87	-1.66
3	20	8.84	75	13.07	8.41
4	14	6.74	77	8.80	4.84
5	28	5.48	68	16.34	9.97
6	12	3.80	80	17.83	14.02
7	18	3.48	58	22.11	12.01

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	4.18	80	11.68	8.48
2	12	2.88	68	18.80	11.47
3	20	1.89	68	12.59	7.27
4	14	2.38	58	-0.11	-7.85
5	28	3.53	63	22.81	15.05
6	12	4.20	73	19.85	16.48
7	18	2.68	47	19.64	2.04



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.91	41	11.68	-1.22
2	12	1.85	54	8.18	-0.60
3	20	1.78	53	2.88	-8.38
4	14	1.63	46	4.04	-8.74
5	28	2.28	64	20.59	13.25
6	12	2.73	67	10.78	4.76
7	18	1.83	58	14.54	-0.58

CAPITA



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.91	51	5.66	-10.77
2	12	1.68	36	6.76	-7.35
3	20	2.12	50	7.13	-2.88
4	14	1.96	48	12.88	0.03
5	28	2.58	56	16.66	7.57
6	12	2.71	52	15.85	6.11
7	18	1.83	44	19.57	8.17



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.48	59	11.27	-4.77
2	12	2.32	38	13.28	-1.06
3	20	2.47	41	16.74	5.46
4	14	3.65	61	11.02	3.26
5	28	2.78	55	18.44	8.87
6	12	2.87	59	19.62	11.35
7	18	2.20	52	21.78	10.31

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.61	49	13.88	1.35
2	12	3.46	68	13.14	7.26
3	20	1.78	58	16.52	0.86
4	14	1.67	46	13.18	-0.95
5	28	2.52	59	23.62	15.05
6	12	5.80	78	16.70	14.34
7	18	2.02	91	22.68	10.66



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.48	39	15.33	-2.10
2	12	1.68	31	17.63	-1.01
3	20	1.83	31	15.60	-1.68
4	14	1.66	32	14.24	-2.83
5	28	2.10	42	25.03	10.01
6	12	2.19	66	18.73	11.61
7	18	2.77	69	18.57	10.69

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.31	24	12.88	-7.21
2	12	1.71	32	15.08	-1.71
3	20	1.75	35	14.48	-0.83
4	14	1.63	28	17.25	-2.02
5	28	2.60	55	19.20	8.80
6	12	2.61	60	17.86	9.02
7	18	1.69	54	20.68	10.13



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.58	54	10.21	-4.88
2	12	1.76	40	12.91	-0.60
3	20	1.79	32	18.35	-0.55
4	14	1.63	21	24.91	0.87
5	28	1.80	42	18.09	6.40
6	12	1.53	51	18.88	1.26
7	18	2.16	45	21.33	6.38

CAPITA



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.77	27	15.88	-2.08
2	12	1.08	27	17.64	-1.52
3	20	1.87	52	25.84	14.05
4	14	2.66	41	17.59	3.00
5	28	1.76	31	21.00	3.17
6	12	1.55	52	22.21	11.67
7	18	3.40	69	20.61	12.48

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	2.21	30	22.10	9.44
2	12	2.70	26	24.16	3.47
3	20	2.57	41	21.65	7.50
4	14	4.38	72	10.71	6.58
5	28	2.02	32	24.16	6.02
6	12	2.16	50	21.45	9.38
7	18	2.14	65	20.20	15.25

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.32	25	20.66	-0.48
2	12	2.16	27	23.00	2.59
3	20	3.12	71	15.43	9.89
4	14	1.73	58	7.41	-1.74
5	28	2.61	38	25.00	8.06
6	12	3.77	73	21.10	18.10
7	18	2.02	48	21.80	9.61



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	7.00	75	9.44	5.68
2	12	2.31	59	11.47	3.37
3	20	1.57	45	10.85	-0.76
4	14	1.85	33	18.40	1.38
5	28	2.17	55	10.32	0.57
6	12	1.52	44	16.10	3.88
7	18	1.75	43	21.84	8.34

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.31	47	12.21	0.98
2	12	1.59	28	15.31	-3.16
3	20	1.08	38	16.02	1.77
4	14	1.00	45	17.81	5.71
5	28	1.62	32	10.89	2.60
6	12	1.50	34	19.05	3.58
7	18	2.54	58	24.12	14.30

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.31	33	14.66	-2.21
2	12	1.53	26	17.72	-3.42
3	20	5.09	59	15.57	8.41
4	14	1.84	55	12.97	6.00
5	28	1.90	36	22.05	5.61
6	12	2.54	53	21.84	11.43
7	18	2.74	57	24.71	16.38

CAPITA



REGION	# STNS	PRCP	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.91	37	14.33	-0.89
2	12	2.16	26	21.67	-0.41
3	20	9.10	72	14.49	9.38
4	14	2.28	66	11.18	2.30
5	28	2.28	45	24.63	11.48
6	12	6.40	62	24.55	16.83
7	16	5.68	71	21.38	15.10



REGION	# STNS	PRCP	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.40	42	18.55	8.10
2	12	2.47	38	19.30	2.91
3	20	6.38	63	14.82	7.55
4	14	6.03	81	11.66	8.58
5	28	2.62	41	26.88	12.41
6	12	4.00	60	24.87	16.23
7	16	3.74	65	22.46	14.80



REGION	# STNS	PRCP	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.67	61	12.10	4.92
2	12	1.97	26	20.13	4.16
3	20	6.06	66	17.30	10.55
4	14	2.42	69	13.80	6.02
5	28	2.81	42	27.82	12.77
6	12	3.81	58	26.24	16.24
7	16	2.74	47	23.53	10.03

REGION	# STNS	PRCP	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.03	66	11.93	5.77
2	12	2.38	82	10.00	7.77
3	20	1.67	58	16.53	8.05
4	14	1.63	81	15.70	5.15
5	28	2.53	41	29.64	11.09
6	12	1.56	48	24.01	9.01
7	16	3.41	68	21.80	14.30



REGION	# STNS	PRCP	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.47	65	12.66	8.10
2	12	4.32	70	14.43	8.79
3	20	2.38	51	19.77	9.52
4	14	4.53	73	11.63	6.87
5	28	2.54	48	29.76	11.36
6	12	2.03	49	25.10	12.07
7	16	4.93	64	22.42	14.51



REGION	# STNS	PRCP	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.47	58	13.10	5.66
2	12	2.63	53	15.46	5.64
3	20	2.67	63	17.33	10.19
4	14	3.63	56	8.18	-1.26
5	28	3.63	31	21.63	13.20
6	12	6.51	60	25.04	16.70
7	16	2.13	47	17.04	4.16

CAPITA



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	3.34	74	11.22	6.55
2	12	5.08	82	12.07	8.74
3	20	3.08	58	5.94	-2.19
4	14	1.73	44	8.13	-4.08
5	28	4.78	78	21.10	16.45
6	12	1.56	45	15.50	2.81
7	18	1.56	28	20.19	0.55



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	3.22	58	12.21	3.48
2	12	1.98	54	8.60	-0.41
3	20	1.75	57	8.46	-1.79
4	14	1.65	38	10.80	-2.79
5	28	1.87	36	20.01	9.27
6	12	1.58	31	19.25	1.81
7	18	1.79	32	22.69	6.84



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.36	45	11.68	-0.11
2	12	1.79	42	14.36	1.66
3	20	2.78	55	12.80	3.57
4	14	1.60	42	14.52	1.22
5	28	2.46	48	22.97	7.78
6	12	1.50	39	23.00	8.51
7	18	2.06	54	22.16	11.55

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	3.67	77	8.77	5.55
2	12	2.73	68	13.23	5.22
3	20	2.68	72	14.81	2.03
4	14	1.77	43	15.79	2.19
5	28	3.26	56	25.22	19.36
6	12	4.75	60	19.49	13.14
7	18	4.19	61	22.91	16.53

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.32	31	19.46	-3.68
2	12	1.66	33	14.76	-1.15
3	20	1.69	35	16.57	1.08
4	14	1.76	46	16.02	3.68
5	28	2.53	53	20.88	10.19
6	12	2.30	59	20.98	12.40
7	18	4.12	55	21.26	14.33



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.91	29	15.44	6.09
2	12	2.05	50	16.86	-0.97
3	20	2.20	54	17.93	3.30
4	14	1.54	30	23.14	2.57
5	28	5.36	64	15.90	12.27
6	12	5.00	52	18.65	11.72
7	18	1.95	48	21.21	9.28

CAPITA

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.05	55	16.77	0.77
2	12	2.18	54	13.88	3.46
3	20	1.67	54	17.07	0.83
4	14	1.57	26	25.89	5.78
5	28	1.68	46	22.13	8.55
6	12	1.67	37	23.52	7.56
7	16	1.68	34	24.05	8.89



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.81	43	14.10	0.77
2	12	1.91	58	11.47	2.46
3	20	1.65	58	17.51	5.27
4	14	1.66	28	25.15	5.11
5	28	1.77	33	25.31	7.67
6	12	1.59	55	26.01	9.84
7	16	2.02	41	28.08	11.35



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.48	53	15.77	0.68
2	12	2.38	49	14.48	3.60
3	20	1.99	55	21.77	6.71
4	14	1.84	31	25.11	8.70
5	28	1.77	33	24.61	7.23
6	12	1.73	42	26.10	12.12
7	16	2.48	51	28.97	15.08

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.05	68	15.43	2.55
2	12	2.52	66	20.41	8.16
3	20	2.02	58	19.60	10.32
4	14	1.57	28	18.56	0.08
5	28	2.08	36	28.45	11.06
6	12	2.32	47	28.26	13.93
7	16	3.44	61	24.57	15.78



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.68	51	16.21	5.00
2	12	2.13	51	16.10	5.02
3	20	2.01	47	14.60	2.22
4	14	1.54	30	13.60	-0.07
5	28	2.42	50	24.87	13.30
6	12	2.71	58	21.80	11.66
7	16	1.73	58	24.05	12.92

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.92	59	15.55	1.55
2	12	1.78	48	13.78	2.03
3	20	1.61	44	10.52	-1.35
4	14	1.59	34	11.20	-1.62
5	28	2.25	47	21.36	9.28
6	12	1.53	54	19.18	2.88
7	16	1.70	43	24.61	10.08

CAPITA

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.31	35	15.21	-2.21
2	12	1.53	34	12.58	-2.81
3	20	1.58	33	13.44	-2.52
4	14	3.28	50	14.47	5.16
5	20	1.67	37	10.70	6.70
6	12	1.67	35	10.32	1.81
7	10	2.08	48	25.65	12.04



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.31	22	12.77	-8.88
2	12	1.76	27	15.02	-6.45
3	20	1.58	38	18.05	0.00
4	14	6.48	70	12.87	8.74
5	20	1.92	38	21.80	6.52
6	12	1.68	39	23.32	8.32
7	10	2.56	88	22.88	19.06



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.31	22	16.66	-4.99
2	12	1.59	26	19.30	-0.37
3	20	2.60	44	21.77	8.49
4	14	2.23	53	18.02	8.49
5	20	2.21	46	23.05	9.81
6	12	2.87	58	23.80	14.87
7	10	3.14	66	24.94	18.07



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.53	37	20.93	5.77
2	12	3.51	63	18.86	10.73
3	20	2.03	61	17.41	9.68
4	14	1.68	51	13.04	2.77
5	20	2.26	59	23.74	14.47
6	12	2.70	62	22.50	15.53
7	10	5.15	76	20.93	15.79

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.69	48	20.21	8.49
2	12	1.68	51	19.62	9.02
3	20	2.11	52	15.82	5.80
4	14	2.19	92	14.48	9.32
5	20	2.62	58	24.95	16.65
6	12	2.63	59	23.05	16.67
7	10	2.88	75	22.42	17.39



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.91	16	17.66	1.77
2	12	3.51	59	16.58	7.91
3	20	8.58	72	19.71	9.13
4	14	1.98	53	13.82	3.09
5	20	3.40	68	24.12	17.61
6	12	4.08	75	22.50	17.08
7	10	2.99	78	20.44	15.17

CAPITA



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	0.59	69	13.60	9.21
2	12	7.08	87	16.87	13.68
3	20	4.58	81	17.38	8.33
4	14	1.70	50	17.17	6.68
5	28	1.98	68	26.26	18.91
6	12	5.24	72	24.25	18.74
7	10	2.98	78	21.17	18.68

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.38	48	16.10	6.03
2	12	2.05	68	15.27	9.48
3	20	5.75	55	20.71	11.13
4	14	9.65	58	20.47	11.48
5	28	2.66	58	25.81	16.60
6	12	2.68	67	25.55	18.97
7	10	3.41	70	25.58	18.64



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.38	28	22.68	2.68
2	12	3.06	46	18.80	5.55
3	20	8.57	75	20.19	15.57
4	14	2.29	53	22.53	11.04
5	28	3.75	70	23.16	15.31
6	12	2.38	72	24.78	19.38
7	10	1.99	66	28.12	18.68



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.04	39	22.00	5.21
2	12	3.38	66	18.97	12.03
3	20	5.62	62	25.57	17.68
4	14	1.05	55	22.21	12.45
5	28	3.27	71	23.21	17.53
6	12	2.32	69	26.00	20.50
7	10	2.08	58	27.77	17.14



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	2.59	53	23.10	10.77
2	12	6.03	76	19.06	16.57
3	20	5.02	66	15.34	9.43
4	14	1.69	55	12.25	3.17
5	28	3.27	67	25.80	18.80
6	12	1.82	61	25.69	17.48
7	10	1.94	61	26.17	17.35



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	2.15	20	13.41	0.16
2	12	1.93	61	19.89	8.57
3	20	2.33	58	13.78	5.52
4	14	2.72	45	12.46	0.65
5	28	1.78	48	27.65	15.41
6	12	2.09	52	21.99	10.78
7	10	2.22	63	21.68	14.16

CAPITA

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	2.21	70	11.21	0.68
2	12	6.68	77	16.95	10.82
3	20	2.65	56	15.93	6.52
4	14	2.58	86	8.84	1.98
5	20	1.95	63	25.59	17.78
6	12	2.28	69	20.91	14.25
7	10	2.28	81	22.04	11.55



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	2.01	71	12.59	7.48
2	12	1.77	62	17.02	7.83
3	20	1.86	65	13.57	6.57
4	14	1.64	68	13.46	8.60
5	20	2.10	58	26.67	16.06
6	12	1.44	48	21.20	9.53
7	10	1.78	55	23.87	12.11

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	2.16	62	8.88	0.00
2	12	1.83	58	13.32	6.08
3	20	1.77	62	14.02	8.71
4	14	1.83	58	13.92	2.97
5	20	1.67	43	22.11	8.62
6	12	1.50	46	19.25	7.40
7	10	1.63	50	23.01	11.87



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.58	80	14.89	9.44
2	12	1.76	66	16.38	7.07
3	20	1.68	49	16.55	5.77
4	14	1.57	62	16.80	3.76
5	20	1.76	46	21.70	8.76
6	12	1.63	47	20.06	8.18
7	10	3.01	82	22.16	19.25



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.36	59	15.55	7.48
2	12	1.71	42	18.70	5.31
3	20	2.17	49	17.63	8.57
4	14	4.36	68	14.55	7.48
5	20	1.83	41	23.38	9.10
6	12	1.79	46	22.31	9.90
7	10	1.68	53	20.19	10.55



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.86	53	16.10	8.44
2	12	4.32	62	16.38	8.46
3	20	7.41	68	14.27	10.71
4	14	3.74	65	14.04	6.90
5	20	3.14	57	24.62	16.41
6	12	3.45	53	20.01	15.22
7	10	1.93	56	27.98	17.20

CAPITA



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	2.32	48	17.21	4.99
2	12	3.42	73	15.22	9.01
3	20	4.45	65	17.48	10.18
4	14	3.58	56	18.61	5.76
5	28	2.81	69	27.21	19.17
6	12	2.72	68	28.05	19.48
7	18	3.04	63	26.62	18.53

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.98	29	17.96	-0.88
2	12	1.52	37	20.81	6.27
3	20	3.87	51	19.18	8.02
4	14	5.51	79	14.44	9.98
5	28	3.08	62	25.05	18.72
6	12	2.82	82	27.77	19.78
7	18	1.98	61	27.18	17.94



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.38	59	15.21	8.77
2	12	2.01	58	21.80	7.03
3	20	8.47	68	18.55	14.30
4	14	2.27	68	14.08	7.77
5	28	6.02	73	23.13	17.61
6	12	3.71	76	25.25	18.56
7	18	1.71	60	25.09	18.17



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.31	48	19.99	9.10
2	12	2.38	68	19.96	9.62
3	20	4.05	81	19.60	10.46
4	14	3.46	83	18.70	8.17
5	28	3.08	68	32.17	15.57
6	12	2.52	58	32.83	13.52
7	18	1.76	68	29.18	16.75



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.31	55	18.96	2.86
2	12	3.27	72	19.18	7.58
3	20	3.82	72	15.77	10.80
4	14	2.00	54	19.87	8.12
5	28	3.73	78	18.72	14.61
6	12	2.36	52	22.17	11.81
7	18	1.84	67	26.87	16.58



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	3.70	69	14.10	7.68
2	12	5.12	89	16.06	13.00
3	20	4.55	78	15.33	11.21
4	14	3.21	58	19.24	9.95
5	28	2.35	58	23.78	14.77
6	12	2.53	67	23.08	13.74
7	18	1.72	47	25.47	10.66

CAPITA

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	4.02	70	19.04	13.00
2	12	3.07	74	17.77	12.91
3	20	3.49	64	16.91	10.13
4	14	2.27	58	21.18	12.01
5	28	2.08	56	24.53	14.68
6	12	2.58	57	23.89	13.09
7	10	1.68	66	20.49	17.00



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	7.59	80	19.55	12.65
2	12	3.07	70	16.47	10.73
3	20	5.20	55	21.10	11.88
4	14	3.66	60	19.20	13.05
5	28	2.58	40	25.01	13.26
6	12	3.27	48	25.51	13.97
7	10	2.04	56	20.25	17.21



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	2.[illegible]	58	20.80	12.10
2	12	[illegible]	53	21.10	11.29
3	20	[illegible]	74	19.57	14.52
4	14	1.87	46	22.40	9.04
5	28	2.52	50	27.03	15.45
6	12	2.75	50	20.08	17.83
7	10	2.50	66	25.34	18.15



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	8.49	68	15.21	12.55
2	12	8.47	81	18.42	16.80
3	20	3.32	43	26.57	10.99
4	14	3.14	42	25.92	11.70
5	28	2.92	61	23.93	16.72
6	12	2.08	65	26.30	18.97
7	10	2.33	58	20.89	17.06



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	7.01	78	17.08	14.21
2	12	3.51	69	20.08	12.45
3	20	1.77	49	29.35	12.10
4	14	1.68	46	29.52	14.79
5	28	2.48	63	26.50	18.46
6	12	2.07	52	28.53	17.67
7	10	2.02	67	27.39	17.49



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	6.07	70	18.55	12.88
2	12	1.80	53	22.03	11.00
3	20	2.13	47	25.05	13.07
4	14	1.67	45	28.33	13.23
5	28	2.38	57	26.58	16.06
6	12	2.21	48	29.38	17.21
7	10	1.03	59	22.77	16.32



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	2.25	49	25.80	12.55
2	12	2.45	47	26.18	12.86
3	20	2.58	46	27.83	15.02
4	14	1.70	54	26.58	18.22
5	20	2.75	52	26.78	15.78
6	12	2.43	47	29.20	18.66
7	18	2.25	60	28.57	19.47



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	2.33	43	29.33	15.10
2	12	2.95	43	29.76	15.62
3	20	3.69	50	29.28	17.71
4	14	2.29	60	25.27	18.80
5	20	3.31	55	26.52	16.52
6	12	2.72	48	28.85	18.28
7	18	2.19	54	29.88	19.40



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	2.93	61	27.88	16.77
2	12	4.56	42	30.36	16.35
3	20	4.59	51	29.98	18.77
4	14	3.46	65	25.27	17.73
5	20	3.83	66	26.46	18.88
6	12	2.93	48	28.80	18.52
7	18	2.41	58	28.70	19.16



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	3.45	53	27.77	14.86
2	12	4.13	51	27.95	16.33
3	20	5.53	46	30.74	18.05
4	14	2.46	61	26.20	17.61
5	20	3.71	57	27.71	20.15
6	12	2.39	54	25.33	18.51
7	18	2.48	64	28.83	21.03



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	3.19	63	22.52	15.88
2	12	3.08	56	29.46	19.85
3	20	4.33	48	31.47	19.10
4	14	2.76	61	26.02	17.09
5	20	3.35	67	27.77	20.07
6	12	4.41	52	30.18	19.02
7	18	1.69	56	29.46	20.18



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	2.10	78	31.52	9.93
2	12	6.53	46	29.62	16.15
3	20	5.74	75	23.30	0.55
4	14	1.95	66	24.71	17.37
5	20	6.57	61	23.40	20.64
6	12	5.63	55	31.63	26.58
7	18	1.89	59	30.13	19.40

CAPITA



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	5.10	77	14.32	9.33
2	12	6.03	71	22.45	16.75
3	20	6.29	55	29.63	19.05
4	14	1.60	62	23.74	18.60
5	20	5.01	62	29.24	21.00
6	12	5.24	54	32.05	21.61
7	18	1.75	52	31.51	19.75



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	7.07	84	20.43	17.66
2	12	6.48	76	23.18	18.37
3	20	1.67	53	22.19	12.10
4	14	1.54	52	22.17	11.66
5	20	3.81	64	28.40	21.66
6	12	2.70	51	30.92	19.71
7	18	1.73	50	32.11	20.20

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	3.05	61	19.80	10.55
2	12	2.05	74	18.19	13.42
3	20	1.98	48	19.74	7.91
4	14	1.63	58	25.31	15.23
5	20	1.83	50	26.66	15.19
6	12	1.55	39	28.89	11.09
7	18	1.67	48	32.11	19.44



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.01	65	20.99	14.10
2	12	1.78	58	23.80	11.88
3	20	1.97	52	25.26	14.48
4	14	1.04	58	23.10	11.26
5	20	1.58	58	26.76	15.23
6	12	1.76	37	28.51	12.43
7	18	1.72	46	31.87	16.81



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.77	67	24.77	16.77
2	12	3.26	58	24.80	15.58
3	20	1.98	57	25.68	14.63
4	14	1.62	59	17.95	9.04
5	20	2.38	51	28.12	17.58
6	12	2.14	39	31.29	15.58
7	18	1.69	53	30.66	20.87

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.67	57	20.98	12.21
2	12	2.22	66	20.55	14.78
3	20	1.92	58	19.93	11.38
4	14	1.66	68	15.74	11.14
5	20	2.30	55	20.67	10.43
6	12	2.75	47	30.87	18.08
7	18	1.69	59	29.18	20.16

CAPITA

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	3.17	78	25.77	21.55
2	12	2.55	63	19.30	11.94
3	20	2.55	59	23.10	11.02
4	14	1.69	66	24.12	18.19
5	29	4.68	78	25.27	20.18
6	12	3.00	84	25.43	20.85
7	16	2.20	68	27.84	19.12



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.48	54	29.21	19.98
2	12	2.17	48	22.69	10.68
3	20	3.15	58	22.10	15.15
4	14	1.78	48	25.63	19.58
5	29	2.97	68	26.11	18.46
6	12	2.25	55	28.37	18.56
7	16	2.43	60	28.59	19.97

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	3.36	81	23.21	19.21
2	12	4.53	68	21.83	15.73
3	20	1.86	93	25.41	23.74
4	14	1.63	94	26.86	23.63
5	29	3.79	71	28.56	20.55
6	12	3.42	55	29.39	19.62
7	16	2.58	58	28.88	19.40



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.61	58	30.10	23.68
2	12	1.52	41	19.97	5.58
3	20	1.08	93	22.71	21.48
4	14	1.03	52	27.53	16.28
5	29	2.34	68	28.07	17.51
6	12	2.65	44	29.59	17.08
7	16	2.43	58	28.77	19.12

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.38	48	30.68	21.06
2	12	1.04	45	20.59	7.85
3	20	2.75	52	27.10	18.18
4	14	2.23	48	29.18	16.28
5	29	2.24	48	27.65	15.83
6	12	3.00	48	29.39	17.31
7	16	2.12	37	29.18	18.26

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	2.08	61	21.64	13.61
2	12	2.58	57	25.85	16.33
3	20	2.58	68	24.38	18.45
4	14	1.77	68	27.17	14.79
5	29	3.13	58	29.20	20.26
6	12	3.05	58	29.57	20.64
7	16	2.15	60	28.57	19.54

CAPITA



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.05	62	18.94	12.21
2	12	2.68	52	24.38	13.83
3	20	2.83	55	23.55	13.05
4	14	1.03	58	25.30	17.48
5	28	3.21	56	30.35	20.58
6	12	3.58	51	29.84	21.28
7	16	3.30	67	27.81	20.44

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	3.42	76	20.55	15.44
2	12	5.48	67	24.80	18.23
3	20	5.31	69	26.48	20.18
4	14	2.70	78	21.88	18.48
5	28	3.72	60	30.61	21.80
6	12	2.45	58	29.95	20.98
7	16	1.62	64	28.88	20.58



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	5.78	65	23.55	16.94
2	12	7.42	70	25.68	18.57
3	20	6.55	65	21.38	18.08
4	14	2.42	74	17.57	12.85
5	28	3.03	58	31.28	22.18
6	12	2.23	60	29.59	21.43
7	16	2.25	62	29.23	20.41



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	5.03	80	18.55	16.55
2	12	6.78	81	19.20	15.64
3	20	5.39	83	18.27	15.29
4	14	1.50	67	16.82	8.48
5	28	2.06	54	31.70	21.38
6	12	1.84	59	28.61	20.03
7	16	1.77	56	24.93	15.18



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.97	78	15.55	11.46
2	12	3.56	61	16.94	13.65
3	20	2.65	72	15.57	10.33
4	14	1.56	58	20.82	9.79
5	28	3.06	61	27.63	18.80
6	12	1.74	48	23.51	10.30
7	16	1.61	48	28.57	15.94



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	0.47	67	12.77	10.77
2	12	3.20	76	16.83	14.11
3	20	2.37	85	19.52	17.52
4	14	1.95	91	25.80	16.58
5	28	1.73	50	25.80	13.18
6	12	1.54	41	27.31	12.06
7	16	1.85	50	31.68	13.04

CAPITA



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	2.13	55	22.77	13.21
2	12	2.30	66	26.33	16.83
3	20	2.65	65	25.65	19.60
4	14	1.88	57	26.22	16.74
5	20	1.65	46	30.17	16.87
6	12	1.57	46	31.52	17.86
7	18	1.68	48	32.15	18.67



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	2.37	48	28.55	16.77
2	12	2.42	51	31.71	20.27
3	20	1.96	58	30.48	21.22
4	14	2.66	64	22.53	14.65
5	20	1.78	47	32.30	19.26
6	12	1.77	42	33.19	18.51
7	18	1.84	51	31.70	18.77

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	2.19	62	32.80	20.86
2	12	2.48	48	32.67	20.78
3	20	2.03	53	27.10	16.77
4	14	1.67	55	30.67	18.35
5	20	2.05	47	32.95	20.15
6	12	2.09	43	33.56	19.48
7	18	1.76	59	31.55	20.44



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.48	41	29.5-	16.66
2	12	1.97	45	29.16	15.87
3	20	1.87	58	20.30	12.43
4	14	1.54	50	19.67	8.68
5	20	2.97	63	31.70	20.53
6	12	3.50	54	30.61	20.32
7	18	1.83	64	27.58	19.69



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.76	43	25.83	12.10
2	12	2.21	56	22.58	13.42
3	20	1.61	48	20.62	8.66
4	14	1.56	45	24.16	11.30
5	20	2.57	58	28.84	19.89
6	12	4.38	67	24.90	18.09
7	18	1.68	57	27.04	18.71



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	2.12	65	20.33	13.46
2	12	2.33	57	20.82	11.28
3	20	1.78	50	22.91	11.05
4	14	1.54	44	25.84	12.69
5	20	3.71	72	24.61	18.62
6	12	2.21	50	20.33	14.59
7	18	2.08	58	27.42	18.43

CAPITA



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	2.66	48	24.43	12.48
2	12	3.08	50	23.03	12.68
3	20	2.10	51	24.98	15.08
4	16	1.57	47	25.66	13.68
5	28	3.02	68	24.98	17.97
6	12	2.21	46	28.18	14.71
7	16	2.06	54	27.52	16.03



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	0.35	80	22.77	18.55
2	12	2.38	48	23.88	12.03
3	20	1.75	42	24.62	10.98
4	16	1.48	57	25.82	18.42
5	28	3.06	65	27.03	19.63
6	12	2.31	48	29.29	17.07
7	16	1.98	52	27.90	18.52



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.40	43	25.93	10.44
2	12	1.54	37	25.64	9.80
3	20	1.97	50	26.07	14.41
4	16	1.63	52	27.97	17.06
5	28	2.50	54	28.60	18.01
6	12	2.33	47	30.18	17.56
7	16	2.09	53	29.05	18.53



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.91	38	29.21	12.55
2	12	3.48	47	28.55	16.19
3	20	3.63	53	28.07	17.55
4	16	2.49	50	27.67	16.68
5	28	3.49	59	28.54	19.69
6	12	3.26	70	25.87	19.67
7	16	3.78	62	28.78	20.55



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	3	4.11	51	29.32	17.68
2	12	4.13	52	28.65	18.05
3	20	5.09	59	27.49	18.86
4	16	1.67	50	29.10	12.78
5	28	3.78	72	25.98	20.27
6	12	5.08	63	28.52	18.76
7	16	5.29	61	28.85	20.46

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	2.70	69	22.44	16.54
2	12	3.92	62	25.36	17.55
3	20	2.67	59	22.88	14.38
4	16	1.77	50	26.30	14.91
5	28	2.99	68	27.63	21.30
6	12	3.40	62	27.68	19.62
7	16	1.69	54	30.13	19.75

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	2.19	68	29.10	16.46
2	12	5.10	64	25.08	17.68
3	20	4.18	54	25.91	16.07
4	14	2.02	61	28.40	18.37
5	28	3.05	68	27.77	21.26
6	12	2.56	53	29.85	19.31
7	16	2.10	55	30.80	20.46



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	4.85	56	28.77	18.88
2	12	6.04	58	27.17	17.72
3	20	4.97	51	28.35	17.36
4	14	3.02	62	27.57	18.00
5	28	2.91	66	28.26	21.32
6	12	3.07	57	30.04	20.64
7	16	1.91	60	29.54	20.75



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	2.80	63	28.68	15.77
2	12	6.53	51	29.11	18.05
3	20	6.51	51	30.52	19.43
4	14	5.03	56	29.28	19.26
5	28	2.86	63	29.16	21.42
6	12	3.78	61	28.76	20.55
7	16	1.84	58	30.00	20.82



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	4.72	62	27.10	18.19
2	12	5.10	55	23.57	19.58
3	20	3.24	57	30.81	20.38
4	14	3.76	61	27.93	19.26
5	28	2.76	64	29.05	22.01
6	12	2.58	57	30.27	20.92
7	16	1.76	58	30.17	20.75



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	8.13	58	31.77	18.73
2	12	6.06	57	29.96	20.69
3	20	2.62	61	29.71	21.49
4	14	1.95	65	29.28	21.10
5	28	3.74	68	30.33	21.56
6	12	2.55	55	30.92	20.85
7	16	1.71	54	30.76	20.76



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	9.06	46	29.78	20.66
2	12	6.20	49	32.56	20.64
3	20	5.20	49	28.91	21.27
4	14	2.29	68	26.43	21.62
5	28	2.37	68	30.78	21.78
6	12	2.35	54	30.78	20.58
7	16	1.84	54	31.43	20.93

CAPITA

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	6	2.98	56	30.77	20.77
2	12	4.81	58	31.65	21.06
3	20	2.68	58	30.94	21.24
4	14	1.79	65	28.83	19.48
5	28	2.68	67	30.85	21.28
6	12	2.54	57	30.69	21.24
7	16	1.72	52	31.83	20.85



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	6	5.32	60	28.83	20.56
2	12	5.68	52	32.40	21.43
3	20	5.52	65	28.63	21.30
4	14	1.71	58	27.21	16.25
5	28	3.36	61	30.65	22.17
6	12	2.40	56	31.45	21.52
7	16	1.64	58	30.51	20.72

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	6	4.52	59	29.89	21.10
2	12	5.45	65	27.17	19.89
3	20	1.88	53	26.82	18.43
4	14	1.68	48	27.01	15.43
5	28	2.82	59	30.69	21.06
6	12	3.71	65	29.39	21.75
7	16	1.67	54	30.62	20.41

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	6	1.31	47	25.95	19.21
2	12	1.73	68	26.70	19.00
3	20	1.78	65	26.90	19.02
4	14	1.19	59	28.64	17.17
5	28	1.96	66	30.36	19.55
6	12	3.27	60	30.18	21.52
7	16	2.03	58	29.82	20.55

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	6	1.91	40	27.10	12.46
2	12	1.57	39	28.32	13.06
3	20	2.75	49	28.77	17.82
4	14	1.62	47	28.91	16.08
5	28	2.20	54	28.90	19.40
6	12	3.08	59	30.87	21.84
7	16	1.86	54	31.52	20.89

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	6	1.00	38	30.55	14.80
2	12	3.09	48	30.27	18.14
3	20	2.98	52	30.91	18.13
4	14	1.66	51	30.54	15.47
5	28	2.57	56	30.83	20.00
6	12	2.78	61	30.32	22.03
7	16	2.16	56	31.17	20.69

CAPITA

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.06	41	20.89	14.43
2	12	3.68	48	29.11	17.07
3	20	5.04	61	26.90	18.09
4	14	1.80	63	26.45	18.56
5	20	3.17	55	30.83	20.63
6	12	3.20	58	30.22	21.29
7	18	2.16	58	30.86	20.78



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	2.39	87	22.88	18.10
2	12	6.56	78	26.38	19.68
3	20	6.40	73	25.82	20.03
4	14	1.48	84	25.07	17.85
5	20	2.08	51	31.66	20.38
6	12	2.94	57	30.87	21.47
7	18	1.80	53	31.58	20.88

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.77	45	27.88	16.88
2	12	3.26	58	26.15	17.17
3	20	4.28	68	25.81	18.34
4	14	2.28	62	25.88	17.05
5	28	3.10	56	31.22	21.36
6	12	2.53	57	30.92	21.52
7	18	1.77	52	31.42	20.51

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.32	37	25.77	9.88
2	12	2.67	42	27.03	13.08
3	20	3.22	54	28.03	18.85
4	14	3.79	66	26.38	19.28
5	28	3.52	58	30.84	21.00
6	12	2.16	63	30.81	21.85
7	18	1.68	58	31.06	20.98



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.41	41	27.68	13.73
2	12	3.36	63	27.12	16.66
3	20	5.56	69	26.35	20.16
4	14	1.57	68	26.87	19.27
5	28	3.17	61	30.27	21.58
6	12	2.57	59	31.48	22.55
7	18	1.73	48	32.48	19.89

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	3.50	88	24.77	17.55
2	12	2.65	52	26.61	15.82
3	20	1.88	49	23.48	12.32
4	14	1.03	51	13.20	12.45
5	28	2.60	55	31.78	21.46
6	12	2.58	57	30.97	21.28
7	18	1.15	52	31.70	20.44

CAPITA

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.40	75	22.55	9.00
2	12	1.62	36	23.00	8.34
3	20	1.83	44	23.05	10.18
4	14	1.83	51	25.44	14.83
5	28	2.24	52	26.54	16.30
6	12	2.55	54	26.80	16.97
7	16	2.16	68	28.75	20.97

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.31	59	22.21	7.66
2	12	1.66	38	24.30	8.36
3	20	2.05	48	24.65	13.05
4	14	2.02	61	26.02	17.66
5	28	2.24	68	26.86	19.87
6	12	2.59	61	26.89	20.27
7	16	1.81	49	32.46	20.25



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	2.25	80	25.10	19.89
2	12	2.08	56	27.26	17.21
3	20	1.40	70	25.38	19.52
4	14	1.57	57	20.19	11.08
5	28	2.26	62	29.34	21.18
6	12	2.63	62	30.08	21.95
7	16	1.95	51	31.89	20.34



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	3.40	68	26.67	18.99
2	12	2.41	58	26.65	17.86
3	20	2.59	63	23.10	15.63
4	14	1.58	48	24.61	10.62
5	28	2.38	58	30.80	21.44
6	12	2.27	62	29.55	21.75
7	16	1.61	53	32.76	20.06



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	3.10	71	22.33	18.54
2	12	2.70	58	26.57	16.56
3	20	2.51	54	25.30	15.30
4	14	1.52	56	26.30	16.46
5	28	3.00	61	29.77	21.50
6	12	2.67	57	29.85	20.55
7	16	1.92	48	32.36	19.82

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	4.27	50	27.77	15.98
2	12	3.10	52	28.63	17.72
3	20	3.52	63	26.68	18.56
4	14	2.26	68	27.21	18.09
5	28	2.26	62	30.03	21.84
6	12	3.55	61	29.95	21.57
7	16	1.69	50	31.59	19.57



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	0.68	58	28.55	17.99
2	12	5.30	67	28.83	19.82
3	20	5.98	67	27.86	21.02
4	14	1.98	58	26.84	19.06
5	28	2.33	83	29.81	21.82
6	12	2.50	55	32.12	22.07
7	16	1.77	50	32.06	20.23



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.81	48	24.88	13.10
2	12	3.08	47	29.38	16.83
3	20	4.09	68	28.27	21.84
4	14	2.18	51	31.89	19.47
5	28	2.62	60	30.53	21.82
6	12	2.37	56	31.62	21.84
7	16	1.81	48	32.04	20.08



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	2.08	65	20.68	13.55
2	12	8.08	70	26.86	20.06
3	20	4.00	65	31.68	24.50
4	14	1.90	61	31.58	20.35
5	28	3.37	57	31.06	22.27
6	12	5.29	58	30.52	21.80
7	16	1.70	50	32.98	20.62

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	3.11	68	25.89	17.21
2	12	3.60	61	28.93	20.45
3	20	5.18	67	28.74	21.91
4	14	2.79	55	30.43	20.11
5	28	2.78	51	32.05	21.48
6	12	2.43	58	31.85	22.26
7	16	1.69	47	33.82	20.20



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.48	47	25.77	13.65
2	12	3.15	53	28.83	18.42
3	20	3.98	66	28.65	22.38
4	14	1.81	64	26.87	19.14
5	28	2.61	59	32.20	21.86
6	12	2.48	55	32.38	22.51
7	16	1.90	45	33.62	19.78



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	2.62	61	25.55	17.44
2	12	4.80	61	29.99	21.66
3	20	5.31	68	28.21	21.85
4	14	2.56	68	24.14	18.98
5	28	2.84	58	31.84	22.61
6	12	2.83	54	33.01	22.68
7	16	1.87	46	33.68	20.16

CAPITA



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	2.06	58	24.10	19.04
2	12	4.20	64	26.06	18.74
3	20	2.58	69	23.82	15.32
4	14	2.96	58	18.67	11.10
5	28	2.68	61	30.05	22.47
6	12	3.70	57	31.60	21.68
7	18	1.04	48	32.61	20.27

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.31	55	18.72	9.98
2	12	1.52	38	21.40	6.75
3	20	1.57	48	21.46	9.21
4	14	1.77	48	21.59	8.81
5	28	2.05	61	27.50	18.00
6	12	2.67	62	27.91	19.85
7	18	3.31	61	27.69	19.30

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.31	38	22.88	7.77
2	12	1.50	41	23.17	8.36
3	20	1.94	51	25.32	12.55
4	14	2.17	54	24.47	14.56
5	28	2.72	68	26.26	17.39
6	12	3.46	60	28.23	19.78
7	18	2.92	58	29.06	19.88

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.50	41	25.77	11.55
2	12	2.55	50	26.26	14.76
3	20	3.63	68	25.53	17.54
4	14	2.27	48	25.60	14.00
5	28	3.02	65	27.95	20.55
6	12	5.43	73	27.31	21.34
7	18	2.09	68	28.[illegible]	21.29



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	3.10	58	27.54	17.48
2	12	4.10	55	27.63	18.09
3	20	3.71	53	26.30	16.02
4	14	3.12	60	22.05	13.76
5	28	3.22	64	29.60	21.01
6	12	3.95	69	28.09	21.98
7	18	2.33	66	28.28	20.79



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.31	55	22.77	8.55
2	12	1.76	41	24.61	10.64
3	20	5.63	66	25.53	18.91
4	14	2.52	52	23.40	17.00
5	28	2.71	59	30.23	21.10
6	12	3.41	69	28.78	22.69
7	18	1.61	76	31.45	20.83

CAPITA

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.91	46	23.00	8.00
2	12	4.68	66	23.83	16.78
3	20	5.78	70	29.57	23.55
4	14	2.15	58	25.04	16.70
5	28	3.72	68	31.35	22.48
6	12	2.11	63	30.69	23.08
7	18	1.64	56	31.70	21.08



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	5.00	76	24.40	18.77
2	12	3.14	62	29.36	21.26
3	20	1.75	60	27.15	18.65
4	14	1.54	61	20.82	19.05
5	28	2.70	67	32.16	22.48
6	12	2.13	57	32.15	22.80
7	18	1.87	56	30.70	20.83

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.31	42	19.90	8.33
2	12	1.75	53	24.25	16.07
3	20	2.51	63	28.48	18.96
4	14	2.52	60	22.80	18.48
5	28	2.23	66	31.80	21.76
6	12	1.87	53	33.15	22.40
7	18	1.70	52	31.42	20.58



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.91	42	21.32	7.68
2	12	3.38	64	24.11	16.80
3	20	2.39	61	30.35	22.88
4	14	1.78	58	27.53	18.24
5	28	2.69	69	31.20	22.55
6	12	2.54	58	32.87	22.95
7	18	1.78	59	32.15	20.41

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	4.25	80	22.33	18.55
2	12	4.20	66	29.80	22.48
3	20	2.20	60	31.38	22.85
4	14	1.57	52	26.08	18.21
5	28	2.40	58	32.61	23.46
6	12	2.05	58	32.17	22.58
7	18	1.78	51	31.97	20.58



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.32	48	27.21	14.56
2	12	1.66	42	33.68	16.27
3	20	3.19	50	31.74	22.62
4	14	1.83	38	29.04	19.03
5	28	2.60	51	33.25	21.83
6	12	3.20	53	33.19	22.49
7	18	1.83	48	32.29	20.41

CAPITA



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.31	48	20.33	8.10
2	12	6.08	58	27.51	18.23
3	20	5.19	57	32.13	22.77
4	14	1.65	58	30.16	19.07
5	20	2.61	58	29.31	21.56
6	12	3.98	52	34.31	23.76
7	10	1.05	48	32.81	19.82



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.32	58	21.48	12.46
2	12	6.05	67	26.75	20.13
3	20	5.04	57	32.58	23.13
4	14	2.04	62	28.08	17.88
5	20	4.08	58	34.06	22.17
6	12	6.10	48	34.63	22.95
7	10	2.11	47	32.80	18.71



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	6.98	71	23.48	17.99
2	12	6.42	71	28.09	22.46
3	20	2.52	51	31.33	20.07
4	14	2.78	48	29.76	11.34
5	20	4.73	62	33.78	22.30
6	12	3.42	48	34.56	21.99
7	10	1.88	58	30.82	18.95



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	5.31	55	31.22	20.99
2	12	2.80	51	30.67	18.78
3	20	1.87	53	22.80	12.68
4	14	1.57	47	25.43	10.06
5	20	3.04	53	32.36	21.34
6	12	2.54	59	30.30	19.67
7	10	1.84	59	30.34	19.64

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.38	48	24.68	12.10
2	12	1.58	56	21.57	11.88
3	20	1.61	55	18.80	9.38
4	14	2.48	59	22.07	12.41
5	20	2.38	51	28.58	17.27
6	12	1.58	45	28.58	14.90
7	10	1.88	48	31.07	18.71

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.38	41	20.98	8.22
2	12	1.52	43	20.82	7.81
3	20	1.68	48	20.26	8.77
4	14	2.31	58	22.61	16.08
5	20	1.95	52	25.78	15.01
6	12	1.62	41	25.69	11.52
7	10	2.19	48	30.34	17.58

CAPITA



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.86	47	18.44	7.68
2	12	1.55	38	21.84	7.68
3	20	1.89	45	22.15	8.57
4	14	2.22	62	22.33	15.38
5	28	2.78	51	26.47	12.68
6	12	2.02	43	26.81	13.05
7	10	1.81	48	28.15	10.58

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.91	46	20.10	7.84
2	12	1.71	38	22.68	8.08
3	20	2.32	44	23.18	10.45
4	14	4.04	64	20.07	12.33
5	28	1.99	48	25.68	13.30
6	12	1.99	58	26.57	16.15
7	10	2.36	52	28.68	15.88



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.45	50	20.88	9.77
2	12	1.61	37	23.23	7.82
3	20	2.77	42	24.87	10.48
4	14	5.00	62	21.62	15.25
5	28	2.06	47	26.00	13.60
6	12	2.16	58	27.35	11.98
7	10	4.10	54	26.31	17.07

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.38	37	24.21	8.52
2	12	1.91	37	24.90	8.38
3	20	4.59	52	24.07	13.05
4	14	2.85	68	20.63	13.28
5	28	2.53	58	25.03	15.78
6	12	2.28	43	27.87	13.18
7	10	3.15	56	26.78	16.24



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.53	58	20.10	11.21
2	12	2.22	64	22.01	13.18
3	20	3.74	68	20.38	14.58
4	14	1.71	58	21.20	11.68
5	28	2.67	68	24.53	18.42
6	12	2.28	52	28.67	15.73
7	10	2.10	45	28.38	15.10



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.08	47	25.10	12.93
2	12	2.85	65	22.77	15.36
3	20	1.78	52	22.55	12.21
4	14	1.60	54	23.44	13.40
5	28	1.97	55	23.89	14.38
6	12	2.08	58	20.88	13.65
7	10	5.25	53	20.08	17.04

CAPITA



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	2.68	68	21.35	14.80
2	12	2.36	56	24.30	14.36
3	20	2.36	52	27.52	16.80
4	14	2.08	68	21.86	14.32
5	20	2.07	46	28.62	16.52
6	12	2.01	42	29.70	15.52
7	16	2.18	57	28.60	18.68



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	2.84	68	20.82	14.21
2	12	2.61	48	26.28	14.67
3	20	3.58	60	25.63	18.88
4	14	1.71	62	17.89	10.11
5	20	2.73	53	28.28	18.56
6	12	2.75	63	26.94	18.97
7	16	2.84	67	26.09	18.08

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.76	58	21.98	13.85
2	12	6.66	68	22.41	16.83
3	20	5.91	65	22.43	15.10
4	14	1.72	58	17.28	8.72
5	20	3.65	61	28.80	20.33
6	12	3.41	72	26.52	20.73
7	18	2.71	62	25.97	17.07



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	4.03	80	17.92	13.08
2	12	5.10	76	22.31	17.07
3	20	1.67	58	21.55	10.57
4	14	1.54	58	18.04	8.36
5	20	2.83	69	28.15	20.56
6	12	1.62	51	26.24	15.22
7	18	1.97	53	27.73	16.41

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.85	55	29.10	19.33
2	12	1.62	46	29.79	11.38
3	20	1.87	47	31.71	9.99
4	14	1.76	57	22.77	13.26
5	20	1.80	48	28.42	16.12
6	12	1.57	40	27.68	12.91
7	18	1.62	54	28.78	18.22



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	2.48	57	21.21	12.10
2	12	1.87	49	24.36	12.81
3	20	2.20	56	24.24	14.57
4	14	3.25	67	18.60	11.94
5	20	2.44	54	28.36	18.13
6	12	2.23	43	28.83	15.06
7	18	1.85	50	30.80	19.06

CAPITA



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.01	82	21.22	19.92
2	12	0.23	52	24.05	14.30
3	20	5.51	70	20.90	15.10
4	14	1.60	65	18.20	9.04
5	20	3.30	66	26.64	19.12
6	12	2.06	55	27.69	17.55
7	10	1.70	60	27.07	18.24



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.01	85	22.00	19.84
2	12	0.10	77	22.40	18.05
3	20	5.35	78	17.35	13.49
4	14	1.60	48	20.00	8.49
5	20	2.47	85	26.81	18.87
6	12	2.52	58	24.20	15.22
7	10	1.64	44	26.93	13.54

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	0.80	88	20.10	17.49
2	12	2.00	70	23.09	16.30
3	20	2.27	68	17.95	11.10
4	14	1.69	47	22.57	10.69
5	20	2.10	67	25.80	16.50
6	12	2.62	58	22.21	12.90
7	10	1.69	42	26.60	12.70



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.08	88	19.10	10.66
2	12	1.62	48	20.13	8.79
3	20	1.78	52	21.05	11.48
4	14	1.57	44	24.04	10.88
5	20	2.41	52	24.87	14.12
6	12	2.44	47	25.73	11.70
7	10	2.07	42	26.60	12.42

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.31	48	18.10	8.65
2	12	1.55	41	23.09	8.34
3	20	2.09	48	24.77	13.38
4	14	1.79	48	25.60	13.19
5	20	3.06	52	25.37	14.34
6	12	2.08	40	25.92	11.50
7	10	2.40	47	26.26	13.71

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.91	48	18.60	8.00
2	12	1.05	41	23.70	9.20
3	20	2.73	47	25.76	15.62
4	14	1.76	43	27.05	13.16
5	20	2.10	46	27.43	14.57
6	12	2.40	41	27.95	13.80
7	10	3.00	60	25.27	18.64

CAPITA

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.58	67	12.44	7.08
2	12	1.60	68	24.11	12.58
3	20	5.22	68	26.30	14.52
4	14	2.58	53	24.04	13.60
5	28	2.04	46	27.67	14.73
6	12	2.85	49	27.77	16.10
7	16	3.78	67	28.28	18.88



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.59	48	21.21	8.88
2	12	3.21	53	24.76	14.53
3	20	5.35	58	24.82	15.60
4	14	5.17	60	17.53	14.04
5	28	2.41	55	26.26	16.30
6	12	5.98	63	25.27	17.21
7	16	2.52	58	20.61	10.85



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	2.17	45	22.80	9.55
2	12	3.00	52	25.09	14.53
3	20	4.41	72	22.27	18.85
4	14	2.55	68	17.81	11.10
5	28	3.06	58	26.14	16.00
6	12	2.57	70	25.13	19.10
7	16	2.56	56	23.40	13.90



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.48	48	24.33	9.44
2	12	2.35	48	24.89	10.45
3	20	4.10	70	18.91	14.38
4	14	3.48	64	18.01	10.23
5	28	2.16	62	25.21	17.07
6	12	5.35	72	21.15	15.63
7	16	1.87	34	27.58	9.88



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.93	48	26.43	13.48
2	12	2.11	42	24.30	10.22
3	20	3.79	78	18.15	14.10
4	14	2.29	67	18.17	11.58
5	28	2.66	62	26.24	17.05
6	12	5.23	64	24.40	16.98
7	16	1.73	40	29.68	13.98



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	2.39	52	24.68	13.66
2	12	2.63	48	26.61	13.93
3	20	2.25	59	23.74	15.38
4	14	2.05	63	20.55	13.09
5	28	2.11	60	26.68	18.12
6	12	2.42	63	27.07	18.97
7	16	1.84	55	30.27	18.75

CAPITA

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	2.88	59	25.21	16.77
2	12	3.58	59	26.10	16.96
3	20	2.81	58	26.79	17.68
4	14	3.47	66	22.91	14.99
5	28	2.10	52	27.71	16.78
6	12	2.54	58	26.51	18.02
7	16	1.79	58	28.71	20.34



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	2.48	47	27.85	16.89
2	12	3.06	51	28.00	18.03
3	20	3.83	66	25.77	18.58
4	14	3.48	79	22.08	18.02
5	28	2.70	51	27.67	16.46
6	12	2.04	50	28.65	17.21
7	16	2.09	68	28.18	20.20

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.80	50	29.52	12.21
2	12	4.14	62	25.27	17.26
3	20	3.53	66	26.52	19.91
4	14	1.96	57	22.08	12.58
5	28	2.62	51	29.46	17.11
6	12	2.34	47	28.58	16.24
7	16	1.90	58	28.81	19.05



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	2.06	61	21.77	13.98
2	12	5.52	59	27.77	19.11
3	20	5.40	70	22.82	16.71
4	14	1.67	58	18.24	6.98
5	28	2.73	58	28.84	17.07
6	12	2.41	47	28.83	16.61
7	16	2.57	62	26.10	17.63

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	5.37	68	24.32	18.77
2	12	3.02	60	25.68	17.17
3	20	1.87	47	18.74	6.54
4	14	1.73	43	18.12	8.08
5	28	2.22	51	28.00	17.21
6	12	2.67	55	25.55	16.36
7	16	1.90	46	25.03	13.12

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	3.22	65	21.21	14.32
2	12	2.11	48	22.54	11.10
3	20	1.74	48	19.07	7.18
4	14	1.57	42	21.42	7.33
5	28	3.03	57	26.60	17.13
6	12	3.14	58	23.20	14.16
7	16	1.63	45	25.34	11.97



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	2.21	58	18.44	10.21
2	12	1.81	46	21.52	8.97
3	20	2.06	47	20.80	9.02
4	14	1.57	44	20.75	7.88
5	28	2.36	54	26.16	15.55
6	12	1.91	43	25.84	12.21
7	18	1.71	55	27.32	10.16

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.40	45	18.66	8.88
2	12	1.64	47	20.65	8.32
3	20	1.86	48	18.94	7.77
4	14	1.71	58	18.32	8.12
5	28	2.48	48	26.80	14.68
6	12	2.01	42	25.88	12.48
7	18	1.85	48	27.48	12.82

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.40	45	16.33	6.30
2	12	1.67	46	17.17	6.86
3	20	1.75	50	19.35	8.48
4	14	2.48	60	18.88	10.51
5	28	2.67	64	25.65	15.37
6	12	2.74	47	26.70	14.25
7	18	1.90	44	27.18	13.74



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.58	50	18.55	9.77
2	12	1.73	45	21.33	8.79
3	20	1.96	43	23.18	11.71
4	14	1.88	61	25.40	12.21
5	28	2.53	45	27.05	13.88
6	12	2.91	42	27.77	13.76
7	18	2.38	48	27.70	14.44



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.45	38	25.22	10.21
2	12	2.33	49	25.45	13.65
3	20	2.41	48	25.63	15.71
4	14	2.08	46	23.48	11.02
5	28	2.43	44	27.81	14.26
6	12	2.65	42	26.78	14.71
7	18	2.84	46	28.64	15.48

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	2.41	49	27.77	13.88
2	12	2.63	47	26.47	14.16
3	20	3.80	63	23.69	18.24
4	14	2.19	58	15.43	8.88
5	28	2.58	45	28.66	15.15
6	12	3.17	52	28.00	17.91
7	18	2.15	48	30.10	16.66

CAPITA



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	4.01	81	29.77	25.09
2	12	3.52	86	22.60	15.50
3	20	1.65	48	15.31	2.36
4	14	1.57	58	11.26	-2.41
5	20	2.83	63	27.97	17.20
6	12	3.45	69	23.70	18.01
7	18	2.23	48	28.28	11.91



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.38	47	15.10	0.77
2	12	1.01	48	12.45	1.15
3	20	1.08	48	11.15	-0.05
4	14	1.54	57	14.00	-0.88
5	20	2.07	39	20.86	5.58
6	12	1.54	52	17.31	0.48
7	18	3.25	63	19.66	8.18

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.94	58	13.55	-1.88
2	12	1.66	46	12.96	0.73
3	20	1.65	55	15.24	-0.41
4	14	4.18	64	12.21	4.69
5	20	1.81	38	20.33	5.37
6	12	1.55	52	18.88	1.71
7	18	3.14	66	21.80	14.66



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.31	35	12.77	-2.21
2	12	1.67	45	14.07	2.07
3	20	5.11	60	10.16	0.69
4	14	2.23	52	15.60	4.67
5	20	2.63	58	21.20	12.33
6	12	6.93	66	16.80	14.48
7	18	1.87	58	23.50	14.44

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	7.32	67	11.60	8.90
2	12	2.65	74	16.05	11.30
3	20	2.79	65	13.99	7.41
4	14	1.03	48	18.68	7.18
5	20	2.22	63	24.20	16.64
6	12	3.51	71	19.25	13.97
7	18	2.57	68	23.78	15.51



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.90	68	12.44	5.09
2	12	2.08	80	14.80	7.17
3	20	5.21	57	16.35	7.60
4	14	5.31	78	13.46	9.08
5	20	2.68	84	22.87	15.48
6	12	3.23	65	22.68	15.84
7	18	3.14	67	26.60	18.66



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.45	48	16.10	5.06
2	12	2.88	58	16.19	8.04
3	20	0.71	68	16.52	12.24
4	14	3.08	83	12.57	6.72
5	28	3.41	65	22.17	15.27
6	12	2.81	62	24.53	16.84
7	18	2.38	64	25.39	15.48



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.34	58	14.10	6.68
2	12	3.48	67	14.71	8.42
3	20	1.78	55	14.66	5.48
4	14	1.67	46	18.47	5.21
5	28	3.38	57	22.69	16.26
6	12	5.17	75	19.57	16.58
7	18	1.72	58	23.62	12.58

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.49	67	15.32	8.10
2	12	3.90	68	16.20	10.32
3	20	2.71	52	17.10	8.69
4	14	1.80	48	18.72	8.04
5	28	2.75	66	23.74	17.13
6	12	5.25	65	25.74	18.80
7	18	2.69	67	25.84	16.90



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	2.97	81	10.32	10.04
2	12	3.25	86	10.30	12.63
3	20	4.52	81	20.60	12.06
4	14	2.62	64	20.03	12.25
5	28	2.49	67	24.47	17.03
6	12	3.42	68	24.96	18.19
7	18	2.02	68	26.94	19.19



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.81	49	19.68	8.55
2	12	4.81	63	20.69	13.32
3	20	4.37	64	22.98	15.71
4	14	4.44	70	22.26	15.69
5	28	3.68	63	25.37	17.59
6	12	2.31	58	27.89	18.14
7	18	1.68	57	28.67	18.95



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.53	47	18.77	8.09
2	12	8.47	68	19.85	13.56
3	20	3.84	62	25.27	17.52
4	14	9.21	72	20.94	15.27
5	28	8.43	61	25.47	17.27
6	12	2.21	55	27.48	17.26
7	18	1.87	56	29.18	19.18

CAPITA



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	6	5.16	58	20.89	12.44
2	12	6.30	62	21.70	14.26
3	20	2.66	58	26.76	17.48
4	14	3.84	65	22.81	15.36
5	28	4.33	68	23.84	17.66
6	12	2.55	43	27.05	15.56
7	16	1.86	56	28.32	16.78



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	6	3.76	48	26.38	10.32
2	12	4.68	60	23.82	15.06
3	20	2.48	48	25.76	14.48
4	14	4.56	76	15.48	10.88
5	28	4.48	75	23.82	18.02
6	12	1.98	60	25.55	17.37
7	16	2.07	56	24.76	15.81



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	6	2.80	44	26.33	12.98
2	12	5.27	61	23.88	15.78
3	20	2.32	61	24.15	18.07
4	14	5.03	78	9.78	4.96
5	28	3.83	76	24.81	18.63
6	12	5.94	69	24.62	18.23
7	18	1.80	47	18.84	7.68



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	6	2.96	48	25.62	13.77
2	12	3.83	78	22.95	17.07
3	20	4.52	68	14.36	8.74
4	14	2.76	69	8.88	0.58
5	28	5.12	81	24.85	21.18
6	12	5.13	73	20.58	15.15
7	18	1.58	38	20.13	3.68



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	6	4.48	88	20.21	18.77
2	12	6.88	88	18.76	15.87
3	20	1.81	42	18.18	3.05
4	14	1.81	54	12.19	2.48
5	28	3.68	76	23.84	18.82
6	12	1.57	48	20.19	5.55
7	18	1.81	59	24.87	7.01

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	6	2.88	78	14.21	8.77
2	12	1.81	47	17.31	5.78
3	20	1.82	47	14.80	5.27
4	14	1.57	48	18.78	8.88
5	28	1.68	41	23.08	8.76
6	12	1.52	38	22.05	5.27
7	18	1.67	48	24.47	11.97

CAPITA



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.48	56	12.32	2.98
2	12	1.56	67	14.61	8.65
3	20	2.22	66	16.88	9.57
4	14	1.71	61	17.77	7.21
5	29	1.76	48	22.89	8.56
6	12	2.02	36	22.49	5.73
7	10	1.71	48	26.15	13.38

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.91	87	15.65	0.84
2	12	2.50	65	17.77	5.88
3	20	2.82	84	14.30	7.10
4	14	1.54	68	12.57	0.88
5	29	1.81	67	24.10	12.08
6	12	2.19	45	25.14	10.45
7	10	2.02	61	22.62	11.38

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	9.83	57	10.54	0.65
2	12	1.64	46	16.70	4.48
3	20	1.96	48	12.27	1.60
4	14	1.68	54	11.96	1.70
5	28	2.35	61	23.78	12.51
6	12	1.58	48	20.78	8.84
7	10	2.04	44	22.84	8.81



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.78	67	10.55	3.08
2	12	3.48	63	14.82	6.88
3	20	3.56	67	8.31	2.98
4	14	1.68	52	8.93	-1.48
5	28	3.38	50	21.80	13.11
6	12	2.98	52	15.78	5.64
7	10	1.78	43	18.01	6.56



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	9.63	89	12.55	10.77
2	12	3.33	77	11.80	7.86
3	20	2.52	58	7.71	-0.61
4	14	1.69	68	12.79	1.58
5	29	1.81	61	17.53	6.94
6	12	1.76	66	11.52	-0.69
7	10	1.57	53	20.20	9.15



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.34	47	10.80	0.31
2	12	1.76	59	9.16	1.48
3	20	1.91	53	10.59	1.52
4	14	1.54	44	10.80	4.32
5	29	1.66	38	14.78	0.31
6	12	1.67	55	14.78	-0.64
7	10	1.75	34	24.51	7.14

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	9	1.32	57	11.10	-2.56
2	12	1.67	66	14.62	2.56
3	20	1.64	63	12.93	1.99
4	16	1.79	68	8.08	-2.65
5	28	1.68	78	10.30	6.77
6	12	1.68	63	23.10	8.19
7	10	1.69	96	22.60	8.69



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	9	1.85	84	12.88	8.89
2	12	2.47	88	12.68	8.46
3	20	2.16	88	5.71	-0.22
4	16	1.88	98	8.18	-9.80
5	28	1.86	95	17.86	5.47
6	12	1.47	83	13.70	-1.35
7	10	1.81	94	16.50	8.62

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	9	1.45	52	11.21	1.22
2	12	2.16	64	9.29	1.76
3	20	1.75	56	6.99	-1.62
4	16	1.73	48	14.12	-0.27
5	28	1.67	62	16.16	1.46
6	12	2.23	41	13.96	-1.08
7	10	1.78	58	24.18	7.28

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	9	1.32	49	8.10	-3.09
2	12	1.98	60	7.50	-2.48
3	20	2.10	48	80.07	-1.19
4	16	1.96	39	17.72	-2.08
5	28	1.75	38	15.65	1.13
6	12	2.16	41	18.93	6.21
7	10	2.10	44	26.30	12.66

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	9	1.98	68	8.99	-5.09
2	12	1.76	65	8.71	-1.75
3	20	2.87	58	17.82	5.08
4	16	2.58	69	18.82	7.59
5	28	2.41	61	18.51	5.67
6	12	3.75	53	23.19	12.01
7	10	2.07	58	26.07	15.41



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	9	1.98	58	0.43	-3.99
2	12	2.68	58	14.62	6.02
3	20	2.82	58	21.82	13.10
4	16	1.78	48	14.87	2.81
5	28	2.86	68	23.78	12.08
6	12	3.15	49	25.68	15.68
7	10	1.82	54	26.89	16.88

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	0.48	71	11.89	6.08
2	12	2.35	86	20.18	8.56
3	20	2.10	52	14.15	4.27
4	14	2.72	68	8.20	1.94
5	28	2.48	68	26.18	13.32
6	12	5.48	43	24.11	12.07
7	18	3.48	65	22.93	14.58

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.34	85	11.66	2.88
2	12	3.08	78	11.58	5.02
3	20	2.29	80	9.10	1.55
4	14	2.84	97	10.51	1.38
5	28	2.65	51	23.36	12.68
6	12	5.01	57	21.85	12.40
7	18	1.88	82	18.14	8.22

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.31	47	10.88	-0.38
2	12	2.68	60	11.87	3.83
3	20	3.21	56	12.19	2.98
4	14	2.05	60	8.98	0.53
5	28	5.86	35	28.26	14.40
6	12	6.08	38	25.82	11.43
7	18	1.84	50	18.78	9.08



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.93	83	10.33	2.55
2	12	5.05	67	12.94	6.33
3	20	3.95	56	12.74	5.68
4	14	5.12	78	5.63	2.14
5	28	6.05	72	28.60	19.25
6	12	8.23	73	25.98	18.20
7	18	2.31	58	19.71	10.58



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.48	56	8.77	0.21
2	12	4.22	72	9.99	5.19
3	20	9.53	85	8.69	6.27
4	14	5.12	81	2.89	-0.11
5	28	3.98	66	18.80	12.27
6	12	8.19	88	14.96	11.33
7	18	2.96	59	16.17	7.89



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	2.36	78	7.77	2.46
2	12	7.16	91	8.46	7.17
3	20	4.87	84	5.48	4.02
4	14	2.69	72	1.82	-2.73
5	28	9.76	64	19.81	12.53
6	12	9.72	71	12.72	7.58
7	18	2.12	53	12.42	4.38

CAPITA

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	5.27	78	9.77	0.59
2	12	3.06	61	7.60	-4.30
3	20	3.21	79	4.10	-1.08
4	14	3.33	83	8.27	-5.10
5	28	1.66	58	15.55	5.57
6	12	2.33	58	10.50	1.86
7	10	5.04	74	7.84	0.40

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.43	81	6.10	-1.77
2	12	2.27	62	7.31	0.66
3	20	3.79	68	2.80	-5.19
4	14	2.58	69	3.56	-4.68
5	28	5.75	77	10.06	6.78
6	12	4.22	73	8.57	1.57
7	10	2.10	61	10.08	2.80

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	0.81	66	4.21	1.04
2	12	4.60	83	4.53	1.00
3	20	2.35	58	5.91	-5.80
4	14	4.52	72	0.87	-9.80
5	28	2.48	73	9.57	6.87
6	12	2.42	53	7.35	-1.75
7	10	2.26	66	10.87	4.82



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.40	81	4.90	-1.09
2	12	1.98	65	6.66	0.41
3	20	3.08	85	4.26	-1.91
4	14	3.08	87	-0.11	-6.71
5	28	5.22	69	11.32	5.85
6	12	5.53	79	4.39	0.07
7	10	1.79	45	9.60	-2.94

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	19.79	81	2.22	-0.86
2	12	12.42	86	2.21	0.23
3	20	5.79	69	3.88	-2.59
4	14	2.48	84	0.79	-5.82
5	28	4.05	66	7.37	1.05
6	12	3.12	66	4.25	-1.57
7	10	1.01	59	13.36	-0.83



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	5.75	72	3.77	-0.86
2	12	2.95	67	2.31	-3.28
3	20	2.58	58	4.52	-5.32
4	14	1.63	57	5.63	-2.39
5	28	1.69	45	8.41	-2.17
6	12	2.00	45	8.52	-2.82
7	10	1.95	48	19.33	7.98

CAPITA



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.40	59	3.33	-8.44
2	12	1.86	58	4.95	-2.66
3	20	3.61	80	8.27	0.94
4	14	4.24	72	5.18	0.43
5	20	1.98	40	14.65	0.00
6	12	2.58	58	14.99	6.78
7	18	5.01	71	18.79	14.23



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	6.17	88	4.32	-1.84
2	12	8.54	78	6.17	2.72
3	20	8.05	83	9.41	6.88
4	14	9.38	78	9.88	0.43
5	20	2.14	44	18.40	6.36
6	12	2.55	67	18.78	8.94
7	18	5.08	78	19.88	10.62



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.94	88	5.77	-1.88
2	12	2.48	78	7.03	2.81
3	20	8.14	87	6.74	4.71
4	14	5.08	78	5.82	0.27
5	20	3.63	65	20.66	13.58
6	12	3.52	78	16.85	12.72
7	18	2.84	94	18.76	8.47



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	3.60	77	0.55	-3.22
2	12	10.71	90	4.20	2.68
3	20	3.73	81	7.82	5.99
4	14	3.39	68	2.29	-3.06
5	20	4.55	71	18.51	14.02
6	12	0.55	85	16.52	13.93
7	18	2.07	97	16.80	7.77



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	8.20	88	9.88	2.11
2	12	9.36	88	11.10	8.48
3	20	2.68	75	4.07	-0.05
4	14	2.59	71	-0.31	-5.03
5	20	3.68	77	19.16	14.85
6	12	1.69	54	10.59	1.38
7	18	1.86	87	11.16	-3.08

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.48	62	7.33	0.33
2	12	2.67	62	4.71	-2.26
3	20	3.90	67	-0.30	-5.66
4	14	1.98	68	-2.41	-7.03
5	20	2.17	96	9.65	-1.78
6	12	2.38	51	5.41	-6.18
7	18	1.84	97	12.35	-2.01

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	8	1.59	49	2.64	-8.21
2	12	1.68	61	2.72	-6.36
3	20	2.95	69	-1.26	-7.30
4	16	1.68	62	5.87	-5.48
5	28	1.68	62	7.64	-4.46
6	12	1.77	45	5.65	-5.84
7	10	1.48	48	15.81	0.52

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	8	1.90	48	2.98	-7.21
2	12	3.27	66	2.72	-6.84
3	20	2.15	56	7.82	-1.29
4	16	1.84	47	13.88	0.76
5	28	1.72	37	8.87	-6.30
6	12	2.56	37	10.55	-5.88
7	10	2.01	46	18.28	0.88

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	8	1.97	55	6.88	-1.88
2	12	1.66	57	9.60	0.32
3	20	1.78	58	9.58	-0.11
4	16	1.70	48	12.08	0.83
5	28	1.76	36	17.17	1.60
6	12	2.75	43	16.75	6.20
7	10	2.02	54	20.08	10.13

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	8	3.31	66	5.10	-5.77
2	12	2.13	52	10.69	1.06
3	20	3.12	63	13.77	6.08
4	16	1.65	58	16.33	9.79
5	28	2.36	42	16.72	6.99
6	12	3.21	53	18.95	8.28
7	10	2.58	58	20.76	13.48



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	8	2.66	67	12.66	8.66
2	12	4.66	72	11.38	8.43
3	20	2.08	62	9.24	2.29
4	16	1.59	53	8.09	-1.46
5	28	2.26	53	19.06	9.06
6	12	8.02	78	13.51	9.62
7	10	1.87	39	18.28	3.53

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	8	1.40	55	6.32	-1.06
2	12	1.72	58	6.68	-2.12
3	20	2.37	61	5.60	-1.44
4	16	2.54	62	5.71	-1.50
5	28	1.84	41	15.85	1.88
6	12	2.02	45	14.11	2.43
7	10	1.72	34	18.66	3.57

CAPITA

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.91	97	2.52	-10.77
2	12	1.66	68	6.10	-3.51
3	20	2.90	57	10.35	2.13
4	14	2.61	71	2.81	-1.88
5	20	1.77	38	16.60	2.58
6	12	1.01	46	16.75	4.58
7	18	0.00	78	16.51	10.50

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.85	84	3.77	-0.85
2	12	2.05	58	8.28	0.64
3	20	4.15	65	5.41	-0.88
4	14	2.36	64	3.54	-2.77
5	20	2.06	62	18.84	8.88
6	12	5.08	73	16.38	11.29
7	18	0.00	85	0.00	6.76



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	6.36	79	2.44	-0.88
2	12	7.82	66	8.16	6.01
3	20	8.68	69	8.50	8.57
4	14	2.05	71	2.81	-2.20
5	20	3.25	60	20.73	14.67
6	12	1.54	81	17.35	9.57
7	18	1.67	54	11.10	1.76



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	3.08	68	8.22	1.68
2	12	2.60	66	9.80	3.08
3	20	2.40	77	2.62	-0.85
4	14	1.02	65	0.75	-5.51
5	20	1.03	53	18.15	8.21
6	12	2.10	58	9.89	2.40
7	18	1.04	93	8.74	2.18

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.53	57	0.11	-7.44
2	12	2.35	65	2.68	-3.23
3	20	2.38	64	3.68	-2.03
4	14	2.07	52	5.70	-3.72
5	20	2.32	58	13.09	5.19
6	12	2.79	63	9.67	2.77
7	18	0.02	85	6.62	4.23



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.63	52	2.77	-0.44
2	12	2.88	58	3.97	-3.51
3	20	0.74	82	1.52	-1.24
4	14	0.68	84	1.42	-0.78
5	20	5.13	74	11.58	6.42
6	12	5.92	83	9.57	7.81
7	18	1.77	83	10.27	6.40

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	9	8.52	86	8.49	6.11
2	12	6.58	82	8.83	6.06
3	20	5.76	85	4.93	2.76
4	14	7.19	90	2.65	-0.81
5	20	5.42	78	16.47	11.62
6	12	5.07	73	12.03	7.48
7	10	4.62	80	14.84	8.24

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	9	1.62	84	6.44	-0.22
2	12	9.41	65	8.58	2.17
3	20	5.83	77	6.32	2.48
4	14	2.31	68	1.84	-6.87
5	20	5.63	70	14.42	10.36
6	12	6.54	85	11.10	8.82
7	10	2.34	47	10.89	-0.88



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	9	7.72	84	4.88	9.22
2	12	8.38	93	8.32	7.26
3	20	2.44	68	5.30	-2.18
4	14	9.81	55	4.83	-6.38
5	20	1.56	60	11.08	3.25
6	12	2.51	56	8.81	-2.48
7	10	1.64	50	15.85	-8.50



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	9	1.61	59	5.64	-1.80
2	12	3.26	68	2.73	-2.72
3	20	4.58	54	-1.55	-9.98
4	14	1.79	48	-2.10	-13.68
5	20	2.11	33	12.85	-1.46
6	12	1.70	39	10.27	-5.16
7	10	1.69	40	12.10	-1.48

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	9	1.45	48	2.88	-7.72
2	12	1.71	50	0.64	-9.02
3	20	2.72	55	-2.50	-10.35
4	14	1.73	48	-1.84	-11.42
5	20	1.72	33	12.10	-3.86
6	12	2.29	42	9.06	-3.97
7	10	2.04	44	12.98	0.31



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	9	1.31	43	2.55	-8.77
2	12	1.88	55	0.96	-7.35
3	20	3.59	64	-2.38	-9.38
4	14	1.71	82	-5.78	-12.04
5	20	2.43	58	12.18	1.66
6	12	3.23	44	8.10	-4.44
7	10	1.78	42	9.35	-2.04

CAPITA



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	5.01	58	-2.10	-9.44
2	12	4.90	57	-1.24	-9.11
3	20	2.48	80	-2.98	-9.77
4	14	2.64	80	-5.78	-10.76
5	28	2.17	66	6.02	-5.61
6	12	1.62	65	1.57	-9.02
7	10	1.79	61	7.52	-6.89

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.44	48	-0.68	-17.21
2	12	1.64	46	-0.18	-16.27
3	20	5.51	57	-2.10	-9.71
4	14	1.68	52	2.69	-8.74
5	28	1.62	87	6.36	-7.38
6	12	1.52	41	3.70	-8.80
7	10	1.82	61	11.62	1.48

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.91	97	-9.55	-180.00
2	12	1.77	46	-8.09	-15.82
3	20	3.15	55	-1.98	-9.04
4	14	3.10	58	3.33	-6.79
5	28	2.03	80	5.23	-5.76
6	12	2.48	55	6.81	-8.03
7	10	2.55	66	15.32	6.10

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.70	48	-1.99	-14.21
2	12	2.46	43	-2.81	-12.31
3	20	3.18	59	4.27	-4.71
4	14	3.03	61	6.81	-6.75
5	28	2.10	87	8.50	-7.33
6	12	2.73	57	10.82	-9.19
7	10	3.46	67	16.60	8.08



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.81	41	8.10	-0.84
2	12	2.08	45	3.78	-7.54
3	20	2.93	64	9.19	2.55
4	14	2.11	71	4.52	-0.87
5	28	2.29	38	11.56	-2.35
6	12	2.04	48	11.01	0.37
7	10	2.54	51	17.70	6.56



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.69	38	10.55	-2.88
2	12	2.55	50	10.45	0.46
3	20	3.58	64	1.72	-6.49
4	14	0.14	68	0.65	-14.11
5	28	2.33	58	17.25	9.01
6	12	4.78	78	11.67	8.71
7	10	1.04	38	12.32	-3.18

CAPITA



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	0.95	89	7.41	5.96
2	12	10.01	78	4.16	0.68
3	20	5.04	88	-5.83	-10.98
4	14	1.54	58	-11.81	-18.20
5	28	3.37	68	0.71	-3.06
6	12	4.01	58	-0.61	-8.28
7	18	1.55	96	7.07	-7.48



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	0.67	88	-2.33	-4.88
2	12	6.17	70	-8.28	-18.00
3	20	2.98	85	-6.52	-12.52
4	14	1.01	58	-7.25	-14.18
5	28	1.67	45	2.14	-0.86
6	12	2.06	55	-1.68	-10.22
7	18	1.64	38	8.68	-0.52

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.61	99	-7.10	-12.08
2	12	4.12	87	-6.38	-12.31
3	20	1.92	82	-2.21	-8.60
4	14	1.82	57	-2.98	-10.29
5	28	1.67	32	6.17	-10.40
6	12	1.96	43	1.85	-9.67
7	18	2.17	54	10.55	1.28



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.40	83	-6.44	-14.55
2	12	1.76	48	0.09	-9.67
3	20	4.28	59	-0.11	-7.27
4	14	5.71	73	-0.73	-5.19
5	28	2.59	50	0.47	-9.03
6	12	3.11	38	6.52	-7.17
7	18	2.72	62	10.78	6.54



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.31	44	0.00	-10.77
2	12	3.41	60	0.78	-6.93
3	20	10.57	84	1.27	-1.05
4	14	9.38	84	-1.60	-3.84
5	28	9.26	44	12.75	-0.51
6	12	2.62	51	13.51	3.14
7	19	3.68	69	16.31	8.40



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.61	51	0.00	-8.88
2	12	5.75	87	2.63	-2.81
3	20	4.53	78	4.44	0.83
4	14	5.78	76	-3.37	-7.03
5	28	3.84	49	16.46	9.40
6	12	2.03	61	13.58	5.78
7	18	2.02	35	11.33	-4.30

CAPITA



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	12.66	86	-0.33	-2.55
2	12	7.28	76	3.16	-0.73
3	20	5.45	75	-0.47	-4.35
4	14	9.47	74	-7.25	-11.16
5	28	1.08	47	14.68	2.09
6	12	1.75	44	9.30	-2.40
7	16	2.52	48	12.25	1.28



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	2.48	72	1.88	-2.77
2	12	3.73	68	1.89	-3.56
3	20	4.27	75	-0.88	-4.71
4	14	6.38	81	-6.14	-8.60
5	28	1.01	47	12.67	1.17
6	12	3.69	67	7.07	1.11
7	16	8.68	88	10.01	10.81



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.77	60	1.77	-5.33
2	12	2.78	66	1.28	-4.48
3	20	3.62	68	2.80	0.97
4	14	9.09	81	-5.07	-8.01
5	28	7.41	78	11.24	7.43
6	12	6.76	69	12.72	10.92
7	16	2.20	44	7.18	-6.13



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	10.76	89	9.88	2.10
2	12	6.46	77	3.29	-0.32
3	20	7.26	78	-3.77	-8.55
4	14	9.13	68	-8.63	-16.31
5	28	2.26	67	10.33	4.32
6	12	2.72	59	1.25	-5.52
7	16	1.57	38	4.79	-9.23



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	2.41	48	-2.00	-10.41
2	12	5.18	55	-3.14	-11.10
3	20	4.15	67	-7.77	-12.82
4	14	3.10	66	-10.95	-13.81
5	28	1.57	38	5.51	-7.61
6	12	1.76	49	1.75	-8.05
7	16	1.56	36	9.23	-9.41



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.52	32	-13.10	-100.00
2	12	2.33	46	-9.96	-16.66
3	20	3.14	58	-9.57	-14.81
4	14	5.96	65	-8.10	-11.97
5	28	1.57	34	4.80	-9.64
6	12	1.67	44	2.45	-8.79
7	16	1.67	52	13.87	3.26

CAPITA



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.48	55	-14.07	-100.00
2	12	3.58	61	-8.36	-16.96
3	20	5.27	67	-5.91	-9.24
4	14	10.89	82	-4.89	-7.97
5	28	1.88	46	7.35	-4.24
6	12	1.55	50	8.00	-1.98
7	16	2.01	67	18.15	11.89



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.92	36	-7.69	-100.00
2	12	7.26	76	-6.18	-7.47
3	20	11.52	90	3.89	2.60
4	14	10.00	83	-4.81	-7.29
5	28	2.21	57	13.68	6.95
6	12	2.79	70	12.82	7.55
7	16	3.67	66	14.40	8.53



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	15.38	63	-6.58	-9.41
2	12	12.59	60	3.70	2.17
3	20	7.82	62	1.91	-0.80
4	14	5.91	74	-7.40	-10.68
5	28	2.90	68	17.55	11.40
6	12	1.74	63	6.29	-0.27
7	16	1.62	46	9.16	-2.21



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.07	64	-0.22	-8.92
2	12	6.41	56	-0.69	-8.78
3	20	2.78	71	-4.63	-9.24
4	14	4.49	69	-9.93	-9.28
5	28	1.03	48	10.33	-0.17
6	12	2.11	58	5.06	-5.03
7	18	1.69	51	13.85	3.40



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.31	50	-4.56	-19.43
2	12	1.76	53	-0.87	-9.38
3	20	7.38	78	-1.52	-9.32
4	14	10.48	86	-11.42	-19.55
5	28	2.02	50	10.78	0.75
6	12	2.85	56	6.86	0.23
7	18	3.42	71	10.51	4.08



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.41	67	-2.48	-9.44
2	12	3.65	67	2.77	-2.77
3	20	3.44	68	-8.17	-12.98
4	14	2.49	81	-14.06	-17.77
5	28	9.55	84	11.22	8.37
6	12	8.72	82	4.44	1.48
7	16	2.12	94	0.56	-7.16

CAPITA


REGION 1, QTR 1 1968
100 15
30
RH
BEXT
TEMP
0 0
-20
JAN
FEB
MAR


REGION 1, QTR 2 1968
100 15
40
RH
BEXT
TEMP
0 0
-10
APR
MAY
JUN


REGION 1, QTR 3 1968
100 15
50
RH
BEXT
TEMP
0 0
0
JUL
AUG
SEP


REGION 1, QTR 4 1968
100 15
30
RH
BEXT
TEMP
0 0
-20
OCT
NOV
DEC

COPITO


REGION 2, QTR 1 1968
100 15
30
RH
BEXT
TEMP
0 0
-20
JAN
FEB
MAR
REGION 2, QTR 2 1968
100 15
40
RH
BEXT
TEMP
0 0
-10
APR
MAY
JUN
REGION 2, QTR 3 1968
100 15
50
RH
BEXT
TEMP
0 0
0
JUL
AUG
SEP
REGION 2, QTR 4 1968
100 15
30
RH
BEXT
TEMP
0 0
-20
OCT
NOV
DEC

COPITO


REGION 3, QTR 1 1968
100 15
30
RH
BEXT
TEMP
0 0
-20
JAN
FEB
MAR


REGION 3, QTR 2 1968
100 15
40
RH
BEXT
TEMP
0 0
-10
APR
MAY
JUN


REGION 3, QTR 3 1968
100 15
50
RH
BEXT
TEMP
0 0
0
JUL
AUG
SEP


REGION 3, QTR 4 1968
100 15
30
RH
BEXT
TEMP
0 0
-20
OCT
NOV
DEC


REGION 4, QTR 1 1968
100 15
30
RH
BEXT
TEMP
0 0
-20
JAN
FEB
MAR
REGION 4, QTR 2 1968
100 15
40
RH
BEXT
TEMP
0 0
-10
APR
MAY
JUN
REGION 4, QTR 3 1968
100 15
50
RH
BEXT
TEMP
0 0
0
JUL
AUG
SEP
REGION 4, QTR 4 1968
100 15
30
RH
BEXT
TEMP
0 0
-20
OCT
NOV
DEC


REGION 5, QTR 1 1968
100 15
30
RH
BEXT
TEMP
0 0
-20
JAN
FEB
MAR


REGION 5, QTR 2 1968
100 15
40
RH
BEXT
TEMP
0 0
-10
APR
MAY
JUN


REGION 5, QTR 3 1968
100 15
50
RH
BEXT
TEMP
0 0
0
JUL
AUG
SEP


REGION 5, QTR 4 1968
100 15
30
RH
BEXT
TEMP
0 0
-20
OCT
NOV
DEC

CAPITA


REGION 6, QTR 1 1968
100 15
30
RH
BEXT
TEMP
0 0
-20
JAN
FEB
MAR
REGION 6, QTR 2 1968
100 15
40
RH
BEXT
TEMP
0 0
-10
APR
MAY
JUN
REGION 6, QTR 3 1968
100 15
50
RH
BEXT
TEMP
0 0
JUL
AUG
SEP
REGION 6, QTR 4 1968
100 15
30
RH
BEXT
TEMP
0 0
-20
OCT
NOV
DEC


REGION 7, QTR 1 1968
100 15
30
RH
BEXT
TEMP
0 0
-20
JAN
FEB
MAR


REGION 7, QTR 2 1968
100 15
40
RH
BEXT
TEMP
0 0
-10
APR
MAY
JUN


REGION 7, QTR 3 1968
100 15
50
RH
BEXT
TEMP
0 0
0
JUL
AUG
SEP


REGION 7, QTR 4 1968
100 15
30
RH
BEXT
TEMP
0 0
-20
OCT
NOV
DEC

CAPITA


EUS MEAN, QTR 1 1968
100 15
30
RH
BEXT
TEMP
0 0
-20
JAN
FEB
MAR
EUS MEAN, QTR 2 1968
100 15
40
RH
BEXT
TEMP
0 0
-10
APR
MAY
JUN
EUS MEAN, QTR 3 1968
100 15
50
RH
BEXT
TEMP
0 0
0
JUL
AUG
SEP
EUS MEAN, QTR 4 1968
100 15
30
RH
BEXT
TEMP
0 0
-20
OCT
NOV
DEC

CAPITA



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	0.45	84	-9.52	-12.77
2	12	1.68	95	-11.19	-10.16
3	20	5.35	56	-13.52	-14.94
4	14	1.54	54	-8.71	-15.00
5	28	1.63	37	3.65	-8.86
6	12	1.58	48	-1.89	-13.27
7	16	1.10	41	3.71	-8.25



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.32	49	-7.21	-15.05
2	12	3.48	58	-5.88	-13.23
3	20	2.52	80	-7.18	-12.73
4	14	4.08	88	-7.08	-11.08
5	28	1.66	33	5.71	-8.96
6	12	2.48	42	1.89	-9.67
7	16	4.86	66	0.76	2.08



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.82	47	-4.21	-12.91
2	12	3.98	57	-2.45	-10.22
3	20	4.35	69	-10.82	-12.40
4	14	1.80	59	-10.82	-14.06
5	28	2.16	48	0.60	-1.22
6	12	0.56	32	4.39	-0.60
7	16	0.08	76	5.58	1.21



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.26	92	-3.59	-13.08
2	12	1.03	56	-8.76	-14.02
3	20	3.30	63	-12.63	-15.45
4	14	2.39	63	-10.55	-12.54
5	28	3.65	58	3.65	-4.28
6	12	1.61	49	-4.56	-13.12
7	16	1.67	47	0.80	-3.49



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.53	58	-6.22	-15.21
2	12	2.13	55	-6.19	-14.16
3	23	3.33	62	-9.52	-14.47
4	14	4.62	78	-2.57	-5.15
5	28	2.89	50	1.05	-3.74
6	12	2.20	47	-1.52	-11.35
7	16	1.63	58	7.77	-5.46



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.54	56	-3.94	-11.93
2	12	3.03	54	-3.66	-9.49
3	20	8.02	68	-2.83	-5.71
4	14	3.36	51	-5.29	-8.03
5	28	2.67	51	5.19	-5.45
6	12	6.80	69	4.30	-3.35
7	16	1.84	47	13.29	2.31

CAPITA

Reproduced from
best available copy.

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	0.35	78	0.49	-2.03
2	12	5.15	67	-2.31	-7.72
3	20	5.55	68	-8.91	-12.57
4	14	2.97	66	-7.63	-8.74
5	20	1.60	90	7.95	-5.35
6	12	1.74	68	2.00	-7.98
7	10	2.75	81	15.00	2.53



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.58	69	-5.39	-11.77
2	12	2.66	66	-3.88	-11.62
3	20	4.58	60	-5.55	-10.52
4	14	8.45	71	-4.75	-8.41
5	20	2.06	38	8.10	-6.00
6	12	2.55	81	0.35	1.71
7	10	1.84	48	21.24	8.98

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	0.38	72	-0.32	-10.43
2	12	4.68	72	-0.29	-6.05
3	20	4.53	68	-10.15	-15.28
4	14	2.18	59	-10.10	-15.27
5	20	2.38	67	16.46	9.02
6	12	2.38	59	0.81	1.10
7	10	2.05	57	0.60	-7.10



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	2.48	55	-4.10	-12.32
2	12	2.78	58	-4.58	-12.02
3	20	6.18	63	-10.95	-14.07
4	14	1.64	61	-9.82	-13.74
5	20	2.22	90	6.62	-5.39
6	12	1.66	98	-0.70	-11.20
7	10	1.58	38	3.84	-9.68



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	2.48	48	-8.21	-15.38
2	12	3.81	57	-3.68	-11.43
3	20	3.12	62	-8.96	-13.90
4	14	3.15	68	-8.81	-11.54
5	20	1.98	41	6.50	-6.68
6	12	1.73	38	1.89	-11.00
7	10	1.76	58	8.21	-8.69



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.48	55	-2.87	-10.59
2	12	4.95	50	-2.88	-9.53
3	20	3.61	63	-8.30	-12.87
4	14	3.47	62	-6.94	-11.56
5	20	2.03	41	6.28	-6.06
6	12	1.65	34	3.09	-11.29
7	10	2.00	38	10.49	-9.47



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	2.25	62	-3.10	-7.84
2	12	3.15	66	-1.93	-8.48
3	20	5.12	68	-4.48	-9.49
4	14	5.20	69	-5.07	-10.91
5	28	2.13	42	7.15	-5.07
6	12	2.55	51	8.34	-3.81
7	18	2.76	52	12.69	2.82



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	2.14	56	-1.33	-8.84
2	12	2.08	56	0.92	-7.48
3	20	5.51	72	-4.19	-8.80
4	14	5.68	73	-0.58	-6.31
5	28	2.15	48	8.36	-6.18
6	12	2.83	35	8.80	-8.14
7	18	2.72	56	14.88	8.21



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.40	51	-1.33	-10.46
2	12	2.42	57	-0.88	-8.65
3	20	7.02	71	-2.38	-8.93
4	14	7.02	62	1.86	-1.19
5	28	2.18	48	8.26	-6.22
6	12	3.08	34	9.78	-5.32
7	18	2.84	68	16.28	10.20



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.64	51	-5.11	-11.08
2	12	3.43	56	-1.83	-9.76
3	20	8.59	72	2.30	-2.52
4	14	8.15	63	-0.43	-1.79
5	28	2.60	38	11.16	-3.03
6	12	2.87	42	12.43	-0.64
7	18	3.76	69	18.81	11.83



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	2.91	67	-1.66	-8.99
2	12	4.32	65	2.54	-3.42
3	20	13.49	83	2.43	0.97
4	14	7.56	61	-4.10	-5.69
5	28	2.71	51	12.77	2.38
6	12	4.42	78	12.31	7.40
7	18	8.52	79	16.35	11.10



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	7.27	79	3.10	0.22
2	12	6.72	65	5.73	3.01
3	20	8.58	65	2.83	0.33
4	14	9.53	62	-0.31	-0.43
5	28	3.16	44	16.60	10.39
6	12	8.06	65	13.72	11.20
7	18	5.58	79	10.83	7.25

CAPITA

Reproduced from
best available copy.

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	2.82	58	9.55	-4.32
2	12	2.88	65	3.70	-2.26
3	20	4.73	72	-0.88	-5.14
4	14	7.74	78	-6.50	-9.30
5	28	7.64	84	10.14	11.46
6	12	5.53	88	9.78	7.83
7	18	9.75	78	0.71	5.88



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.98	48	0.22	-11.77
2	12	2.11	64	8.00	-5.68
3	20	4.75	84	2.35	-3.85
4	14	11.07	82	-2.18	-0.70
5	28	5.45	82	9.30	8.18
6	12	8.52	86	8.98	6.78
7	18	7.26	74	14.88	9.12

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.31	50	0.33	-3.33
2	12	2.59	52	4.11	-5.41
3	20	11.15	83	4.13	1.76
4	14	10.93	86	-4.18	-4.59
5	28	6.85	77	10.21	6.18
6	12	7.48	88	8.83	8.58
7	18	5.44	68	17.01	9.78



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.53	52	9.44	-5.55
2	12	2.42	53	6.33	-2.72
3	20	11.37	84	5.99	3.44
4	14	12.67	85	-3.57	-0.05
5	28	8.57	74	11.10	6.46
6	12	5.36	82	11.29	8.97
7	18	4.35	58	19.62	10.10



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	2.12	50	4.77	-3.00
2	12	4.00	75	6.88	2.68
3	20	8.22	82	8.99	6.05
4	14	8.17	72	-12.71	-11.98
5	28	7.61	78	13.27	8.22
6	12	3.08	79	15.08	11.24
7	18	2.14	53	12.48	2.43



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	7.55	88	5.18	1.72
2	12	8.69	89	7.43	5.67
3	20	9.37	91	-0.43	-3.43
4	14	8.58	88	-15.25	-14.59
5	28	5.98	76	16.32	11.98
6	12	2.48	85	9.46	7.98
7	18	1.97	93	2.62	2.03

CAPITA

REGION	# STNS	DEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	2.42	68	8.22	-0.77
2	12	3.03	65	-0.32	-8.66
3	20	5.60	58	-11.18	-15.19
4	14	1.85	58	-12.65	-18.10
5	28	1.85	48	10.55	-1.72
6	12	1.58	42	2.22	-9.57
7	18	1.84	48	7.59	-6.27

REGION	# STNS	DEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.48	61	-3.55	-10.68
2	12	1.86	49	-6.66	-16.78
3	20	3.55	61	-8.99	-14.76
4	14	5.28	71	-10.25	-10.88
5	28	1.63	58	8.15	-5.51
6	12	1.89	45	1.94	-8.83
7	18	2.18	58	12.80	5.67



REGION	# STNS	DEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.45	47	-8.21	-15.69
2	12	2.04	48	-7.44	-15.56
3	20	2.68	64	-5.98	-9.94
4	14	9.81	83	-6.29	-8.98
5	28	2.01	56	7.21	-1.17
6	12	4.33	79	0.47	1.75
7	18	4.83	83	10.36	10.03



REGION	# STNS	DEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.11	38	-8.16	-17.77
2	12	1.12	43	-8.59	-15.27
3	20	26.03	87	1.69	-0.25
4	14	5.43	77	-6.13	-7.80
5	28	3.57	69	7.59	1.11
6	12	5.52	83	9.76	8.98
7	18	3.26	70	16.76	13.10



REGION	# STNS	DEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	8.90	69	-5.80	-10.77
2	12	11.02	62	1.11	0.08
3	20	14.93	92	5.19	4.10
4	14	13.12	93	-6.91	-6.91
5	28	8.07	76	10.82	6.26
6	12	6.19	87	12.43	10.41
7	18	4.38	76	17.18	12.35



REGION	# STNS	DEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	7.68	66	-0.33	-2.33
2	12	11.05	71	4.99	4.07
3	20	8.50	86	5.56	3.47
4	14	3.38	71	-10.33	-12.48
5	28	4.57	65	13.25	10.19
6	12	3.38	72	17.81	12.93
7	18	2.27	59	13.60	3.55

CAPITA

Reproduced from
best available copy.



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.77	71	4.77	-0.11
2	12	2.32	65	6.22	-0.87
3	20	5.06	73	-1.89	-5.08
4	14	0.18	79	-7.81	-8.16
5	20	2.07	87	17.11	8.25
6	12	4.28	77	11.89	8.05
7	10	0.68	76	9.71	4.97



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	10.79	88	-0.94	-3.10
2	12	12.28	90	2.17	0.76
3	20	3.70	88	-1.18	-3.76
4	14	2.62	85	-6.65	-10.61
5	20	8.38	77	15.39	10.72
6	12	8.23	85	12.82	9.89
7	10	8.88	75	12.89	8.76



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	3.48	70	0.88	-3.84
2	12	3.20	62	2.95	-3.68
3	20	8.15	74	1.41	-2.90
4	14	4.79	66	-5.41	-7.77
5	20	6.16	78	15.29	10.65
6	12	3.90	82	15.82	12.77
7	10	3.14	58	15.68	9.10



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	11.73	85	-0.21	-2.93
2	12	11.52	88	1.88	0.23
3	20	2.40	62	-5.38	-11.13
4	14	1.70	58	-4.18	-10.38
5	20	3.58	68	13.82	5.73
6	12	1.78	44	8.24	-5.06
7	10	1.82	31	9.98	-8.07



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.53	48	-6.98	-16.99
2	12	4.41	66	-5.27	-13.37
3	20	2.03	62	-1.44	-7.05
4	14	1.67	59	-1.84	-8.68
5	20	1.56	32	7.85	-8.23
6	12	1.57	33	9.02	-6.52
7	10	1.70	33	11.02	-4.84



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.69	42	-9.32	-18.38
2	12	4.38	58	-4.02	-12.01
3	20	2.19	57	-1.88	-9.10
4	14	1.83	58	-0.91	-8.75
5	20	1.66	20	12.95	-5.25
6	12	1.93	36	11.20	-9.28
7	10	2.19	62	13.22	5.65

CAPITA



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.81	84	-4.82	-11.06
2	12	2.47	48	-0.76	-10.82
3	20	9.98	75	-1.08	-5.21
4	14	7.80	78	-2.45	-6.88
5	28	3.70	68	11.54	2.87
6	12	8.52	80	10.82	8.25
7	10	1.78	87	10.80	9.74



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.01	48	-9.11	-13.99
2	12	2.12	68	-0.06	-8.30
3	20	8.76	71	0.33	-4.46
4	14	8.06	81	-3.89	-6.08
5	28	6.82	68	12.77	8.04
6	12	6.56	71	13.68	9.09
7	10	2.08	43	20.66	8.80



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.36	48	-1.77	-11.22
2	12	3.06	63	0.89	-7.68
3	20	8.58	78	1.27	-1.94
4	14	5.85	79	-4.81	-7.85
5	28	6.68	76	12.18	7.97
6	12	5.26	83	13.76	10.64
7	10	2.16	46	12.21	0.94



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	19.76	84	-1.93	-4.33
2	12	9.98	83	-0.97	-3.70
3	20	4.22	67	-1.16	-8.68
4	14	3.56	71	-4.93	-9.44
5	28	2.60	61	9.91	2.30
6	12	3.61	65	5.10	-0.97
7	10	1.08	46	10.93	-0.45



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	5.62	88	-2.68	-7.86
2	12	1.55	53	-2.58	-10.87
3	20	4.08	68	0.91	-4.93
4	14	2.78	67	1.36	-4.28
5	28	1.62	36	8.68	-5.91
6	12	2.10	50	8.20	-3.37
7	10	2.36	43	16.14	2.91



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.31	45	-0.88	-11.21
2	12	3.49	56	0.63	-7.07
3	20	4.50	64	0.18	-5.99
4	14	3.10	64	-2.85	-8.12
5	28	2.10	46	12.55	-0.03
6	12	3.14	51	11.10	1.29
7	10	2.88	40	15.88	4.33

CAPITA



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	6.05	84	0.77	-5.58
2	12	6.11	65	0.87	-5.13
3	20	3.73	83	-4.05	-10.18
4	14	1.08	68	-9.94	-12.96
5	29	2.07	38	12.73	-1.54
6	12	1.89	45	8.29	-5.08
7	18	2.42	48	13.81	1.88



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	0.76	75	-1.99	-8.10
2	12	1.47	68	-3.32	-10.18
3	20	2.44	55	-4.48	-12.52
4	14	2.08	69	-8.02	-11.19
5	29	1.75	36	6.98	-7.83
6	12	1.76	48	3.88	-8.85
7	18	4.76	81	10.94	3.38

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.55	50	-7.68	-15.41
2	12	2.07	57	-5.92	-13.96
3	20	3.14	60	-4.02	-10.81
4	14	7.62	75	-9.68	-7.59
5	29	1.86	38	7.22	-5.83
6	12	2.79	50	3.97	-8.28
7	18	6.81	83	8.78	3.78

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.40	50	-6.10	-14.88
2	12	1.86	49	-2.26	-11.75
3	20	3.18	57	-5.93	-10.91
4	14	7.49	80	-9.86	-6.78
5	29	3.23	59	5.71	-2.27
6	12	8.05	75	5.16	-1.71
7	18	9.72	77	7.77	5.78



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.36	46	-3.11	-13.82
2	12	2.13	50	-0.83	-10.18
3	20	2.35	45	-0.02	-9.83
4	14	5.08	73	-2.65	-6.86
5	29	4.35	67	5.29	-0.85
6	12	8.41	86	1.38	-0.92
7	18	9.20	88	8.16	0.55



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.68	53	-2.11	-10.93
2	12	1.82	48	0.80	-8.36
3	20	2.57	47	1.82	-8.55
4	14	5.51	71	-2.55	-7.25
5	29	2.85	57	6.16	-2.51
6	12	8.97	74	2.80	-1.75
7	18	5.32	78	6.07	0.55



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	2.30	69	-0.06	-0.22
2	12	2.92	64	3.52	-0.00
3	20	2.58	48	3.10	-7.05
4	14	8.00	72	-2.73	-7.93
5	28	3.20	62	7.00	-1.08
6	12	3.43	58	5.73	-2.51
7	10	2.60	81	7.06	-1.07



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	9.26	80	1.21	-0.06
2	12	6.06	66	1.88	-6.33
3	20	9.50	57	1.30	-8.50
4	14	7.00	70	-4.60	-7.01
5	28	2.13	86	10.35	-6.42
6	12	2.45	60	8.85	-6.16
7	10	6.04	82	8.99	0.00



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.00	72	1.00	-2.77
2	12	2.00	70	2.06	-1.00
3	20	5.22	54	2.06	-5.00
4	14	0.30	70	-1.06	-5.30
5	28	3.01	67	8.05	-2.12
6	12	2.51	48	8.00	-3.10
7	10	0.70	70	8.10	6.20



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	3.63	71	2.21	-2.66
2	12	2.45	65	3.83	-2.12
3	20	3.33	56	4.81	-3.83
4	14	11.00	62	-0.15	-2.93
5	28	2.33	49	11.10	0.31
6	12	2.60	37	12.32	-1.15
7	10	5.32	81	10.17	7.00



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	4.78	78	0.77	-2.55
2	12	4.62	71	3.32	-1.80
3	20	6.95	67	4.55	-1.78
4	14	10.78	83	-0.12	-2.68
5	28	4.79	72	8.76	3.11
6	12	8.05	81	7.28	6.02
7	10	2.29	68	10.82	6.99



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.89	71	0.77	-4.22
2	12	0.76	64	1.70	-0.78
3	20	9.30	78	5.71	0.35
4	14	0.19	62	0.80	-1.70
5	28	4.56	78	9.91	5.92
6	12	4.69	78	7.68	3.60
7	10	3.20	68	12.01	5.75

CAPITA



REGION	# STNS	DEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	10.89	66	-0.55	-3.77
2	12	6.04	66	2.81	-0.28
3	20	8.06	72	2.96	-1.68
4	16	8.58	68	3.10	-0.58
5	20	8.62	61	11.62	3.56
6	12	6.41	82	8.37	2.08
7	16	5.04	82	15.56	9.37



REGION	# STNS	DEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	13.64	66	-1.77	-8.00
2	12	9.78	64	2.45	-8.56
3	20	3.56	85	1.85	-6.05
4	16	8.05	78	2.65	-1.76
5	20	2.68	67	10.57	-0.23
6	12	4.37	96	7.60	-0.52
7	16	5.00	88	17.01	8.66



REGION	# STNS	DEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	8.71	80	-0.30	-9.44
2	12	6.76	60	0.27	-6.86
3	20	9.08	66	1.19	-5.85
4	16	8.76	78	1.78	-1.66
5	20	2.46	42	10.07	-2.66
6	12	5.30	51	8.32	-1.29
7	16	5.44	84	18.22	8.43



REGION	# STNS	DEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	4.57	72	-2.55	-8.99
2	12	3.06	65	-0.32	-6.28
3	20	2.03	58	2.10	-5.89
4	16	7.27	75	0.31	-9.78
5	20	2.17	41	10.29	-2.71
6	12	2.48	65	10.18	-0.64
7	16	2.64	58	17.87	8.85



REGION	# STNS	DEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	2.38	62	-2.39	-8.77
2	12	2.38	58	1.15	-5.92
3	20	3.48	58	1.68	-5.77
4	16	8.08	78	-1.89	-6.28
5	20	2.37	47	11.52	0.38
6	12	5.35	70	8.79	3.26
7	16	2.02	62	13.15	0.14



REGION	# STNS	DEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	2.62	58	-0.14	-7.77
2	12	2.62	62	1.57	-4.03
3	20	3.48	55	3.50	-5.05
4	16	8.28	78	-1.11	-8.55
5	20	6.65	69	8.46	2.57
6	12	3.93	69	5.13	-0.27
7	16	2.02	45	11.68	-0.27

CAPITA



REGION	# STNS	DEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.49	81	0.55	-0.58
2	12	6.38	71	1.24	-3.79
3	20	5.13	68	3.77	-4.36
4	16	0.17	72	-0.53	-3.57
5	28	6.11	65	8.10	0.02
6	12	6.01	53	8.16	-0.97
7	18	8.11	71	6.81	2.87

REGION	# STNS	DEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	0.86	78	-0.88	-4.10
2	12	1.81	68	3.76	-6.81
3	20	2.57	65	5.02	-8.43
4	16	0.00	70	-0.23	-7.88
5	28	0.02	65	9.71	-0.63
6	12	0.47	56	5.88	-0.58
7	18	0.47	84	8.88	8.84



REGION	# STNS	DEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.91	48	1.21	-0.84
2	12	1.53	62	2.22	-0.53
3	20	2.05	48	2.57	-7.57
4	16	0.00	70	-3.10	-6.82
5	28	2.16	61	10.35	-2.68
6	12	2.00	57	8.57	-6.85
7	18	0.95	81	6.81	-1.00



REGION	# STNS	DEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.31	37	-6.68	-16.11
2	12	1.68	41	-1.68	-13.33
3	20	2.41	48	3.41	-8.74
4	16	7.18	78	-1.00	-5.31
5	28	2.02	36	9.55	-5.15
6	12	2.38	36	8.13	-8.18
7	18	8.41	73	8.78	3.87



REGION	# STNS	DEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.38	38	-3.88	-12.77
2	12	5.41	58	1.38	-6.88
3	20	5.03	55	2.33	-6.68
4	16	7.08	75	0.15	-3.84
5	28	6.03	67	10.12	6.38
6	12	5.57	86	6.78	2.17
7	18	2.69	84	13.83	2.76



REGION	# STNS	DEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.48	37	-5.21	-18.94
2	12	2.36	48	-0.87	-10.58
3	20	3.42	54	0.38	-8.05
4	16	7.53	69	-3.53	-5.15
5	28	2.75	52	9.73	0.21
6	12	3.19	58	7.72	-0.41
7	18	2.63	58	13.49	6.71

CAPITA



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.40	48	-1.80	-11.06
2	12	2.27	51	2.00	-7.31
3	20	0.55	82	0.05	-5.94
4	14	3.17	87	-0.70	-10.94
5	20	2.74	51	10.62	0.20
6	12	6.00	88	12.35	0.81
7	10	2.89	83	8.01	-1.03



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.30	47	-0.39	-10.48
2	12	1.65	58	1.36	-7.81
3	20	2.19	56	-0.72	-9.00
4	14	3.87	88	-0.64	-12.01
5	20	6.10	88	10.23	3.08
6	12	9.49	89	9.10	-2.21
7	10	1.86	48	8.48	-0.92



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	2.62	57	0.77	-4.00
2	12	2.08	54	1.52	-7.09
3	20	5.63	83	-1.71	-8.10
4	14	1.76	84	-7.58	-11.60
5	20	1.03	62	7.95	-4.42
6	12	2.45	52	1.71	-7.45
7	10	2.56	45	6.96	-0.26



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.01	56	-0.53	-8.94
2	12	1.93	50	-4.02	-13.32
3	20	4.10	50	-5.98	-14.12
4	14	1.57	60	-7.65	-11.06
5	20	1.63	37	5.65	-0.27
6	12	1.98	44	2.91	-5.19
7	10	2.48	51	4.00	-5.51

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.61	57	-0.11	-7.55
2	12	3.51	56	-1.15	-8.25
3	20	1.99	49	-1.49	-12.38
4	14	2.56	67	-3.69	-9.08
5	20	1.78	31	7.40	-8.06
6	12	2.11	38	4.59	-8.85
7	10	2.30	53	8.85	-0.85

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	3.72	68	3.33	-3.99
2	12	2.22	58	3.88	-5.45
3	20	2.48	49	2.65	-9.21
4	14	2.12	65	-3.52	-9.20
5	20	1.79	36	9.79	-5.15
6	12	1.95	59	7.58	-5.58
7	10	2.43	48	11.55	-0.20

CAPITA



REGION	# STNS	DEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.00	69	2.77	-3.50
2	12	0.48	65	5.83	-4.71
3	20	2.56	51	0.52	-8.38
4	16	1.70	87	-0.52	-10.88
5	28	1.76	31	12.05	-4.97
6	12	2.00	58	0.80	-6.71
7	10	5.20	84	13.99	4.19



REGION	# STNS	DEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.40	87	2.00	-6.77
2	12	2.30	62	9.62	-5.87
3	20	2.05	38	2.77	-10.10
4	16	2.00	88	-0.07	-7.48
5	28	1.81	32	12.65	-3.84
6	12	2.01	55	9.25	-5.89
7	10	5.46	80	7.66	0.81

REGION	# STNS	DEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.46	46	0.96	-7.00
2	12	2.30	30	5.55	-7.01
3	20	2.05	59	0.51	-8.38
4	16	1.86	87	0.79	-2.85
5	28	3.02	50	12.01	1.33
6	12	2.30	48	11.29	-3.05
7	10	2.57	85	8.23	2.65



REGION	# STNS	DEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	2.17	51	3.10	-6.21
2	12	2.10	35	10.86	-4.79
3	20	2.08	35	14.13	-1.27
4	16	1.03	59	9.40	1.07
5	28	3.36	46	17.81	2.39
6	12	2.32	38	16.81	-0.10
7	10	6.23	62	13.29	5.58



REGION	# STNS	DEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	0.35	79	4.55	0.10
2	12	2.58	35	15.62	-0.37
3	20	2.58	34	17.88	1.49
4	16	4.01	80	9.20	1.10
5	28	7.73	64	16.60	8.35
6	12	4.00	76	13.85	0.58
7	10	1.01	48	19.05	9.62



REGION	# STNS	DEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	10.10	83	3.52	0.66
2	12	5.76	51	11.67	0.73
3	20	9.21	41	16.30	2.58
4	16	3.75	66	8.65	1.90
5	28	2.31	42	19.26	5.23
6	12	2.02	42	20.27	8.47
7	10	1.90	51	24.10	5.63

CAPITA



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	9	0.58	84	2.66	0.22
2	12	7.36	66	11.26	4.16
3	20	6.55	58	12.10	3.13
4	14	3.28	69	5.82	-2.17
5	28	2.72	62	20.72	8.54
6	12	2.01	41	22.12	8.23
7	10	2.07	48	17.61	5.76



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	9	0.46	69	4.99	3.98
2	12	2.81	67	8.88	2.73
3	20	2.42	52	4.81	-4.55
4	14	1.80	88	2.88	-0.84
5	28	1.65	38	19.00	6.87
6	12	1.76	33	18.81	-0.38
7	10	2.19	36	16.00	0.00

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	9	1.77	61	5.10	-2.22
2	12	1.61	48	6.24	-3.62
3	20	1.38	37	3.88	-6.41
4	14	1.06	56	0.12	-0.51
5	28	1.60	32	16.59	-1.30
6	12	1.71	26	15.96	-6.81
7	10	0.47	68	10.22	0.20

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	9	1.34	36	7.60	-0.66
2	12	1.78	27	10.78	-7.91
3	20	2.29	33	14.71	-2.13
4	14	3.28	69	4.15	-0.83
5	28	1.82	33	18.05	0.71
6	12	2.10	43	15.91	1.38
7	10	4.79	65	10.60	0.00



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	9	1.68	41	8.32	-6.38
2	12	2.87	67	8.88	1.65
3	20	0.40	89	8.61	5.65
4	14	3.13	71	2.25	-2.65
5	28	4.76	76	18.50	13.38
6	12	1.98	55	19.71	9.57
7	10	2.03	90	13.67	2.28



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	9	7.38	82	5.88	4.46
2	12	6.46	87	9.71	7.63
3	20	7.30	83	1.98	-0.61
4	14	2.98	63	0.47	-5.94
5	28	1.70	65	16.66	7.13
6	12	2.55	66	7.85	0.65
7	10	1.64	57	11.52	-2.87

CAPITA



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.61	64	8.10	0.49
2	12	3.08	61	5.36	-2.07
3	20	6.57	72	-1.27	-6.07
4	14	1.62	68	2.66	-5.08
5	28	1.91	45	11.66	-0.73
6	12	2.58	46	8.52	-4.57
7	16	1.54	80	10.59	-0.80



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.52	69	9.68	-0.77
2	12	1.68	68	6.53	-2.76
3	20	1.62	52	2.19	-8.83
4	14	1.58	66	6.62	-3.58
5	28	1.71	38	11.16	-3.09
6	12	1.58	58	10.87	-3.78
7	16	1.67	86	17.38	1.48



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.51	34	9.99	-10.44
2	12	1.62	37	8.37	-5.65
3	20	2.78	55	8.41	0.41
4	14	2.77	68	-0.19	-7.32
5	28	1.72	34	16.12	-0.09
6	12	1.78	34	18.93	0.76
7	16	1.62	48	21.79	7.07



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	2.65	69	8.63	1.08
2	12	3.23	66	7.63	0.87
3	20	2.05	58	-2.74	-10.38
4	14	1.63	61	-7.73	-11.76
5	28	1.97	43	20.31	6.50
6	12	3.71	66	13.83	8.20
7	16	2.07	62	15.10	7.08



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.88	48	-0.46	-10.77
2	12	1.76	46	1.57	-9.31
3	20	2.70	48	-4.87	-15.49
4	14	1.68	52	-5.51	-11.38
5	29	1.88	47	16.28	6.76
6	12	2.18	56	9.85	0.68
7	16	2.08	66	14.56	7.48



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.45	45	-3.68	-12.10
2	12	2.28	48	0.80	-12.48
3	20	1.78	42	-1.68	-12.91
4	14	2.81	58	2.57	-4.35
5	28	1.72	35	13.73	-2.16
6	12	1.55	53	9.78	-5.92
7	16	2.32	67	15.30	8.71



REGION	# STNS	DEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.96	96	3.00	-10.56
2	12	1.73	87	6.10	-7.30
3	20	3.27	59	8.75	0.06
4	14	0.73	86	11.50	6.48
5	28	2.02	62	10.16	5.67
6	12	1.80	62	19.90	8.10
7	16	2.21	45	88.00	10.97



REGION	# STNS	DEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	0.07	00	0.10	0.32
2	12	3.75	77	10.70	6.62
3	20	0.06	70	8.27	2.00
4	14	2.87	62	0.62	-1.90
5	28	2.12	68	24.10	12.33
6	12	2.30	50	22.40	10.75
7	16	2.42	60	82.01	19.00



REGION	# STNS	DEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.91	94	2.80	-12.21
2	12	2.02	43	7.40	-6.34
3	20	3.03	60	0.80	1.40
4	14	0.30	67	11.02	6.06
5	28	2.50	48	21.89	10.17
6	12	2.37	55	22.80	13.42
7	18	2.30	61	24.13	15.00



REGION	# STNS	DEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.63	37	11.60	-2.44
2	12	3.18	47	14.81	3.23
3	20	0.60	69	16.05	9.69
4	14	0.79	77	11.62	8.30
5	28	6.42	60	21.90	13.15
6	12	2.95	52	25.69	16.87
7	16	2.59	61	29.67	16.57



REGION	# STNS	DEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	5.04	00	10.56	8.32
2	12	10.46	00	14.46	12.35
3	20	8.34	81	10.27	7.13
4	14	2.30	84	7.25	-0.15
5	29	3.43	65	23.32	16.32
6	12	2.34	82	19.90	16.70
7	16	2.34	55	20.72	10.17

REGION	# STNS	DEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.59	54	7.21	-1.09
2	12	1.78	55	9.93	1.20
3	20	2.18	58	9.82	1.48
4	14	2.52	59	11.50	5.44
5	28	2.11	59	19.59	11.10
6	12	2.47	64	16.33	9.40
7	16	2.08	58	19.23	8.57

CAPITA

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.91	91	12.60	-4.00
2	12	1.06	35	15.07	-0.09
3	20	2.60	45	18.55	5.58
4	16	2.09	57	17.25	8.00
5	28	1.66	36	20.62	6.02
6	12	1.91	43	23.90	8.56
7	10	2.36	66	28.76	12.01



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.91	100	8.10	-0.10
2	12	2.90	88	15.62	1.62
3	20	5.19	99	23.00	8.55
4	16	3.07	66	14.79	7.01
5	28	2.12	36	26.16	7.61
6	12	2.29	48	25.32	10.27
7	10	2.10	64	26.57	18.00



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.31	36	10.92	-4.00
2	12	2.22	42	18.16	5.08
3	20	3.50	64	19.24	11.58
4	16	3.07	69	13.50	5.50
5	28	2.20	45	23.86	10.02
6	12	2.56	61	22.68	14.59
7	10	1.86	59	24.88	19.78



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	4.65	75	13.60	9.10
2	12	2.51	78	16.95	11.01
3	20	2.02	65	18.03	5.78
4	16	1.63	51	12.57	2.42
5	28	2.65	66	21.93	14.53
6	12	3.08	79	19.53	15.50
7	10	2.17	81	23.76	12.41



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.91	36	10.10	-5.10
2	12	1.50	27	13.60	-2.21
3	20	2.03	48	10.96	0.22
4	16	1.78	49	10.62	4.08
5	28	1.83	51	22.33	11.52
6	12	2.33	55	20.08	10.59
7	10	2.01	62	20.78	12.84

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.31	31	8.96	-7.00
2	12	1.53	34	11.61	-3.97
3	20	1.93	53	13.38	-0.45
4	16	2.08	45	10.96	0.30
5	28	1.06	43	20.80	7.56
6	12	2.38	43	22.17	8.83
7	10	6.01	76	18.98	12.98



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.30	98	10.05	-2.21
2	12	1.68	81	16.87	-1.29
3	20	2.05	59	17.19	1.29
4	14	2.20	68	17.67	6.67
5	20	2.01	62	20.02	8.46
6	12	4.25	78	18.55	13.42
7	10	5.67	68	18.68	11.86



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.61	29	10.00	0.85
2	12	2.36	33	10.16	1.47
3	20	4.93	56	10.62	7.07
4	14	5.78	68	10.49	8.26
5	20	3.15	66	10.41	11.86
6	12	5.87	80	17.35	15.79
7	10	2.10	58	21.91	11.70



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	2.41	58	19.43	1.66
2	12	2.86	61	16.38	8.08
3	20	5.14	78	16.69	12.60
4	14	4.77	69	16.71	8.82
5	20	4.17	79	20.10	15.08
6	12	5.08	72	21.88	18.15
7	10	2.06	84	24.84	19.66



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.77	67	17.45	10.88
2	12	4.17	77	16.89	12.77
3	20	3.78	57	20.43	11.43
4	14	4.00	75	19.09	8.55
5	20	3.25	69	22.91	16.76
6	12	2.67	65	23.69	16.47
7	10	3.63	65	23.15	15.27

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	2.61	58	19.99	10.55
2	12	3.53	58	21.52	12.67
3	20	6.19	66	20.18	12.91
4	14	3.17	69	11.14	5.07
5	20	2.23	61	25.29	16.82
6	12	2.84	66	24.53	17.54
7	10	2.75	65	19.70	12.69



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	6.48	69	19.55	8.43
2	12	5.85	60	13.60	10.33
3	20	5.64	60	9.19	5.77
4	14	2.09	46	12.29	-0.11
5	20	3.01	76	23.52	18.02
6	12	1.77	63	22.28	16.81
7	10	1.57	47	19.54	7.18

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	8	3.46	85	8.10	0.77
2	12	2.78	80	7.77	4.48
3	20	2.56	90	7.49	-1.38
4	16	1.80	87	16.71	9.07
5	28	1.63	64	22.11	13.13
6	12	3.13	76	12.46	7.72
7	16	1.53	48	23.16	7.87



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	8	1.96	48	8.82	-4.77
2	12	1.62	88	10.62	-2.66
3	20	1.78	59	19.55	-0.30
4	16	1.87	47	17.49	6.25
5	28	1.77	63	16.88	7.17
6	12	1.91	55	16.80	5.75
7	16	1.88	55	20.44	10.78



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	8	1.48	48	10.21	-2.56
2	12	1.87	42	15.64	2.17
3	20	2.36	51	15.88	4.71
4	16	1.54	27	17.77	-1.54
5	28	2.42	61	19.77	8.02
6	12	2.06	48	21.36	8.78
7	16	2.00	43	24.50	12.73



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	8	2.08	73	9.66	4.77
2	12	5.43	76	11.38	8.75
3	20	2.25	58	10.10	1.48
4	16	1.54	32	16.74	6.59
5	28	2.63	47	20.45	7.73
6	12	1.49	32	20.50	3.42
7	16	1.00	41	26.34	11.52



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	8	2.28	88	8.10	5.55
2	12	2.61	71	9.96	6.53
3	20	2.67	78	7.88	2.24
4	16	1.57	48	14.76	0.43
5	28	1.72	38	18.48	6.48
6	12	1.59	47	18.58	6.90
7	16	2.17	48	26.90	10.27



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	8	5.58	89	4.77	3.21
2	12	2.38	69	8.76	3.28
3	20	1.68	48	12.82	-0.52
4	16	1.70	37	17.17	2.06
5	28	1.92	48	18.28	6.08
6	12	2.25	47	16.20	4.71
7	16	2.04	48	22.87	10.13

CAPITA

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.91	88	14.21	-0.11
2	12	1.76	33	16.04	0.66
3	20	2.01	55	18.10	2.55
4	14	2.68	48	18.72	7.48
5	28	1.83	35	23.30	6.87
6	12	1.68	58	20.22	6.80
7	18	3.48	90	28.49	11.48



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.51	58	14.55	-2.52
2	12	1.78	32	20.27	2.05
3	20	2.01	41	22.24	8.16
4	14	3.17	57	19.00	6.62
5	30	1.91	32	25.20	6.04
6	12	1.08	58	24.10	9.00
7	18	8.78	81	22.89	18.00



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.34	51	14.33	3.04
2	12	2.40	31	26.20	7.21
3	20	2.18	58	21.77	11.91
4	14	5.40	70	8.38	2.07
5	28	1.76	36	27.07	10.48
6	12	1.67	42	25.75	11.00
7	18	2.16	68	20.66	11.42



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.08	46	20.68	6.55
2	12	3.13	53	22.89	11.68
3	20	4.40	77	10.79	8.02
4	14	1.54	49	8.72	-1.02
5	28	2.60	52	25.49	10.34
6	12	3.02	56	20.87	13.97
7	18	1.79	52	19.85	8.30



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.59	58	19.21	2.09
2	12	2.07	63	13.14	5.87
3	20	2.32	62	7.68	0.52
4	14	1.60	42	14.46	1.84
5	28	2.36	54	22.07	12.77
6	12	2.22	54	16.01	8.58
7	18	1.57	47	21.21	9.08



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.48	48	11.88	0.08
2	12	2.13	53	12.03	2.54
3	20	2.29	46	12.91	0.88
4	14	1.88	52	16.48	0.68
5	28	2.54	48	20.33	8.02
6	12	2.47	45	17.77	5.04
7	18	1.97	58	22.67	10.89

CAPITA



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.39	56	19.77	-2.89
2	12	1.67	32	16.70	-0.06
3	21	2.58	38	17.48	3.56
4	14	2.85	56	18.55	9.09
5	28	2.08	46	21.56	9.16
6	12	2.79	43	22.60	8.48
7	18	2.08	61	25.80	12.42



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.40	25	18.32	-6.10
2	12	2.38	31	20.82	3.06
3	21	2.69	38	24.35	8.25
4	14	1.98	59	23.10	10.99
5	28	2.69	47	22.15	8.60
6	12	3.02	45	24.67	11.52
7	18	2.14	56	25.88	16.75



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	2.34	46	20.55	7.77
2	12	2.60	46	23.68	10.70
3	21	3.32	44	24.81	11.83
4	14	1.92	48	21.70	10.43
5	28	2.31	49	24.83	12.87
6	12	2.81	50	23.78	12.49
7	18	2.17	84	29.80	19.84



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.31	28	10.21	-0.22
2	12	1.85	38	21.47	6.89
3	21	2.98	49	23.80	10.18
4	14	3.27	68	19.55	12.53
5	28	2.13	46	26.55	12.73
6	12	2.52	51	25.18	14.11
7	18	3.36	70	23.48	17.21



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.31	28	19.77	-3.10
2	12	1.55	30	20.13	2.12
3	21	3.48	45	24.51	11.80
4	14	2.84	67	20.43	13.80
5	28	2.08	40	27.08	11.62
6	12	2.38	59	27.77	12.63
7	18	2.01	65	29.71	18.52



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.31	54	14.10	-1.99
2	12	1.68	24	19.80	-1.61
3	21	3.90	48	24.69	12.68
4	14	1.83	58	22.08	11.74
5	28	2.08	37	27.07	10.45
6	12	1.83	48	27.49	14.53
7	18	2.49	73	23.58	18.29



REGION	# STNS	DEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.59	84	12.99	2.99
2	12	2.38	69	10.76	7.56
3	21	3.42	58	24.78	13.75
4	14	2.01	61	17.77	9.26
5	20	1.86	63	27.88	13.68
6	12	2.18	52	27.58	10.42
7	10	2.77	71	22.09	10.36



REGION	# STNS	DEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	0.66	88	13.94	10.77
2	12	0.82	78	10.76	14.71
3	21	2.37	70	10.61	12.68
4	14	1.75	68	14.58	9.81
5	20	2.00	56	26.84	16.20
6	12	4.52	78	22.35	18.88
7	10	2.48	87	22.01	18.20



REGION	# STNS	DEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	0.28	98	15.95	14.44
2	12	4.73	86	15.72	13.05
3	21	2.68	67	11.23	5.23
4	14	1.67	88	15.98	1.42
5	20	0.26	62	22.55	16.48
6	12	1.58	66	19.11	8.70
7	10	1.81	68	21.52	7.52

REGION	# STNS	DEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.38	62	14.77	1.88
2	12	1.65	49	14.30	3.56
3	21	5.38	69	9.46	3.91
4	14	1.68	47	11.69	0.16
5	20	1.67	36	21.56	5.05
6	12	1.69	58	22.20	7.08
7	10	1.62	41	23.85	6.81



REGION	# STNS	DEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	9.28	75	19.89	9.55
2	12	1.69	63	11.52	1.68
3	21	1.87	50	11.80	0.73
4	14	1.54	38	14.10	0.68
5	20	1.62	38	20.53	5.80
6	12	1.45	45	17.07	4.30
7	10	1.63	48	23.71	11.10

REGION	# STNS	DEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.49	90	15.00	0.55
2	12	1.86	58	13.62	2.72
3	21	1.68	48	12.93	1.45
4	14	1.67	17	16.84	3.33
5	20	2.08	43	21.66	8.01
6	12	1.55	45	20.55	7.20
7	10	2.03	57	24.90	15.23

CAPITA

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.39	84	18.00	-2.10
2	12	1.64	58	18.65	2.35
3	21	2.05	56	17.56	7.64
4	14	1.88	67	22.41	10.69
5	28	1.88	37	26.31	8.00
6	12	1.31	60	25.17	10.38
7	14	1.01	67	26.68	18.14



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.96	94	12.40	2.00
2	12	2.20	48	16.06	8.01
3	21	2.58	51	19.48	8.83
4	14	2.29	48	24.12	11.78
5	28	2.87	58	23.62	14.38
6	12	2.73	62	29.29	15.13
7	14	1.67	94	28.78	17.26



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.31	98	14.60	-0.55
2	12	1.76	56	18.18	2.40
3	21	2.73	47	21.82	10.07
4	14	2.01	64	24.69	14.78
5	28	2.62	68	24.15	15.70
6	12	1.81	55	24.67	14.78
7	14	1.92	82	24.88	18.41

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.69	94	22.49	5.68
2	12	2.58	45	22.50	10.06
3	21	3.15	47	26.80	14.22
4	14	3.31	74	17.01	11.98
5	28	2.82	60	24.73	16.00
6	12	2.78	71	22.58	16.98
7	14	3.24	68	23.49	16.62



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	2.34	97	20.43	12.10
2	12	2.61	53	24.57	13.88
3	21	5.69	79	17.37	13.48
4	14	1.09	88	12.29	5.58
5	28	2.46	58	25.13	15.96
6	12	2.69	72	23.14	17.82
7	14	2.52	72	20.75	15.06



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	2.08	77	14.10	9.54
2	12	2.46	61	21.43	13.00
3	21	8.90	68	13.19	11.37
4	14	2.51	85	14.32	7.48
5	28	3.45	67	24.88	17.77
6	12	2.93	78	23.19	19.18
7	14	2.75	62	22.70	14.30

CAPITA



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	-.35	79	18.44	15.30
2	12	3.71	76	20.73	16.33
3	21	4.69	78	15.26	11.38
4	14	2.04	78	18.88	10.38
5	28	3.38	78	24.22	20.10
6	12	2.88	68	26.87	18.88
7	10	2.13	58	27.14	18.21



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	5.42	84	17.77	16.06
2	12	5.51	76	19.88	16.16
3	21	5.79	67	17.79	11.55
4	14	1.68	94	16.78	8.84
5	28	2.66	66	26.62	19.21
6	12	3.21	80	25.97	17.72
7	10	1.84	55	28.84	17.81

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.38	48	15.22	4.21
2	12	1.64	46	17.02	6.45
3	21	1.35	50	14.56	5.80
4	14	4.84	80	11.42	7.88
5	28	2.62	57	26.26	17.00
6	12	3.60	54	27.28	18.04
7	10	2.07	48	29.81	18.35



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.69	55	15.32	5.99
2	12	2.26	48	18.93	7.03
3	21	3.60	72	12.72	7.89
4	14	3.38	68	12.13	8.58
5	28	3.46	55	25.59	15.06
6	12	3.42	52	29.44	18.55
7	10	2.72	46	28.28	18.28



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.45	55	15.66	5.68
2	12	2.86	57	16.89	8.10
3	21	2.39	53	15.94	8.10
4	14	2.60	58	10.38	7.07
5	28	4.07	56	26.20	16.82
6	12	4.35	60	26.70	18.09
7	10	3.17	58	26.31	18.48



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.93	75	13.10	9.68
2	12	3.50	69	16.69	9.20
3	21	2.51	51	19.28	8.58
4	14	3.24	54	19.90	8.45
5	28	3.69	58	26.30	17.23
6	12	5.72	66	24.87	17.58
7	10	2.59	50	28.78	17.18

CAPITA



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	3.06	71	18.94	10.00
2	12	3.00	63	18.68	10.73
3	21	2.84	60	17.52	9.23
4	14	2.43	61	20.19	12.13
5	20	2.47	58	26.79	16.68
6	12	3.00	64	24.34	17.12
7	10	2.47	84	27.04	17.21

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.31	42	15.56	0.86
2	12	1.62	37	15.07	0.07
3	21	2.05	48	18.72	7.52
4	14	1.82	35	20.48	10.09
5	20	2.66	61	25.63	16.67
6	12	3.06	53	28.26	15.92
7	10	2.10	61	28.39	17.38

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.84	27	16.21	-2.00
2	12	1.62	30	18.14	0.04
3	21	2.65	43	24.06	10.58
4	14	1.94	51	29.52	18.92
5	20	2.76	44	24.08	13.80
6	12	3.18	58	27.17	15.68
7	10	2.64	50	29.61	17.80



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.83	47	21.55	9.66
2	12	3.02	46	25.83	13.08
3	21	2.81	46	28.61	15.30
4	14	2.38	48	47.94	15.32
5	20	2.41	58	26.60	15.29
6	12	3.41	52	27.80	17.03
7	10	2.65	58	29.86	18.22

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.87	48	23.46	10.30
2	12	3.68	46	31.01	17.63
3	21	2.79	47	28.55	16.29
4	14	1.59	38	28.30	8.75
5	20	2.55	43	30.23	16.16
6	12	3.12	48	29.78	16.25
7	10	2.61	48	28.78	17.76

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	2.33	19	19.46	0.89
2	12	1.71	36	27.40	10.64
3	21	1.78	37	25.38	9.54
4	14	2.00	48	25.89	13.48
5	20	2.52	43	33.09	18.02
6	12	3.35	48	30.45	17.63
7	10	2.48	47	30.30	17.20

CAPITA

REGION	# STNS	DEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.88	38	29.60	9.21
2	12	1.52	38	26.71	7.26
3	21	2.58	56	25.47	15.72
4	16	2.43	66	21.54	14.40
5	28	3.03	46	30.67	17.48
6	12	4.15	47	30.30	17.84
7	18	2.54	45	33.14	18.87



REGION	# STNS	DEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.91	97	20.56	6.48
2	12	3.11	62	25.27	16.46
3	21	5.68	86	23.75	18.35
4	16	2.36	61	13.36	5.87
5	28	3.08	61	30.73	18.36
6	12	5.26	51	23.39	16.05
7	17	1.69	56	28.48	18.88

REGION	# STNS	DEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	6.05	72	22.10	18.77
2	12	3.87	66	26.73	18.65
3	21	5.47	65	19.91	8.14
4	16	1.54	48	15.38	1.18
5	28	3.01	58	28.62	18.26
6	12	2.13	66	22.48	15.58
7	17	2.29	44	25.08	11.27



REGION	# STNS	DEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	3.67	81	20.68	17.21
2	12	1.78	65	19.62	8.88
3	21	1.69	57	19.18	6.59
4	16	1.67	58	20.50	5.43
5	28	1.78	48	25.63	12.43
6	12	1.38	36	23.52	6.78
7	17	3.38	81	22.87	19.82



REGION	# STNS	DEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.34	42	18.55	5.44
2	12	1.78	45	18.83	4.47
3	21	2.81	58	19.91	10.36
4	16	1.68	47	24.48	11.78
5	28	1.76	43	26.18	12.19
6	12	1.57	37	24.80	9.16
7	17	2.04	68	29.78	18.59



REGION	# STNS	DEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	2.17	58	19.99	8.93
2	12	1.87	58	21.93	12.17
3	21	2.07	61	19.45	11.53
4	16	2.08	42	27.57	13.01
5	28	2.48	58	26.03	17.00
6	12	1.72	44	28.70	13.58
7	17	1.86	48	27.28	14.68

CAPITA



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	2.06	58	18.50	10.55
2	12	3.12	61	22.20	14.20
3	21	2.97	60	22.85	14.62
4	14	1.60	51	25.85	13.96
5	20	2.37	56	20.81	17.71
6	12	1.89	48	28.94	18.70
7	17	1.81	44	28.50	18.42

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.78	51	20.77	10.33
2	12	2.16	58	21.88	10.82
3	21	3.56	66	21.59	13.43
4	14	2.21	62	21.88	13.76
5	20	2.37	51	20.67	10.52
6	12	1.96	45	31.57	18.28
7	17	2.04	48	29.88	18.82



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.46	38	22.55	7.68
2	12	2.63	53	23.61	11.53
3	21	4.78	73	17.87	12.08
4	14	2.72	54	18.08	10.07
5	20	2.78	52	30.39	18.14
6	12	2.48	41	32.50	17.58
7	17	2.05	48	28.44	17.25

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.31	38	20.21	5.68
2	12	1.58	48	21.61	8.69
3	21	1.67	48	15.38	7.79
4	14	1.63	42	22.61	8.72
5	20	2.83	58	27.27	18.18
6	12	3.83	51	29.10	17.72
7	17	2.26	57	27.25	17.70

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.47	38	23.88	8.38
2	12	2.03	38	24.76	8.85
3	21	2.18	43	25.11	10.02
4	14	2.29	58	20.88	11.89
5	20	4.73	68	25.77	18.66
6	12	5.09	67	25.85	18.93
7	17	2.33	51	29.43	17.83



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	2.20	48	24.22	12.32
2	12	2.60	47	25.83	13.46
3	21	5.09	59	27.27	18.59
4	14	2.35	58	18.13	12.02
5	20	3.12	68	27.67	20.15
6	12	2.89	59	29.34	20.59
7	17	2.11	45	30.45	18.78

CAPITA



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	3.00	54	27.55	17.44
2	12	4.18	67	28.68	18.30
3	21	4.05	55	29.56	18.50
4	14	1.07	87	15.15	8.14
5	20	2.14	62	20.96	21.38
6	12	2.58	58	30.13	20.50
7	17	1.00	59	28.68	18.10

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	3.67	58	29.46	20.85
2	12	2.96	58	28.08	18.48
3	21	2.52	65	20.28	12.90
4	14	2.42	56	16.10	8.86
5	20	2.38	67	20.56	21.04
6	12	2.01	56	29.85	20.88
7	17	1.89	66	28.66	18.62



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	5.68	68	26.77	20.30
2	12	4.56	66	26.26	18.11
3	21	4.25	65	19.04	12.11
4	14	2.48	62	15.58	7.97
5	20	2.10	66	28.76	21.86
6	12	2.52	58	29.58	20.78
7	17	1.98	68	27.25	18.46



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	4.08	82	21.59	18.22
2	12	7.08	83	21.58	18.08
3	21	3.12	64	10.31	8.93
4	14	1.63	92	20.11	8.22
5	20	3.28	73	27.53	22.01
6	12	2.81	70	24.95	19.02
7	17	2.28	90	25.29	18.28

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.53	68	19.98	12.77
2	12	1.68	58	20.78	10.86
3	21	1.65	45	20.52	7.72
4	14	1.61	47	21.76	9.12
5	20	2.58	63	26.66	18.76
6	12	3.18	68	22.72	16.48
7	17	1.68	52	28.38	15.78

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.52	42	21.66	8.10
2	12	1.66	43	22.12	8.03
3	21	1.93	47	23.11	11.10
4	14	2.48	53	21.58	11.03
5	20	2.81	58	26.52	17.43
6	12	3.01	49	25.59	13.93
7	17	2.68	53	27.93	10.80

CAPITA



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	2.01	58	23.94	12.77
2	12	3.38	62	21.75	14.20
3	21	4.09	69	20.15	14.17
4	14	4.88	46	25.15	11.82
5	28	4.12	61	28.17	19.71
6	12	2.58	52	27.61	18.70
7	17	2.17	66	30.00	17.60

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	3.26	66	20.77	14.66
2	12	4.03	62	24.30	16.47
3	21	3.03	61	24.96	15.78
4	14	1.78	48	29.01	11.66
5	28	3.21	67	29.08	19.83
6	12	2.82	51	29.87	18.42
7	17	1.98	48	32.15	18.48



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	3.21	66	25.21	19.58
2	12	3.12	63	24.59	18.61
3	21	2.30	60	19.45	11.02
4	14	1.61	46	17.17	6.78
5	28	3.30	58	29.10	19.85
6	12	2.75	66	29.21	20.66
7	17	1.69	62	32.41	20.61

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.40	56	19.21	9.08
2	12	1.61	49	20.27	9.02
3	21	1.07	50	18.75	7.93
4	14	1.00	62	19.59	14.13
5	28	2.79	58	27.81	18.88
6	12	2.04	61	28.23	20.04
7	17	1.78	58	33.85	20.97



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.40	43	22.10	8.77
2	12	1.99	48	23.32	11.43
3	21	8.88	72	19.20	15.88
4	14	4.09	73	18.98	14.78
5	28	4.17	68	28.84	18.87
6	12	2.58	61	29.55	21.01
7	17	1.98	48	33.72	20.71



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	3.54	77	15.80	11.44
2	12	5.59	83	19.57	16.70
3	21	5.55	82	19.51	16.34
4	14	5.36	89	19.91	19.02
5	28	3.01	80	30.13	21.48
6	12	2.31	68	27.91	21.24
7	17	1.76	51	32.78	20.68

CAPITA



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	9.27	68	18.55	12.00
2	12	6.16	72	22.66	17.21
3	21	9.01	80	19.87	18.20
4	14	2.08	71	21.56	16.10
5	20	2.18	66	31.70	21.05
6	12	2.18	65	28.39	21.58
7	17	1.69	51	32.95	20.04



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	8.66	77	17.77	13.68
2	12	6.08	79	22.66	17.31
3	21	5.40	88	20.50	18.51
4	14	3.20	84	22.61	19.06
5	20	2.63	67	31.66	22.05
6	12	2.08	56	32.85	22.82
7	17	1.99	48	32.91	19.89



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.48	67	22.21	15.83
2	12	7.70	64	24.38	20.04
3	21	2.38	58	31.21	22.03
4	14	1.68	62	26.52	18.48
5	20	2.62	58	31.20	21.08
6	12	2.01	55	32.65	22.28
7	17	1.70	48	32.61	19.66



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	6.81	61	30.44	22.10
2	12	7.73	61	30.27	21.80
3	21	2.11	55	29.83	19.91
4	14	1.03	52	29.43	11.97
5	20	4.26	58	31.62	22.47
6	12	2.42	54	32.77	22.26
7	17	1.69	58	33.30	20.81



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	2.78	48	32.22	18.88
2	12	3.06	48	31.66	19.36
3	21	1.68	45	28.62	15.41
4	14	1.74	64	24.04	18.78
5	20	3.20	53	33.38	22.38
6	12	2.52	51	33.69	22.21
7	17	1.73	48	33.69	21.04

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.40	50	26.55	15.22
2	12	2.14	53	26.10	15.36
3	21	2.54	65	25.81	18.56
4	14	2.61	59	25.79	18.62
5	20	2.17	48	32.53	19.01
6	12	2.18	49	33.61	21.52
7	17	1.76	48	33.68	21.10

CAPITA



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.84	61	27.10	18.10
2	12	2.71	58	30.48	18.83
3	21	5.04	70	26.15	20.12
4	14	1.66	67	21.60	12.87
5	28	2.21	55	31.36	20.84
6	12	2.71	58	35.81	21.84
7	17	1.68	46	38.66	20.28

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	2.38	48	29.99	16.88
2	12	2.39	51	25.83	16.88
3	21	1.67	55	22.90	13.45
4	14	1.68	56	25.68	16.46
5	28	2.38	55	31.76	21.40
6	12	4.15	61	30.23	21.70
7	17	2.25	47	35.53	20.28

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.94	48	21.77	10.21
2	12	1.68	46	23.78	11.61
3	21	2.41	52	24.88	14.41
4	14	1.80	50	25.89	10.88
5	28	2.28	56	29.87	18.87
6	12	5.15	53	31.75	20.82
7	17	2.38	48	33.79	20.18



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.94	48	22.88	11.21
2	12	2.68	56	23.88	14.38
3	21	3.73	64	24.48	17.23
4	14	2.19	60	27.06	18.25
5	28	2.83	55	30.90	20.82
6	12	4.11	55	30.87	20.92
7	17	1.92	46	34.31	20.18



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.68	47	29.89	11.98
2	12	2.68	48	26.52	14.90
3	21	5.05	70	28.17	22.11
4	14	2.28	54	27.68	17.48
5	28	2.51	51	31.56	20.38
6	12	2.62	49	33.38	21.38
7	17	1.95	43	34.48	20.02

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	4.49	73	22.68	17.48
2	12	3.98	68	26.70	20.13
3	21	3.50	70	26.24	20.28
4	14	1.78	64	23.08	18.06
5	28	2.37	53	32.89	21.95
6	12	2.81	52	33.42	22.31
7	17	2.07	50	33.10	20.71

CAPITA



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.91	49	20.55	7.44
2	12	1.72	62	23.00	13.46
3	21	4.00	79	20.83	18.37
4	14	2.60	72	21.88	16.28
5	28	2.48	62	32.69	21.74
6	12	2.62	58	33.71	22.35
7	17	1.48	90	25.27	21.27

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.38	48	18.88	5.44
2	12	6.78	72	18.00	12.21
3	21	5.68	75	21.05	18.28
4	14	3.48	72	23.06	17.78
5	28	3.81	63	30.49	22.51
6	12	2.72	87	30.18	25.08
7	17	1.64	61	32.71	21.27



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.91	28	29.21	9.66
2	12	1.78	44	22.68	9.58
3	21	5.08	69	22.27	15.94
4	14	2.15	85	26.02	19.60
5	28	3.86	65	29.10	21.58
6	12	5.58	58	32.77	23.19
7	17	1.70	47	35.58	20.74



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.31	51	23.32	5.46
2	12	2.31	41	25.22	10.96
3	21	6.15	70	25.83	19.30
4	14	2.02	64	26.02	19.04
5	28	3.12	65	27.57	20.25
6	12	3.16	61	31.50	23.05
7	17	1.68	48	33.35	20.55



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.85	52	29.99	12.55
2	12	3.56	60	24.11	15.64
3	21	4.59	69	28.27	20.94
4	14	2.03	57	28.28	18.64
5	29	3.52	66	28.80	21.70
6	12	3.46	69	31.15	23.09
7	17	2.55	48	33.38	20.25

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	2.22	71	22.21	16.66
2	12	6.70	65	26.38	19.16
3	21	3.39	80	25.84	20.57
4	14	1.85	53	29.55	18.60
5	29	3.38	68	31.38	22.63
6	12	3.25	63	31.20	23.09
7	17	2.09	48	33.69	19.59

CAPITA



REGION	# STNS	DEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	7.98	62	21.21	17.00
2	12	6.06	76	23.83	18.82
3	21	2.35	56	29.15	18.54
4	16	1.68	48	95.01	20.36
5	28	3.38	61	30.31	21.66
6	12	2.50	80	30.87	22.17
7	17	1.81	46	34.44	20.18

REGION	# STNS	DEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	2.04	89	17.48	10.10
2	12	1.06	58	25.22	18.52
3	21	1.62	51	27.85	16.92
4	16	1.23	61	31.54	19.07
5	28	2.03	52	30.76	19.03
6	12	2.95	55	32.40	22.40
7	17	1.71	44	34.46	20.48

REGION	# STNS	DEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.58	62	23.82	15.66
2	12	1.66	48	28.04	15.01
3	21	2.08	58	28.75	17.27
4	16	1.82	52	31.07	18.79
5	28	2.32	52	30.61	19.61
6	12	2.77	52	31.68	20.78
7	17	1.77	44	35.29	20.61



REGION	# STNS	DEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.36	49	27.43	15.00
2	12	2.16	49	28.97	17.21
3	21	3.45	51	29.25	18.34
4	16	2.48	50	30.31	20.06
5	28	2.62	51	30.77	19.41
6	12	3.92	55	32.27	22.31
7	17	1.91	42	36.39	20.15

REGION	# STNS	DEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	2.28	48	32.00	20.60
2	12	3.31	48	31.24	19.16
3	21	5.09	59	31.34	22.29
4	16	1.97	50	29.91	20.15
5	28	3.12	52	31.42	20.37
6	12	3.24	54	31.56	20.73
7	17	2.03	45	33.60	19.93



REGION	# STNS	DEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	8.61	74	31.99	21.53
2	12	7.56	58	32.03	22.68
3	21	6.58	73	28.22	22.42
4	16	2.05	63	27.37	18.40
5	28	3.20	55	31.80	21.66
6	12	2.83	58	30.08	20.68
7	17	2.30	47	33.13	20.12

CAPITA



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	2.37	41	30.77	15.00
2	12	4.17	67	29.68	20.22
3	21	5.00	71	28.57	20.43
4	14	2.99	63	28.00	18.00
5	28	3.62	63	32.42	21.62
6	12	2.42	58	30.18	21.10
7	17	2.18	48	32.04	18.87



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.50	41	24.46	10.92
2	12	3.16	62	26.18	17.12
3	21	8.47	75	24.57	19.81
4	14	2.03	67	25.75	18.00
5	28	3.76	66	32.20	21.86
6	12	2.35	57	31.26	21.57
7	17	2.48	48	32.81	19.04

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.58	54	25.52	13.43
2	12	4.66	78	22.40	18.23
3	21	4.57	72	24.88	18.28
4	14	1.88	61	24.83	18.56
5	28	3.50	63	30.69	22.65
6	12	2.51	58	31.52	21.70
7	17	1.88	60	32.18	19.68



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	2.08	70	20.77	14.99
2	12	6.23	87	25.07	18.25
3	21	5.75	86	25.80	19.04
4	14	2.53	57	24.93	15.74
5	28	3.48	86	29.65	22.65
6	12	2.25	81	30.32	22.03
7	17	1.68	48	32.56	20.38

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	2.20	81	23.10	15.10
2	12	6.35	87	25.13	19.09
3	21	5.59	88	26.36	19.30
4	14	2.50	80	27.21	18.72
5	28	3.83	89	28.86	22.71
6	12	2.38	83	30.41	22.56
7	17	2.37	53	32.12	21.17



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	2.50	63	22.55	14.64
2	12	7.01	78	22.48	18.05
3	21	6.60	84	27.29	19.59
4	14	2.20	58	26.88	17.63
5	28	3.23	78	28.52	22.43
6	12	3.41	71	28.28	22.48
7	17	2.09	51	33.53	21.48

CAPITA



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.48	62	29.60	12.00
2	12	3.10	62	28.37	15.45
3	21	4.87	62	25.84	18.88
4	14	1.84	56	26.22	17.25
5	28	3.74	60	27.67	21.36
6	12	5.05	66	26.85	22.28
7	17	1.88	61	30.48	21.36



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.84	80	21.95	12.80
2	12	6.46	68	23.80	17.64
3	21	1.90	56	27.18	17.15
4	14	1.84	80	27.40	18.21
5	28	6.27	66	29.80	21.86
6	12	6.00	68	28.88	22.12
7	17	2.06	56	32.61	21.62



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	6.56	78	18.88	15.66
2	12	3.68	72	23.37	18.06
3	21	2.58	58	28.14	19.28
4	14	1.84	81	27.87	18.88
5	28	3.72	61	30.41	21.83
6	12	3.72	64	30.06	22.58
7	17	1.95	58	32.22	21.62



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	7.58	82	20.21	18.99
2	12	6.35	76	25.37	21.25
3	21	3.48	70	25.07	19.20
4	14	1.67	58	23.00	13.78
5	28	3.61	66	30.63	23.42
6	12	2.58	63	29.25	23.09
7	17	1.04	57	33.50	21.88



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	6.02	81	23.68	20.10
2	12	6.50	78	25.81	21.10
3	21	5.69	71	21.78	16.29
4	14	1.65	57	24.71	15.58
5	28	3.61	68	28.96	22.37
6	12	2.08	62	27.95	19.95
7	17	1.81	47	32.81	18.88

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	6.72	85	24.32	21.55
2	12	3.66	72	25.64	19.91
3	21	2.81	69	24.20	18.68
4	14	1.87	51	27.41	18.42
5	28	2.62	66	33.42	21.48
6	12	2.02	54	28.19	18.09
7	17	2.58	43	32.35	17.61

CAPITA



REGION	# STNS	DEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	6	3.20	80	29.10	21.46
2	12	2.93	69	27.21	18.76
3	21	2.29	55	28.17	16.08
4	14	1.77	58	28.90	17.97
5	28	2.47	68	29.58	20.52
6	12	2.80	69	28.93	17.51
7	17	2.50	41	32.81	17.54



REGION	# STNS	DEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	6	2.48	57	27.10	17.09
2	12	3.00	69	27.56	17.31
3	21	2.97	81	25.05	17.93
4	14	1.71	84	24.00	16.12
5	28	2.76	61	29.10	20.62
6	12	2.95	68	25.76	17.77
7	17	2.51	46	33.70	16.70



REGION	# STNS	DEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	6	4.18	58	28.55	18.44
2	12	4.13	68	27.81	18.25
3	21	2.47	55	25.88	16.15
4	14	1.94	66	23.19	14.58
5	28	2.15	65	29.08	21.60
6	12	3.20	81	29.46	20.66
7	17	2.54	48	32.68	18.60



REGION	# STNS	DEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	6	2.49	66	27.89	20.55
2	12	3.05	70	25.82	18.05
3	21	1.98	53	24.73	15.38
4	14	1.88	51	28.55	15.38
5	28	3.02	66	29.18	21.06
6	12	3.05	53	30.55	19.85
7	17	3.12	56	31.81	19.03

REGION	# STNS	DEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	4.39	81	27.68	19.77
2	12	4.03	56	26.98	18.05
3	21	1.75	47	28.29	14.20
4	14	1.71	51	27.41	16.30
5	28	3.73	76	26.50	21.40
6	12	2.88	58	27.54	18.08
7	17	2.54	47	32.51	18.88



REGION	# STNS	DEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	8.01	62	29.89	20.66
2	12	6.76	76	29.63	19.39
3	21	2.23	47	26.83	14.49
4	14	2.35	58	26.48	17.21
5	28	3.27	77	25.16	20.76
6	12	2.76	53	28.09	17.26
7	17	2.34	46	31.83	18.28

CAPITA

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	2.45	60	24.80	18.95
2	12	2.65	66	24.95	17.48
3	21	2.56	49	23.28	15.57
4	14	2.07	61	28.19	18.78
5	28	3.27	60	26.80	18.95
6	12	4.02	51	28.85	17.48
7	17	2.51	58	31.14	19.06



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.88	63	25.46	17.00
2	12	2.51	52	27.85	16.80
3	21	3.52	53	28.18	17.86
4	14	9.00	68	28.28	18.18
5	28	2.76	66	29.00	18.32
6	12	6.06	46	29.81	18.18
7	17	2.64	48	31.48	18.31

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	2.34	58	28.62	17.44
2	12	3.63	48	28.30	17.07
3	21	4.30	60	27.48	18.97
4	14	2.08	48	28.34	19.28
5	28	3.67	54	28.85	18.57
6	12	5.88	48	31.10	18.05
7	17	2.12	46	33.49	18.99



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	7.10	53	28.21	18.99
2	12	4.02	56	28.69	19.06
3	21	2.35	48	27.78	15.10
4	14	1.98	48	29.20	17.37
5	28	3.98	55	31.06	21.06
6	12	4.42	55	30.00	19.48
7	17	2.00	47	33.28	19.08



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.82	60	25.77	17.10
2	12	2.77	51	27.31	16.01
3	21	3.93	78	22.37	17.82
4	14	1.56	48	27.77	14.55
5	28	2.87	55	30.96	20.94
6	12	2.03	59	31.56	21.10
7	17	1.08	44	34.05	18.78

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	5.08	82	21.89	18.32
2	12	1.97	63	24.11	16.70
3	21	1.68	55	24.38	14.67
4	14	1.70	44	29.08	15.15
5	28	2.59	64	28.62	21.10
6	12	1.74	58	28.42	18.60
7	17	1.64	43	34.15	18.72

CAPITA



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.66	50	29.45	18.88
2	12	1.83	51	26.67	18.83
3	21	2.15	53	25.28	16.98
4	14	1.78	48	30.95	18.78
5	20	2.37	58	27.89	18.82
6	12	2.05	48	28.78	15.27
7	17	1.82	48	34.08	18.81

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.56	53	24.10	18.66
2	12	1.80	66	26.06	18.00
3	21	2.48	52	25.71	16.10
4	14	1.68	48	28.78	17.77
5	20	2.05	62	27.26	18.22
6	12	2.06	66	28.66	15.78
7	17	1.66	62	34.21	18.75

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.85	47	28.66	16.18
2	12	3.29	47	27.81	16.46
3	21	3.62	48	25.09	16.18
4	14	2.08	48	27.66	16.88
5	20	3.08	56	27.16	16.57
6	12	2.77	48	29.81	17.54
7	17	1.63	37	34.80	17.60



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	2.58	52	27.65	18.99
2	12	3.78	46	28.56	15.58
3	21	4.31	50	29.43	18.08
4	14	1.69	41	27.25	12.05
5	20	2.58	68	28.11	21.62
6	12	2.61	55	28.87	19.07
7	17	2.34	47	32.74	19.16



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	4.07	80	28.89	18.77
2	12	5.45	83	28.28	20.22
3	21	4.12	54	29.57	19.28
4	14	2.02	51	28.02	14.48
5	20	2.77	73	28.30	22.83
6	12	2.22	61	28.74	20.38
7	17	2.27	58	30.12	18.47



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	6.13	68	28.55	21.77
2	12	6.13	71	27.72	21.64
3	21	4.70	78	28.05	20.20
4	14	2.07	51	28.45	18.50
5	20	1.98	69	28.86	22.53
6	12	2.41	64	28.76	21.20
7	17	1.09	46	32.35	19.37

CAPITA



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	2.49	62	29.99	20.99
2	12	2.71	64	28.66	21.18
3	21	3.73	68	27.00	20.04
4	14	2.22	48	27.89	15.78
5	28	1.78	69	30.66	22.73
6	12	2.26	62	29.85	21.81
7	17	1.62	48	32.81	18.47



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	2.54	62	28.88	18.88
2	12	3.41	69	28.00	20.32
3	21	5.68	81	25.72	20.52
4	14	2.58	60	28.68	15.28
5	28	1.82	67	30.07	23.48
6	12	4.08	73	27.72	22.05
7	17	2.08	58	32.87	20.38

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	2.60	52	28.88	18.77
2	12	2.96	58	26.70	17.68
3	21	4.14	60	27.05	18.30
4	14	2.50	58	28.84	17.17
5	28	2.26	67	29.71	23.01
6	12	4.13	72	28.32	22.54
7	17	1.68	48	33.07	20.22



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.31	39	20.77	6.21
2	12	1.55	43	22.26	8.03
3	21	2.19	52	23.85	13.17
4	14	2.07	64	26.02	18.48
5	28	2.31	59	28.06	20.86
6	12	2.94	61	30.55	22.21
7	17	1.68	50	33.38	21.30

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.31	38	20.55	4.98
2	12	1.52	38	23.00	8.42
3	21	2.17	48	25.72	11.28
4	14	2.58	61	28.10	17.48
5	28	2.45	53	28.46	18.03
6	12	3.77	68	28.42	21.15
7	17	1.87	53	32.35	21.00

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.31	33	22.55	7.48
2	12	1.68	40	24.30	9.62
3	21	1.91	43	25.23	11.68
4	14	2.68	56	26.70	18.42
5	28	2.50	61	26.10	17.51
6	12	3.76	69	26.43	20.04
7	17	2.09	53	32.12	20.81

CAPITA

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.31	46	28.22	12.06
2	12	1.84	42	27.26	10.16
3	21	2.28	40	27.69	13.03
4	14	2.94	51	30.78	15.78
5	28	2.81	60	26.58	17.77
6	12	3.72	65	25.27	17.31
7	17	2.84	58	29.90	20.76

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.45	52	30.81	18.21
2	12	2.08	48	29.71	17.68
3	21	2.47	45	28.93	15.88
4	14	2.84	56	28.70	18.94
5	28	2.00	63	28.28	17.77
6	12	2.35	55	27.50	17.81
7	17	2.57	81	24.84	20.41



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.90	46	28.69	15.55
2	12	2.35	39	31.01	15.38
3	21	3.01	48	29.17	16.26
4	14	3.31	55	27.41	17.46
5	28	2.45	52	29.69	18.64
6	12	2.78	50	28.89	17.24
7	17	3.79	69	26.86	20.43



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.34	50	20.32	9.43
2	12	1.91	48	24.25	12.58
3	21	3.48	46	27.73	14.54
4	14	4.01	52	29.13	17.17
5	28	3.78	51	30.03	18.72
6	12	4.02	49	29.44	17.68
7	17	2.72	68	27.77	20.78



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.31	42	20.68	7.21
2	12	1.52	40	21.80	7.77
3	21	3.33	45	27.53	14.38
4	14	4.03	52	28.40	17.60
5	28	2.36	47	28.19	15.90
6	12	4.11	48	29.95	17.72
7	17	2.80	62	28.18	20.12



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.85	50	24.10	12.68
2	12	2.15	43	26.57	12.06
3	21	5.50	45	29.44	16.30
4	14	3.14	51	30.07	18.64
5	28	2.65	50	27.93	16.58
6	12	5.18	53	29.90	19.20
7	17	2.22	63	23.14	21.10

CAPITA



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	2.78	54	27.10	18.68
2	12	3.88	48	28.14	16.33
3	21	5.90	46	29.99	18.08
4	14	2.15	48	30.47	18.38
5	28	2.88	56	28.32	17.88
6	12	5.91	49	28.87	17.28
7	17	2.86	61	28.62	20.16



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.88	47	25.77	19.77
2	12	7.75	61	28.38	18.10
3	21	6.85	45	31.02	17.88
4	14	2.71	53	27.01	18.14
5	28	2.87	56	28.86	19.14
6	12	9.55	45	30.22	17.07
7	17	9.43	57	28.87	18.78



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	7.28	55	30.55	18.88
2	12	8.17	46	30.55	18.14
3	21	8.77	47	30.98	17.98
4	14	2.08	62	22.98	19.58
5	28	2.27	63	28.78	20.62
6	12	2.48	61	25.14	19.71
7	17	2.57	58	28.67	18.76



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	5.28	47	31.55	18.68
2	12	8.30	49	30.59	18.08
3	21	4.38	57	29.68	17.71
4	14	2.18	57	23.68	14.51
5	28	3.04	64	28.54	20.80
6	12	3.68	68	27.35	20.98
7	17	2.81	52	29.86	18.55



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	6.14	63	24.21	18.68
2	12	5.68	68	24.95	18.46
3	21	5.71	62	25.25	17.57
4	14	2.71	65	24.98	14.75
5	28	3.16	71	27.19	21.28
6	12	2.53	84	28.51	21.01
7	17	3.13	56	29.27	19.01



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	2.90	75	20.93	15.63
2	12	5.75	76	23.00	18.32
3	21	7.59	80	26.63	18.40
4	14	3.45	57	25.78	18.26
5	28	3.64	71	26.70	20.04
6	12	2.18	80	28.23	21.29
7	17	3.08	65	27.38	20.02

CAPITA



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	6.66	66	29.10	15.84
2	12	8.00	78	23.32	17.95
3	21	7.44	65	25.49	18.58
4	14	5.36	68	25.18	18.74
5	20	3.68	62	28.62	20.90
6	12	2.28	86	28.26	21.54
7	17	2.18	82	28.21	21.00



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	8.07	78	22.52	17.21
2	12	5.06	68	25.78	18.88
3	21	5.23	68	28.80	20.56
4	14	2.88	80	25.80	18.58
5	20	2.41	82	29.18	21.24
6	12	2.36	88	28.37	21.75
7	17	1.94	88	30.61	20.84



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	8.29	76	29.21	18.59
2	12	5.08	78	26.16	20.78
3	21	5.54	72	26.45	20.69
4	14	2.10	84	25.98	15.98
5	20	2.13	88	29.18	21.70
6	12	2.87	84	29.45	21.88
7	17	1.86	55	31.39	21.84



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	0.48	88	17.77	15.77
2	12	6.45	81	20.00	19.05
3	21	3.52	86	24.49	17.58
4	14	1.65	90	24.24	12.57
5	20	2.16	80	29.85	21.36
6	12	3.24	66	28.59	21.81
7	17	2.07	92	31.78	20.51



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	3.75	89	16.10	14.44
2	12	5.51	78	22.88	16.75
3	21	1.85	55	20.81	11.51
4	14	1.80	46	21.18	8.84
5	20	2.46	67	28.03	21.20
6	12	5.04	82	28.28	20.50
7	17	2.12	54	30.48	18.66



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	0.64	90	15.77	14.10
2	12	1.57	53	21.10	11.01
3	21	1.70	52	17.23	7.18
4	14	1.54	49	19.68	8.48
5	20	2.07	51	27.33	16.26
6	12	1.89	48	24.53	12.08
7	17	2.92	54	27.41	18.28

CAPITA

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.40	69	17.40	8.10
2	12	1.00	66	18.02	8.24
3	21	1.75	62	18.96	8.23
4	14	1.69	60	21.60	10.86
5	20	1.06	61	24.63	13.70
6	12	1.55	48	21.98	9.07
7	17	2.40	68	26.45	18.53

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.58	58	18.10	8.83
2	12	1.67	48	20.78	8.06
3	21	2.28	52	20.88	10.07
4	14	1.78	52	22.05	11.48
5	20	2.15	48	24.78	13.05
6	12	2.05	48	22.35	10.06
7	17	3.09	61	24.24	16.61

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.58	50	22.21	11.18
2	12	2.26	43	23.55	10.13
3	21	1.98	48	24.20	12.56
4	14	1.88	47	26.74	14.20
5	20	2.04	51	24.68	12.52
6	12	2.41	45	24.57	11.60
7	17	3.32	51	26.49	15.42



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.03	53	22.77	12.68
2	12	3.01	50	25.70	14.48
3	21	2.59	47	28.18	13.91
4	14	2.29	54	25.94	15.15
5	20	2.97	51	25.63	14.57
6	12	2.54	43	25.87	12.49
7	17	3.08	47	28.06	15.55

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.38	59	20.46	11.08
2	12	2.88	50	27.07	15.58
3	21	3.01	48	26.08	14.01
4	14	2.03	52	28.14	14.75
5	20	2.92	53	26.80	16.14
6	12	3.03	46	27.12	13.97
7	17	2.97	55	28.65	18.11



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	4.31	59	25.96	18.77
2	12	4.31	48	26.52	14.80
3	21	3.41	52	26.13	15.39
4	14	2.72	56	21.93	14.55
5	20	3.75	58	27.37	18.42
6	12	3.10	47	27.08	15.48
7	17	3.23	55	28.98	18.89

CAPITA



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	3.78	53	20.65	10.10
2	12	6.25	63	26.47	15.92
3	21	8.69	78	21.39	18.78
4	14	2.81	62	19.80	11.54
5	28	2.59	58	20.40	10.37
6	12	2.89	57	20.52	10.78
7	17	2.01	67	20.27	10.88



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	8.48	78	21.43	18.77
2	12	6.58	67	23.37	16.52
3	21	5.14	86	16.80	11.83
4	14	2.81	80	18.92	10.35
5	28	3.06	68	20.26	11.66
6	12	2.52	83	20.28	20.48
7	17	1.85	82	27.70	18.63



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.52	48	15.88	6.88
2	12	1.56	51	17.35	6.96
3	21	1.66	47	18.93	7.50
4	14	1.78	61	18.89	10.35
5	28	2.75	68	26.10	18.41
6	12	2.08	58	27.35	18.23
7	17	2.18	60	27.25	18.78

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.31	48	14.66	5.77
2	12	1.61	47	16.70	5.27
3	21	1.69	50	18.03	8.03
4	14	1.62	56	20.71	11.06
5	28	3.13	72	22.23	16.64
6	12	5.36	73	23.65	18.52
7	17	2.31	58	27.31	18.36

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.31	43	16.33	3.77
2	12	2.21	51	17.81	7.46
3	21	2.51	57	19.07	10.04
4	14	1.93	51	23.09	12.45
5	28	3.63	82	20.96	17.55
6	12	3.43	78	22.12	18.00
7	17	2.72	62	27.47	19.97

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.94	48	17.51	8.33
2	12	1.79	47	19.16	7.63
3	21	3.30	61	21.05	13.68
4	14	3.24	56	23.80	14.51
5	28	3.75	78	21.74	17.35
6	12	2.75	63	23.37	17.21
7	17	2.72	65	27.34	20.32

CAPITA

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.53	81	18.99	8.52
2	12	2.72	45	21.20	8.02
3	21	2.41	53	24.34	14.61
4	14	4.68	70	20.15	14.28
5	20	3.48	65	23.39	16.08
6	12	4.18	72	22.82	17.50
7	17	2.61	88	28.02	20.09



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.40	80	20.82	8.77
2	12	2.49	45	22.17	8.68
3	21	3.08	68	21.10	16.58
4	14	1.89	89	18.78	7.09
5	20	2.66	84	24.20	16.50
6	12	5.06	80	21.87	17.66
7	17	1.99	96	25.15	17.96



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	2.06	51	20.99	10.93
2	12	4.68	62	21.38	13.06
3	21	2.75	68	14.54	8.46
4	14	1.94	92	17.69	7.21
5	20	4.01	70	24.03	18.92
6	12	3.28	71	22.91	17.40
7	17	2.26	96	25.87	18.29



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	9	3.09	78	15.77	11.08
2	12	2.08	66	17.07	10.73
3	21	2.09	81	16.03	8.48
4	14	2.76	55	18.26	8.26
5	20	2.71	62	25.43	17.61
6	12	2.77	57	23.48	14.46
7	17	2.21	48	28.85	16.62

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	0.79	91	13.44	12.10
2	12	1.00	48	19.58	8.42
3	21	2.16	42	22.32	8.59
4	14	2.02	81	21.60	10.31
5	20	3.58	59	25.72	16.86
6	12	2.60	49	25.08	15.55
7	17	2.19	48	29.40	17.18

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	4.35	71	17.69	11.99
2	12	3.26	57	20.27	11.35
3	21	3.61	63	18.32	10.44
4	14	1.79	49	20.07	8.60
5	20	2.93	54	27.11	16.91
6	12	2.79	46	27.07	14.46
7	17	2.07	43	29.73	15.71

CAPITA

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	2.04	85	18.10	9.10
2	12	1.66	67	17.12	8.20
3	21	1.72	48	17.94	6.02
4	14	1.79	48	21.22	8.46
5	20	2.17	55	26.83	15.27
6	12	2.15	48	25.27	12.12
7	17	2.17	48	29.75	14.76



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.36	58	14.10	5.08
2	12	1.55	65	16.38	6.48
3	21	2.12	55	17.45	7.05
4	14	1.81	48	22.45	10.80
5	20	1.86	53	22.71	12.31
6	12	1.78	41	24.35	9.08
7	17	2.07	41	28.08	14.50



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.86	53	16.88	8.08
2	12	1.75	50	18.43	8.51
3	21	2.18	45	20.57	5.62
4	14	2.10	52	20.68	8.91
5	20	2.04	58	22.63	13.58
6	12	2.48	45	24.20	12.86
7	17	2.15	55	28.78	13.67

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.93	43	18.88	8.30
2	12	3.08	50	21.30	10.58
3	21	3.36	40	26.23	14.33
4	14	3.08	55	21.76	11.66
5	20	3.50	60	24.10	17.99
6	12	4.30	78	19.85	14.02
7	17	2.08	90	29.47	12.93



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.69	62	17.48	10.44
2	12	6.11	86	18.05	15.66
3	21	4.89	72	20.92	15.52
4	14	2.25	90	21.00	8.76
5	20	3.66	76	24.81	20.31
6	12	2.62	70	22.17	16.24
7	17	2.20	42	28.98	15.25



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	9.02	93	17.82	16.10
2	12	4.99	80	21.52	17.82
3	21	5.53	63	23.40	15.86
4	14	3.24	84	22.41	12.41
5	20	2.91	61	26.89	18.78
6	12	3.48	55	26.75	18.04
7	17	2.27	48	29.57	18.62

CAPITA



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.98	55	18.88	8.06
2	12	1.71	57	16.20	7.68
3	21	0.57	85	21.47	18.58
4	14	0.71	81	20.66	12.37
5	20	3.55	61	25.41	17.06
6	12	3.12	48	27.91	16.01
7	17	2.30	60	28.15	18.96



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.32	59	12.88	5.77
2	12	1.68	59	16.66	7.38
3	21	3.48	57	21.55	12.88
4	14	4.44	72	14.44	8.88
5	20	2.88	61	22.47	14.56
6	12	3.23	55	25.84	15.82
7	17	3.15	68	24.88	17.70



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.78	48	18.77	7.88
2	12	2.32	52	18.34	8.25
3	21	5.90	68	20.31	14.50
4	14	1.77	53	15.47	5.91
5	20	1.88	68	22.81	14.14
6	12	2.71	62	22.77	14.98
7	17	2.66	65	23.00	15.51



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	2.68	68	17.77	11.21
2	12	2.63	69	18.63	12.08
3	21	2.52	60	16.91	9.62
4	14	1.10	48	15.48	3.46
5	20	2.27	65	24.95	17.57
6	12	3.90	78	20.68	16.19
7	17	1.98	48	24.84	11.68



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	4.63	82	18.44	16.08
2	12	2.87	85	20.58	18.58
3	21	1.69	42	18.69	5.48
4	14	1.73	49	15.87	2.86
5	20	3.38	78	23.74	17.57
6	12	1.72	49	24.25	10.58
7	17	1.95	48	25.84	13.28



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.31	48	17.77	5.44
2	12	1.68	49	19.25	6.28
3	21	1.60	37	22.98	7.27
4	14	1.96	45	20.38	7.08
5	20	1.81	51	24.88	13.78
6	12	1.85	47	25.22	13.05
7	17	2.43	51	27.44	18.38

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.75	47	19.85	7.86
2	12	2.02	44	21.52	8.79
3	21	5.75	79	19.01	16.01
4	14	2.52	60	14.89	6.98
5	20	1.06	55	24.85	15.28
6	12	2.08	58	26.35	17.65
7	17	1.82	64	28.81	17.47



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	10.17	89	18.88	18.09
2	12	5.81	84	21.66	18.16
3	21	2.78	75	18.58	15.78
4	14	1.08	70	6.08	0.78
5	20	2.83	59	26.45	16.72
6	12	2.08	62	28.24	18.52
7	17	2.22	68	28.23	17.60



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	2.48	71	20.77	15.21
2	12	2.78	63	22.63	15.18
3	21	5.14	85	14.91	12.08
4	14	7.81	81	5.71	2.88
5	20	2.35	62	27.21	16.66
6	12	2.50	56	28.16	19.20
7	17	2.52	70	29.68	17.20



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.48	68	14.77	8.43
2	12	4.71	66	23.80	15.32
3	21	6.19	78	18.22	15.38
4	14	3.18	72	4.68	-0.87
5	20	3.58	58	26.76	17.45
6	12	3.81	58	28.33	17.56
7	17	2.28	60	14.47	6.56

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	2.79	65	19.43	12.48
2	12	1.71	61	15.06	8.46
3	21	1.59	53	8.80	-0.21
4	14	1.54	53	6.50	-2.85
5	20	2.58	60	24.53	16.06
6	12	2.52	73	12.03	7.31
7	17	1.62	68	14.96	9.19

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.91	55	12.99	-2.21
2	12	1.88	48	14.06	1.94
3	21	2.21	53	11.71	2.35
4	14	4.94	73	7.09	2.41
5	20	3.08	57	20.13	10.94
6	12	2.79	64	15.73	8.74
7	17	1.82	48	20.12	8.28

CAPITA



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.92	80	15.00	9.65
2	12	2.10	61	14.90	7.07
3	21	2.81	70	10.81	5.52
4	14	1.73	82	8.30	-1.70
5	20	2.68	60	22.23	13.96
6	12	2.77	51	19.30	9.11
7	17	2.35	81	17.15	8.84



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	2.08	58	15.21	6.82
2	12	1.68	47	13.00	2.08
3	21	1.84	48	9.17	-1.95
4	14	1.88	48	8.48	-2.02
5	20	2.07	45	21.42	8.68
6	12	1.48	48	15.55	2.05
7	17	1.89	51	10.00	0.18

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.91	38	12.77	-1.88
2	12	1.56	48	14.38	0.68
3	21	1.91	45	12.27	0.34
4	14	2.08	65	8.68	2.78
5	20	1.96	46	20.43	7.18
6	12	1.81	52	18.89	1.71
7	17	2.16	52	24.21	10.42



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.31	33	15.89	1.08
2	12	1.78	38	16.38	1.48
3	21	3.57	67	14.03	7.29
4	14	4.58	78	13.40	7.57
5	20	1.91	53	24.86	13.42
6	12	2.62	52	23.88	13.00
7	17	2.42	58	28.13	17.21



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	5.13	50	18.68	8.10
2	12	2.35	51	22.85	11.88
3	21	3.47	71	17.81	12.32
4	14	1.68	52	15.59	5.29
5	20	3.10	67	26.58	19.67
6	12	5.15	78	23.89	19.34
7	17	2.99	65	25.58	18.28

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.61	50	11.32	1.00
2	12	1.61	55	13.70	4.71
3	21	1.68	52	12.58	2.58
4	14	2.71	58	14.49	5.25
5	20	1.77	51	24.12	12.63
6	12	2.14	55	23.15	11.47
7	17	2.06	58	23.58	14.37

CAPITA

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	10.50	95	3.44	1.31
2	12	2.15	62	7.69	0.27
3	21	1.62	55	4.62	-3.98
4	14	1.68	50	8.48	-3.18
5	28	1.76	48	22.91	8.26
6	12	1.81	41	18.30	5.08
7	17	2.18	48	23.19	8.92

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.59	48	0.33	-9.89
2	12	1.58	48	8.47	-0.02
3	21	1.05	48	3.02	-5.79
4	14	1.60	51	8.80	-0.89
5	28	1.72	43	16.06	2.77
6	12	1.48	38	13.57	-1.20
7	17	2.26	59	18.66	8.59

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.52	42	8.88	-6.88
2	12	1.66	46	7.86	-6.38
3	21	2.04	42	8.77	-9.51
4	14	2.35	68	9.85	3.48
5	28	1.80	43	15.61	2.62
6	12	1.81	42	15.27	2.51
7	17	2.18	48	17.88	8.76



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.50	49	8.63	-1.33
2	12	2.78	62	11.93	-0.58
3	21	2.48	48	13.40	1.18
4	14	5.07	73	8.79	5.12
5	28	3.69	62	16.72	9.28
6	12	8.12	73	15.27	10.18
7	17	2.78	88	20.97	17.67



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	2.08	48	13.39	1.21
2	12	2.85	62	15.08	1.84
3	21	4.55	73	11.88	8.79
4	14	1.68	84	3.80	-2.73
5	28	3.01	87	20.61	13.04
6	12	5.11	68	19.25	12.95
7	17	9.57	85	21.85	16.84

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	2.12	57	11.21	2.08
2	12	1.91	53	11.10	1.61
3	21	1.76	58	5.15	-2.93
4	14	1.60	58	3.28	-4.07
5	28	2.55	59	21.48	12.78
6	12	2.81	57	17.40	8.78
7	17	3.78	70	14.37	8.38

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.40	48	6.05	-9.77
2	12	1.62	46	8.02	-2.60
3	21	1.89	52	8.55	-2.06
4	14	1.71	61	6.50	-5.20
5	28	2.52	61	17.60	6.78
6	12	1.95	38	14.25	0.41
7	17	2.80	66	12.94	5.87

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.31	60	7.77	-4.81
2	12	1.62	62	8.06	-3.67
3	21	2.48	67	9.52	-1.29
4	14	2.07	65	6.62	-0.11
5	28	2.49	68	15.96	5.68
6	12	2.21	48	18.58	2.77
7	17	3.26	78	14.27	8.68



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.45	48	8.68	-1.39
2	12	1.84	37	12.85	-1.43
3	21	3.23	48	11.76	0.00
4	14	3.24	60	8.18	2.08
5	28	2.73	52	17.75	7.46
6	12	2.24	41	17.28	5.68
7	17	4.62	72	16.29	10.61



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.05	55	8.88	0.33
2	12	1.68	49	14.36	3.60
3	21	0.57	75	10.70	5.97
4	14	4.80	62	8.14	3.13
5	28	3.30	68	19.83	13.58
6	12	2.39	83	18.42	10.87
7	17	1.91	54	15.58	5.84



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.58	85	9.10	2.77
2	12	1.72	64	14.71	7.95
3	21	6.40	83	10.99	8.24
4	14	3.12	78	5.78	2.25
5	28	4.48	78	20.19	16.12
6	12	5.35	82	16.84	13.79
7	17	2.28	90	10.75	9.01



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	2.16	77	10.08	8.68
2	12	6.49	88	14.02	12.37
3	21	8.11	77	0.89	4.73
4	14	2.67	77	4.71	0.83
5	28	4.07	75	20.47	15.66
6	12	2.99	82	14.57	7.21
7	17	2.01	83	12.80	9.61

CAPITA



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	9	9.94	66	14.10	12.88
2	12	6.06	79	14.53	10.82
3	21	5.95	81	8.84	5.80
4	14	2.20	76	4.04	-0.07
5	28	2.87	60	20.33	12.02
6	12	5.54	85	12.85	6.90
7	17	1.62	69	19.39	9.72



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	9	0.71	96	12.77	11.86
2	12	2.70	86	12.68	5.87
3	21	5.78	77	4.85	1.02
4	14	1.70	88	9.04	0.88
5	28	2.66	53	19.85	8.31
6	12	2.10	56	11.33	2.09
7	17	1.68	44	18.84	6.48

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	9	10.78	68	9.45	8.80
2	12	2.48	71	7.26	2.31
3	21	2.49	81	8.58	1.59
4	14	1.89	82	19.72	8.84
5	28	1.72	46	12.21	0.31
6	12	2.17	48	11.86	0.85
7	17	1.84	40	20.29	8.04



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	9	1.09	88	9.32	8.10
2	12	2.53	74	7.03	2.45
3	21	3.18	48	12.77	1.82
4	14	1.92	50	16.42	5.27
5	28	1.76	37	15.90	1.03
6	12	2.28	42	17.83	3.97
7	17	2.48	52	22.66	11.49



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	9	4.75	92	12.21	10.98
2	12	2.98	73	9.85	5.08
3	21	3.48	57	12.08	3.25
4	14	3.68	58	15.35	6.74
5	28	2.15	42	17.04	3.66
6	12	3.02	46	19.90	7.22
7	17	2.58	48	29.71	11.48



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	9	1.77	79	13.32	9.68
2	12	3.66	76	11.36	6.94
3	21	9.73	81	7.90	4.70
4	14	5.00	80	13.18	9.15
5	28	3.71	56	16.64	7.00
6	12	2.60	48	10.19	5.02
7	17	2.45	48	24.60	11.24

CAPITA



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	9.24	92	9.99	8.84
2	12	4.32	88	11.05	8.18
3	21	9.18	84	8.11	5.47
4	14	4.01	82	12.38	9.87
5	20	2.68	56	17.65	7.59
6	12	5.76	52	18.39	9.45
7	17	2.36	48	25.80	11.18



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	7.58	88	8.22	6.18
2	12	3.36	78	10.84	8.04
3	21	10.17	88	6.80	5.04
4	14	4.70	84	12.21	9.75
5	20	2.29	48	18.84	7.61
6	12	5.30	55	15.55	5.58
7	17	2.19	36	25.42	12.81



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	8.49	94	7.77	8.00
2	12	2.90	76	13.01	8.38
3	21	8.17	75	10.97	8.03
4	14	2.31	69	9.00	2.18
5	20	2.70	45	18.57	7.16
6	12	3.51	51	19.34	8.92
7	17	2.62	37	24.80	10.00

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	2.78	85	9.89	7.59
2	12	7.58	88	9.58	7.07
3	21	1.70	52	7.37	-1.98
4	14	1.73	55	7.49	-1.18
5	20	5.55	68	18.19	11.87
6	12	1.73	52	16.30	6.52
7	17	2.31	53	21.76	11.08



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.31	45	8.77	-2.88
2	12	2.07	52	8.33	-1.67
3	21	4.00	58	5.20	-3.14
4	14	2.59	54	-1.88	-10.35
5	20	2.47	55	14.28	4.76
6	12	3.38	67	11.19	4.85
7	17	2.12	81	20.08	8.34



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	8.05	82	6.68	5.44
2	12	7.80	86	6.24	4.07
3	21	4.85	86	-2.64	-8.92
4	14	4.50	51	-3.33	-12.08
5	20	3.74	84	12.47	5.41
6	12	3.55	53	0.97	-8.00
7	17	1.59	39	8.10	-0.65



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.77	84	8.63	-1.88
2	12	4.06	83	0.50	-6.06
3	21	8.14	78	-2.62	-7.28
4	16	2.08	90	6.98	-6.15
5	28	1.58	89	5.85	-8.07
6	12	1.72	68	4.50	-7.60
7	17	1.66	38	15.12	-2.64

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.46	48	9.22	-6.52
2	12	1.71	64	9.83	-4.76
3	21	2.12	55	8.15	-2.85
4	16	1.06	88	9.21	-0.47
5	28	1.63	86	13.36	-2.02
6	12	1.87	35	19.97	-1.58
7	17	2.14	60	16.61	10.64



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.64	48	8.10	-8.66
2	12	2.09	48	8.07	-1.48
3	21	5.79	78	9.56	5.31
4	16	4.66	77	4.72	0.07
5	28	1.77	43	17.83	6.01
6	12	1.85	48	16.15	4.50
7	17	2.82	58	23.82	16.57



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	2.25	66	9.80	3.08
2	12	2.91	63	12.07	5.22
3	21	7.92	80	9.30	7.08
4	16	2.42	69	-2.61	-8.72
5	28	2.27	53	19.47	11.06
6	12	2.16	64	19.53	12.31
7	17	9.31	60	13.59	3.49



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.61	76	10.56	5.99
2	12	2.38	71	14.34	9.11
3	21	5.59	71	-1.24	-8.21
4	16	9.08	81	0.81	-8.60
5	28	3.04	71	17.09	11.36
6	12	2.33	68	4.87	-1.98
7	17	1.95	38	9.88	-7.02



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	2.37	84	7.10	0.53
2	12	1.84	60	2.31	-4.65
3	21	2.08	62	-3.54	-9.91
4	16	2.15	51	0.59	-9.04
5	28	1.73	43	10.45	-2.06
6	12	1.70	43	7.53	-4.57
7	17	1.57	28	14.07	-5.45

CAPITA

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.45	49	-0.00	-11.77
2	12	2.05	61	-0.23	-8.25
3	21	2.47	57	-0.35	-8.58
4	14	2.18	61	0.03	-6.01
5	20	1.86	57	10.61	-3.86
6	12	2.23	58	12.35	-1.39
7	17	1.83	38	18.33	-0.28

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.40	47	-2.00	-12.77
2	12	1.79	48	3.10	-8.00
3	21	2.62	56	0.56	-0.51
4	14	2.29	61	7.05	-2.41
5	20	1.77	41	15.25	1.86
6	12	2.11	58	10.85	1.90
7	17	1.84	44	19.60	8.59



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	2.22	52	7.10	-2.22
2	12	2.82	54	9.25	0.22
3	21	5.56	73	7.15	2.43
4	14	2.84	61	5.80	-1.64
5	20	1.97	48	10.61	7.85
6	12	1.90	52	17.85	7.72
7	17	1.99	54	17.36	7.74



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.72	64	2.80	-3.49
2	12	1.71	50	6.24	-3.55
3	21	8.49	78	4.62	0.58
4	14	1.74	45	10.15	-1.70
5	20	2.27	51	18.43	8.08
6	12	8.58	84	16.10	8.83
7	17	3.78	61	14.80	6.63



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	2.18	48	1.22	-0.88
2	12	2.18	47	0.56	-2.12
3	21	3.94	62	0.98	1.47
4	14	1.54	44	7.21	-4.50
5	20	2.56	55	16.46	7.29
6	12	6.88	70	14.90	9.25
7	17	3.40	58	17.51	8.19



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	2.88	67	5.99	0.10
2	12	1.72	48	8.23	-1.09
3	21	2.30	57	5.92	-2.08
4	14	2.75	52	4.95	-8.15
5	20	2.56	50	16.70	5.73
6	12	3.93	53	13.90	5.51
7	17	3.32	60	17.34	9.06

CAPITA

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	8	1.98	80	1.99	-7.77
2	12	3.09	67	4.05	-3.23
3	21	4.37	69	2.68	-3.27
4	14	1.67	82	-0.89	-7.41
5	20	2.03	55	15.06	6.68
6	12	5.83	58	11.81	3.47
7	17	3.68	70	8.00	4.51

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	8	1.81	83	2.80	-8.27
2	12	3.00	66	5.55	-2.66
3	21	2.48	88	0.56	-5.28
4	14	1.08	87	4.75	-6.08
5	20	3.69	63	10.26	7.06
6	12	5.28	80	8.48	0.52
7	17	2.46	69	8.78	-0.08

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	8	2.26	69	6.10	-0.84
2	12	5.02	61	5.13	-2.26
3	21	3.13	68	1.84	-5.36
4	14	1.67	58	2.18	-7.93
5	20	2.88	68	13.31	6.07
6	12	2.84	56	7.17	-1.71
7	17	2.44	48	10.12	-0.84



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	8	1.88	57	2.80	-5.33
2	12	5.38	59	1.85	-5.88
3	21	2.18	56	4.40	-4.25
4	14	1.54	37	10.51	-3.76
5	20	1.82	38	10.35	-3.26
6	12	2.15	48	8.14	-4.98
7	17	1.95	57	10.23	-1.62



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	8	5.08	81	0.80	-2.88
2	12	6.07	70	1.57	-3.47
3	21	5.23	55	1.52	-8.98
4	14	1.68	45	8.60	-9.24
5	20	1.63	40	12.55	-1.20
6	12	1.71	38	12.17	-1.88
7	17	1.68	41	18.17	2.61



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	8	1.40	47	-2.77	-12.77
2	12	1.73	55	-1.57	-8.57
3	21	2.10	55	5.20	-3.13
4	14	1.60	41	7.87	-4.79
5	20	1.62	33	10.38	-5.71
6	12	2.01	39	9.25	-3.97
7	17	1.69	37	17.62	1.06

CAPITA



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.98	58	2.94	-4.88
2	12	4.67	60	3.12	-4.80
3	21	3.26	57	0.69	-8.87
4	14	1.58	47	9.00	-7.84
5	20	2.25	57	10.62	-1.76
6	12	1.81	35	12.20	-5.84
7	17	1.77	84	17.15	0.70



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	2.08	68	-2.85	-8.10
2	12	6.13	66	-1.70	-8.11
3	21	2.98	66	-0.75	-7.68
4	14	1.68	62	0.11	-4.64
5	20	1.87	35	7.61	-7.00
6	12	1.59	36	5.75	-8.09
7	17	2.27	68	15.42	2.55



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.40	52	-3.22	-8.66
2	12	1.86	62	0.28	-6.76
3	21	5.00	61	0.81	-6.02
4	14	4.19	66	0.87	-5.66
5	20	1.87	38	8.84	-4.64
6	12	2.11	41	4.94	-7.48
7	17	6.84	76	10.32	5.81



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.36	47	-2.00	-12.30
2	12	1.84	45	1.36	-9.81
3	21	4.10	65	1.50	-4.85
4	14	10.05	82	0.07	-2.69
5	20	3.06	52	9.57	-0.23
6	12	5.71	68	8.00	-0.51
7	17	3.62	77	9.47	4.00



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.58	47	0.11	-10.32
2	12	3.27	57	1.43	-6.47
3	21	11.02	89	2.08	0.58
4	14	6.45	78	-1.68	-4.91
5	20	7.13	85	11.60	9.02
6	12	2.48	78	9.57	5.58
7	17	1.72	64	7.81	-0.64



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	8.81	91	2.10	0.77
2	12	11.61	80	5.27	3.78
3	21	2.84	72	0.57	-3.10
4	14	4.77	71	-3.64	-8.25
5	20	5.32	78	10.57	6.76
6	12	3.07	80	6.43	0.87
7	17	2.09	57	9.73	1.43

CAPITA



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	3.58	67	7.44	0.44
2	12	2.82	66	5.62	0.27
3	21	3.58	70	3.35	-1.58
4	14	5.78	79	-2.27	-5.71
5	28	5.38	81	0.83	-2.78
6	12	4.15	87	8.19	2.55
7	17	3.60	75	10.70	6.20



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	8.07	89	4.81	1.66
2	12	6.58	86	2.69	0.79
3	21	8.52	76	3.77	-0.52
4	14	7.12	88	-4.06	-7.06
5	28	8.28	88	11.62	8.77
6	12	10.08	84	6.69	3.41
7	17	2.68	88	12.70	9.81



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	2.49	84	19.10	11.99
2	12	3.21	73	6.75	2.12
3	21	7.17	65	0.80	-1.90
4	14	6.67	79	-4.04	-9.20
5	28	2.01	65	14.66	7.88
6	12	5.02	75	9.11	4.71
7	17	1.91	44	12.81	0.58



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.48	48	7.80	-2.39
2	12	2.41	42	5.36	-1.43
3	21	3.41	71	-3.14	-7.08
4	14	6.27	78	-1.62	-5.90
5	28	2.41	65	10.17	1.40
6	12	2.91	55	8.60	-2.58
7	17	2.19	42	15.55	2.58



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.48	48	4.10	-5.88
2	12	3.02	54	1.98	-6.38
3	21	3.09	72	1.98	-2.56
4	14	2.69	83	5.83	-1.07
5	28	1.72	42	0.24	-4.08
6	12	2.18	47	11.24	0.15
7	17	1.98	50	10.42	7.40



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.98	59	1.60	-5.55
2	12	12.43	66	0.83	-1.20
3	21	5.03	77	0.52	-3.14
4	14	9.37	68	0.93	-4.58
5	28	2.02	55	13.03	3.28
6	12	1.76	48	11.96	0.78
7	17	2.56	53	17.47	7.38

CAPITA



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	19.29	86	-1.77	-3.99
2	12	2.72	71	0.50	-4.28
3	21	4.48	85	-1.74	-6.58
4	14	5.02	75	-6.58	-9.40
5	28	1.72	46	10.72	-0.69
6	12	2.38	56	8.55	-0.86
7	17	2.27	66	16.85	7.84



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.40	69	-2.66	-9.06
2	12	4.36	61	-2.17	-8.87
3	21	2.58	69	-2.00	-7.85
4	14	8.26	75	-1.90	-6.81
5	28	2.00	46	8.64	-2.87
6	12	2.41	48	5.78	-4.11
7	17	3.51	69	13.80	5.67



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.81	64	-3.88	-8.96
2	12	2.62	68	-1.11	-8.14
3	21	5.29	70	-0.83	-5.55
4	14	8.63	88	0.28	-3.28
5	28	2.38	66	9.38	-2.43
6	12	3.52	47	7.95	-2.88
7	17	5.08	70	15.56	8.50

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	2.53	65	-4.33	-9.98
2	12	6.20	67	-1.47	-7.03
3	21	10.24	84	0.58	-1.84
4	14	1.67	72	0.79	-3.78
5	28	2.79	48	10.59	-0.21
6	12	3.46	52	10.59	0.78
7	17	4.27	71	18.88	10.87



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	8.08	77	-0.33	-3.00
2	12	2.95	61	1.98	-4.76
3	21	5.54	72	-1.87	-6.31
4	14	2.07	71	-4.31	-8.89
5	28	2.04	48	12.75	0.67
6	12	4.08	53	8.05	0.27
7	17	4.42	67	13.91	7.58

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.48	64	-2.33	-8.33
2	12	3.39	57	-1.98	-9.67
3	21	2.91	68	-3.80	-8.83
4	14	2.90	78	-4.63	-8.52
5	28	1.78	40	8.32	-4.46
6	12	2.05	49	3.93	-8.10
7	17	5.68	73	11.58	8.02

CAPITA



REGION	# STNS	DEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.64	84	-1.99	-7.06
2	12	2.31	57	-0.64	-8.28
3	21	7.56	75	-1.67	-5.94
4	16	6.93	77	-5.20	-5.85
5	28	3.06	56	8.40	0.03
6	12	6.56	87	4.48	2.49
7	17	2.00	82	15.07	5.81



REGION	# STNS	DEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	12.46	89	-0.99	-1.10
2	12	10.72	85	0.18	-2.03
3	21	8.57	88	-4.08	-4.48
4	16	9.56	79	-4.00	-8.06
5	28	3.78	71	7.70	2.58
6	12	5.85	74	2.91	-1.29
7	17	1.96	48	16.06	4.57

REGION	# STNS	DEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.40	57	-10.88	-18.10
2	12	2.41	57	-7.85	-16.95
3	21	10.67	78	-5.82	-9.17
4	16	9.48	72	-6.18	-8.48
5	28	3.00	62	7.37	0.31
6	12	5.48	68	8.29	2.45
7	17	2.46	47	15.02	5.26



REGION	# STNS	DEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.59	69	-10.10	-12.08
2	12	3.29	65	-6.33	-11.71
3	21	2.02	88	-7.08	-12.00
4	16	7.37	71	-2.81	-6.97
5	28	2.51	57	8.79	0.48
6	12	2.61	58	5.05	-4.62
7	17	2.98	59	14.34	5.91



REGION	# STNS	DEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.61	68	-9.21	-12.77
2	12	3.30	65	-7.85	-12.33
3	21	9.63	82	-4.70	-7.95
4	16	4.36	78	-1.34	-5.70
5	28	6.56	72	7.22	2.30
6	12	11.12	52	3.60	2.40
7	17	2.51	55	12.70	8.55



REGION	# STNS	DEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	16.20	92	-2.69	-3.40
2	12	12.00	87	-1.57	-3.42
3	21	8.17	77	-4.14	-7.50
4	16	3.11	73	-6.20	-10.27
5	28	2.56	60	6.32	0.41
6	12	5.03	68	4.10	-1.03
7	17	1.87	49	13.32	2.70

CAPITA



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	0.17	86	0.00	-1.44
2	12	4.63	70	-2.19	-8.00
3	21	5.80	69	-4.01	-8.98
4	16	8.58	81	-5.79	-8.48
5	28	1.66	42	7.61	-5.21
6	12	2.81	55	5.88	-4.71
7	17	2.65	66	10.00	0.10



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.96	87	-0.00	-0.21
2	12	1.74	67	-0.10	-7.72
3	21	5.67	76	-2.85	-8.92
4	16	7.68	88	-4.71	-7.85
5	28	1.00	38	11.00	-2.65
6	12	5.88	69	7.68	1.80
7	17	5.54	78	10.62	6.60



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.31	80	-1.33	-8.00
2	12	2.71	62	0.00	-6.70
3	21	5.00	72	-1.24	-5.81
4	16	8.57	78	-8.50	-10.70
5	28	2.70	61	12.06	3.61
6	12	7.21	84	10.89	8.19
7	17	8.80	86	4.24	1.00



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	2.05	50	-0.85	-9.77
2	12	9.56	68	0.23	-2.40
3	21	4.25	70	-0.13	-5.02
4	16	7.41	69	-7.57	-9.35
5	28	6.33	77	15.87	11.20
6	12	9.15	90	10.13	8.81
7	17	5.58	78	3.78	-2.35



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	10.57	75	-5.55	-6.00
2	12	7.00	86	-1.71	-3.74
3	21	5.28	75	-2.03	-8.00
4	16	9.29	60	-6.54	-9.41
5	28	2.03	64	13.03	5.70
6	12	3.58	78	2.28	-1.15
7	17	2.93	67	2.71	-9.06

Reproduced from best available copy.

CAPITA


REGION 1, QTR 1 1969
100 15
30
RH
BEXT
TEMP
0 0
-20
JAN
FEB
MAR


REGION 1, QTR 2 1969
100 15
40
RH
BEXT
TEMP
0 0
-10
APR
MAY
JUN


REGION 1, QTR 3 1969
100 15
50
RH
BEXT
TEMP
0 0
0
JUL
AUG
SEP


REGION 1, QTR 4 1969
100 15
30
RH
BEXT
TEMP
0 0
OCT
NOV
DEC

CAPITA


REGION 2, QTR 1 1969
100 15
30
RH
BEXT
TEMP
0 0
-20
JAN
FEB
MAR


REGION 2, QTR 2 1969
100 15
40
RH
BEXT
TEMP
0 0
-10
APR
MAY
JUN


REGION 2, QTR 3 1969
100 15
50
RH
BEXT
TEMP
0 0
0
JUL
AUG
SEP


REGION 2, QTR 4 1969
100 15
30
RH
BEXT
TEMP
0 0
-20
OCT
NOV
DEC

CAPITA


REGION 3, QTR 1 1969
100 15
30
RH
BEXT
TEMP
0 0
-20
JAN
FEB
MAR
REGION 3, QTR 2 1969
100 15
40
RH
BEXT
TEMP
0 0
-10
APR
MAY
JUN
REGION 3, QTR 3 1969
100 15
50
RH
BEXT
TEMP
0 0
0
JUL
AUG
SEP
REGION 3, QTR 4 1969
100 15
30
RH
BEXT
TEMP
0 0
-20
OCT
NOV
DEC

COPITO


REGION 4, QTR 1 1969
100 15
30
RH
BEXT
TEMP
0 0
-20
JAN
FEB
MAR
REGION 4, QTR 2 1969
100 15
40
RH
BEXT
TEMP
0 0
-10
APR
MAY
JUN
REGION 4, QTR 3 1969
100 15
50
RH
BEXT
TEMP
0 0
JUL
AUG
SEP
REGION 4, QTR 4 1969
100 15
30
RH
BEXT
TEMP
0 0
-20
OCT
NOV
DEC
CAPITA


REGION 5, QTR 1 1969
100 15
30
RH
BEXT
TEMP
0 0
-20
JAN
FEB
MAR


REGION 5, QTR 2 1969
100 15
40
RH
BEXT
TEMP
0 0
-10
APR
MAY
JUN


REGION 5, QTR 3 1969
100 15
50
RH
BEXT
TEMP
0 0
JUL
AUG
SEP


REGION 5, QTR 4 1969
100 15
30
RH
BEXT
TEMP
0 0
-20
OCT
NOV
DEC

COPITO


REGION 6, QTR 1 1969
100 15
30
RH
BEXT
TEMP
0 0
-20
JAN
FEB
MAR


REGION 6, QTR 2 1969
100 15
40
RH
BEXT
TEMP
0 0
-10
APR
MAY
JUN


REGION 6, QTR 3 1969
100 15
50
RH
BEXT
TEMP
0 0
0
JUL
AUG
SEP


REGION 6, QTR 4 1969
100 15
30
RH
BEXT
TEMP
0 0
OCT
NOV
DEC

COPITO


REGION 7, QTR 1 1969
100 15 30
RH
BEXT
TEMP
0 0 -20
JAN FEB MAR
REGION 7, QTR 2 1969
100 15 40
RH
BEXT
TEMP
0 0 -10
APR MAY JUN
REGION 7, QTR 3 1969
100 15 50
RH
BEXT
TEMP
0 0 0
JUL AUG SEP
REGION 7, QTR 4 1969
100 15 30
RH
BEXT
TEMP
0 0 -20
OCT NOV DEC

COPITA


EUS MEAN, QTR 1 1969
100 15
30
RH
BEXT
TEMP
0 0
-20
JAN
FEB
MAR
EUS MEAN, QTR 2 1969
100 15
40
RH
BEXT
TEMP
0 0
-10
APR
MAY
JUN
EUS MEAN, QTR 3 1969
100 15
50
RH
BEXT
TEMP
0 0
0
JUL
AUG
SEP
EUS MEAN, QTR 4 1969
100 15
30
RH
BEXT
TEMP
0 0
OCT
NOV
DEC

CAPITA



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.91	48	-8.00	-16.01
2	12	2.20	66	-6.73	-11.16
3	21	8.50	80	-2.95	-5.06
4	14	7.46	78	-5.07	-8.20
5	20	6.42	76	6.02	2.61
6	12	9.71	71	2.56	-2.17
7	17	1.00	64	8.02	-1.06



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.91	41	-8.44	-16.88
2	12	2.40	62	-4.89	-10.78
3	21	10.28	78	-4.28	-7.45
4	14	9.40	78	-6.58	-10.07
5	20	2.85	58	0.15	0.45
6	12	5.77	80	4.84	-2.48
7	17	2.56	70	4.60	-0.76



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.40	48	-8.44	-14.71
2	12	10.17	86	-2.12	-6.23
3	21	8.83	74	-8.44	-12.57
4	14	3.81	70	-8.86	-18.11
5	20	8.16	63	7.17	0.37
6	12	5.45	58	0.68	-7.48
7	17	1.70	66	4.76	-8.50



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.90	44	-7.80	-14.98
2	12	6.16	70	-5.36	-10.13
3	21	7.61	73	-6.62	-10.89
4	14	2.42	65	-8.65	-11.28
5	20	2.08	48	4.65	-6.52
6	12	1.87	48	4.82	-5.73
7	17	2.23	55	8.76	-2.18



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	2.49	58	-4.88	-12.68
2	12	3.72	66	-2.03	-7.86
3	21	4.78	70	-6.71	-9.93
4	14	2.14	61	-13.14	-15.55
5	20	2.30	47	0.46	-1.50
6	12	2.55	51	6.57	-3.16
7	17	7.30	81	4.37	1.10



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.89	51	-3.80	-12.55
2	12	4.17	65	-1.57	-7.48
3	21	5.20	67	-11.22	-13.71
4	14	2.80	58	-11.72	-17.21
5	20	8.22	68	7.11	4.50
6	12	12.06	68	-0.51	-2.54
7	17	1.64	55	-1.20	-8.48

CAPITA



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	9	0.28	62	-7.82	-18.88
2	12	0.97	78	-6.78	-8.06
3	21	4.53	85	-14.55	-15.55
4	14	2.10	94	-18.00	-17.21
5	28	4.06	68	1.03	-4.86
6	12	2.72	80	-8.51	-13.77
7	17	1.96	48	0.58	-10.77



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	9	1.81	92	-7.00	-10.41
2	12	7.63	86	-12.26	-18.26
3	21	8.42	80	-14.58	-15.89
4	14	8.08	92	-15.66	-100.00
5	28	1.80	43	-4.10	-11.00
6	12	2.56	52	-8.44	-14.83
7	17	1.68	68	0.69	-9.82



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	9	1.97	84	-8.66	-10.94
2	12	8.17	87	-13.08	-18.36
3	21	9.38	83	-15.27	-16.02
4	14	1.87	66	-13.71	-16.66
5	28	2.36	46	-4.88	-13.20
6	12	3.08	51	-8.25	-16.78
7	17	2.08	68	0.62	-8.48



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	9	1.40	51	-7.89	-14.44
2	12	4.36	82	-5.22	-11.47
3	21	5.64	85	-10.36	-13.48
4	14	3.08	88	-8.28	-8.89
5	28	1.59	42	-0.71	-12.33
6	12	2.08	52	-4.78	-12.82
7	17	5.58	71	5.71	0.08



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	9	1.91	47	-7.00	-16.00
2	12	4.03	64	-4.94	-10.78
3	21	10.07	78	-5.94	-9.22
4	14	5.41	75	-4.72	-9.62
5	28	3.05	51	4.14	-5.65
6	12	7.03	68	1.84	0.15
7	17	2.83	70	10.94	4.80



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	9	0.55	62	-9.88	-10.27
2	12	0.76	78	-4.07	-7.21
3	21	5.67	88	-5.62	-8.67
4	14	3.09	65	-9.08	-11.96
5	28	5.25	75	7.70	3.27
6	12	8.93	84	2.17	-0.52
7	17	3.00	72	8.78	1.47

CAPITA



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	9.56	80	-8.82	-12.00
2	12	6.07	83	-2.63	-5.02
3	21	7.08	70	-6.42	-10.97
4	14	6.08	85	-4.86	-6.78
5	28	2.40	81	6.86	-3.01
6	12	3.97	83	2.65	-3.83
7	17	6.54	78	5.65	1.31



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.92	47	-10.05	-17.44
2	12	6.78	58	-7.26	-10.88
3	21	5.90	66	-6.15	-10.05
4	14	6.47	74	-4.48	-10.00
5	28	2.56	63	10.11	-2.48
6	12	5.97	50	7.07	-2.86
7	18	8.17	70	7.77	2.48



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.36	46	-8.06	-18.36
2	12	2.42	62	-7.72	-16.27
3	21	7.23	66	-2.66	-7.66
4	14	8.19	82	-2.88	-5.47
5	28	6.61	66	8.26	0.00
6	12	2.80	53	9.74	0.32
7	17	9.27	68	10.61	4.88



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.49	44	-5.21	-14.44
2	12	3.73	48	-0.78	-8.44
3	21	7.67	69	2.80	-2.45
4	14	3.76	65	-10.21	-11.02
5	28	3.18	51	11.96	1.27
6	12	2.55	55	11.75	2.66
7	17	6.08	76	10.84	7.12



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	4.35	60	2.11	-4.77
2	12	7.76	70	3.05	-2.07
3	21	14.10	85	-3.33	-5.19
4	14	7.00	66	-19.29	-11.66
5	28	6.78	73	13.10	8.11
6	12	8.79	85	9.35	8.56
7	17	7.58	76	11.01	8.02



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	4.03	69	-0.60	-5.55
2	12	3.26	68	-1.85	-6.80
3	21	2.09	61	-8.91	-12.92
4	14	1.84	58	-15.18	-100.00
5	28	3.41	77	13.62	9.38
6	12	8.62	63	5.32	2.77
7	17	6.18	76	1.30	-2.54

CAPITA



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.46	46	-11.21	-18.88
2	12	6.36	63	-8.42	-13.66
3	21	3.67	63	-11.87	-14.97
4	14	3.86	69	-12.49	-16.56
5	28	6.66	70	0.76	1.50
6	12	7.67	76	0.27	-3.00
7	17	2.29	76	3.07	-4.19



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.77	58	-10.86	-16.96
2	12	6.06	63	-8.78	-14.38
3	21	8.09	63	-14.16	-15.96
4	14	6.72	66	-11.66	-16.81
5	28	6.75	73	4.16	-0.53
6	12	9.53	78	-2.21	-5.87
7	17	8.23	86	0.61	0.00



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.46	46	-12.86	-17.73
2	12	3.43	55	-11.86	-16.46
3	21	2.25	55	-14.12	-17.07
4	14	0.62	60	-12.77	-16.98
5	28	1.87	62	-0.76	-8.18
6	12	1.81	50	-7.17	-15.17
7	17	0.01	72	1.39	-5.66



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.31	37	-11.39	-100.00
2	12	2.68	55	-10.78	-16.47
3	21	3.98	54	-12.67	-15.96
4	14	7.17	74	-5.67	-8.87
5	28	2.04	43	0.67	-9.48
6	12	2.20	48	-5.19	-12.87
7	17	6.96	70	4.67	-1.37



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	2.13	58	-9.10	-19.51
2	12	5.37	61	-6.42	-12.82
3	21	3.95	58	-8.97	-12.02
4	14	3.10	67	-8.30	-7.55
5	28	6.33	68	3.63	-2.26
6	12	8.80	77	1.75	-1.89
7	17	5.34	70	10.26	4.50



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.85	48	-9.77	-15.55
2	12	2.08	57	-7.35	-14.28
3	21	8.53	76	-4.95	-8.58
4	14	3.95	75	2.08	-2.13
5	28	2.48	58	5.28	-4.32
6	12	3.04	58	5.13	-2.54
7	17	6.80	84	14.83	8.68



REGION	# STNS	DEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	9.27	86	-4.77	-11.86
2	12	6.81	72	-0.69	-6.00
3	21	11.32	85	5.85	1.42
4	14	9.77	88	8.69	-2.41
5	28	2.64	58	13.05	4.76
6	12	8.10	81	19.28	10.13
7	17	2.18	82	20.16	8.88



REGION	# STNS	DEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	9.11	76	-5.88	-7.98
2	12	4.83	78	2.83	-1.29
3	21	8.02	77	0.05	-5.51
4	14	6.06	71	1.62	-8.83
5	28	1.62	60	17.70	8.64
6	12	2.26	48	15.45	4.02
7	17	2.00	58	17.60	8.88



REGION	# STNS	DEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	2.70	59	-8.77	-10.86
2	12	8.01	66	0.60	-5.22
3	21	4.84	76	0.52	-3.96
4	14	2.60	70	1.96	-9.62
5	28	2.50	51	14.87	4.22
6	12	1.98	47	14.78	2.08
7	17	9.86	68	18.17	11.99



REGION	# STNS	DEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	6.38	58	-1.93	-8.21
2	12	7.61	73	3.60	-1.43
3	21	6.76	79	8.14	5.27
4	14	4.38	69	4.62	-1.14
5	28	2.51	50	16.67	6.87
6	12	2.70	66	16.00	11.01
7	17	1.91	55	22.29	11.99



REGION	# STNS	DEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	5.49	70	5.58	1.88
2	12	8.75	84	5.55	2.95
3	21	8.62	76	0.18	-3.22
4	14	1.69	60	-4.12	-11.10
5	28	2.36	72	19.81	14.45
6	12	5.36	81	12.67	9.46
7	17	1.69	46	11.72	-0.28



REGION	# STNS	DEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.44	61	-0.88	-7.48
2	12	1.76	55	-2.08	-8.08
3	21	3.87	67	-2.69	-8.08
4	14	1.65	53	1.07	-8.21
5	28	1.83	53	0.98	-0.48
6	12	1.69	45	4.55	-8.52
7	17	1.63	28	10.08	-7.18

CAPITA



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.32	92	-4.43	-10.95
2	12	1.76	67	-0.22	-7.77
3	21	1.95	55	4.22	-4.22
4	14	1.57	48	4.86	-7.17
5	20	1.57	36	9.79	-4.58
6	12	1.06	53	9.49	-5.82
7	17	1.76	34	12.77	-4.44

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.08	80	0.00	-5.00
2	12	1.67	43	7.68	-4.26
3	21	1.75	48	8.52	-5.00
4	14	0.52	86	4.18	-2.41
5	20	1.76	38	14.12	-1.22
6	12	2.20	53	8.37	-1.45
7	17	0.45	84	13.76	0.81



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	2.14	84	8.10	-1.00
2	12	4.44	62	7.66	4.26
3	21	6.77	78	-2.43	-4.21
4	14	2.01	48	-11.26	-16.62
5	20	9.80	78	16.18	12.26
6	12	5.81	70	11.59	5.67
7	17	2.08	56	7.61	-1.11



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	13.61	86	5.10	2.04
2	12	15.67	88	-0.37	-2.08
3	21	9.40	55	-14.10	-18.68
4	14	2.28	48	-9.37	-10.92
5	20	5.35	78	8.01	4.52
6	12	3.56	57	-5.59	-12.48
7	17	1.81	36	9.28	-10.30



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	4.90	57	-10.41	-15.02
2	12	1.81	48	-12.44	-18.06
3	21	6.91	61	-10.10	-15.41
4	14	4.88	64	-0.81	-8.28
5	20	1.63	36	-0.73	-12.57
6	12	1.91	48	-2.72	-12.97
7	17	1.68	34	12.83	-2.89



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.68	52	-8.96	-14.81
2	12	2.06	58	-0.50	-7.02
3	21	2.49	67	-0.21	-5.79
4	14	1.65	51	1.98	-7.09
5	20	1.68	45	7.43	-4.62
6	12	3.91	63	5.89	-1.38
7	17	2.25	61	13.48	5.58

CAPITA



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	8.38	71	-1.88	-9.95
2	12	6.79	72	1.61	-3.06
3	21	8.98	78	1.26	-2.58
4	14	9.47	83	2.88	-4.20
5	28	9.62	48	10.53	-1.20
6	12	5.19	53	9.11	-1.43
7	17	6.48	88	14.59	7.88



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	6.88	85	1.22	-6.66
2	12	7.42	87	1.90	-3.87
3	21	10.38	82	1.98	-1.02
4	14	6.40	88	5.88	-1.88
5	28	9.38	60	11.88	8.86
6	12	6.28	47	11.52	-0.76
7	17	6.58	78	18.87	8.46



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	8.88	87	5.55	-4.88
2	12	7.72	66	3.16	-2.31
3	21	12.63	87	1.76	-0.07
4	14	9.72	88	0.87	-6.71
5	28	2.88	55	12.87	3.64
6	12	5.76	55	13.86	6.80
7	17	2.61	84	14.78	9.86



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	4.19	80	2.11	-4.88
2	12	6.85	78	3.18	-0.37
3	21	7.08	83	0.10	-2.48
4	14	2.28	87	-1.18	-7.10
5	28	3.88	66	12.35	5.27
6	12	4.11	87	5.88	-1.15
7	17	1.84	41	11.89	-1.20



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	9.17	78	4.21	0.55
2	12	10.13	90	4.11	2.58
3	21	8.78	78	-0.79	-4.22
4	14	1.88	80	9.21	-4.48
5	28	6.14	62	7.71	0.18
6	12	5.51	58	4.78	-3.28
7	17	1.75	58	14.63	-0.58



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	7.32	87	4.22	2.22
2	12	7.38	72	1.61	-3.05
3	21	4.08	75	-1.34	-5.62
4	14	2.28	84	-2.08	-7.88
5	28	1.87	46	12.35	0.08
6	12	3.08	53	3.34	-0.08
7	17	1.85	48	10.88	3.61

CAPITA



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	8	2.29	62	-3.66	-12.46
2	12	3.51	62	-2.82	-11.61
3	21	2.88	84	-5.26	-10.96
4	14	4.28	80	-1.60	-7.80
5	28	1.95	63	0.59	-2.68
6	12	1.98	68	4.90	-5.22
7	17	2.21	67	10.94	-0.18



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	8	1.46	46	-6.88	-19.78
2	12	3.08	48	-6.22	-12.71
3	21	2.97	58	-8.88	-14.58
4	14	2.00	68	-8.78	-19.78
5	28	2.32	61	10.68	-2.68
6	12	2.84	45	0.18	-9.18
7	17	4.02	57	10.68	7.78



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	8	1.38	38	-8.66	-17.21
2	12	4.73	67	-6.66	-16.36
3	21	3.48	63	-7.33	-12.85
4	14	8.51	88	-10.35	-10.88
5	28	6.02	53	11.07	0.61
6	12	5.08	72	10.27	5.18
7	17	6.88	84	15.38	8.88



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	8	15.58	88	-4.33	-5.88
2	12	11.07	86	-2.45	-6.38
3	21	9.83	85	-5.36	-9.78
4	14	2.88	88	-5.62	-8.33
5	28	6.43	67	14.16	7.71
6	12	8.88	88	11.34	7.84
7	17	3.58	78	8.57	6.41



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	8	1.58	58	-2.77	-11.88
2	12	3.26	66	-2.21	-10.06
3	21	3.12	81	-3.58	-10.02
4	14	3.48	81	3.14	-4.85
5	28	5.48	88	11.54	8.89
6	12	8.88	82	4.82	1.35
7	17	5.04	82	8.88	-0.32



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	8	1.98	81	-0.22	-8.77
2	12	4.08	81	1.15	-5.58
3	21	5.97	85	1.69	-4.58
4	14	2.42	85	7.89	-2.18
5	28	6.92	78	8.58	4.85
6	12	10.58	78	5.88	2.17
7	17	2.17	55	17.68	0.78

CAPITA



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	9	1.08	85	1.00	-4.30
2	12	3.01	58	6.08	-1.68
3	21	3.55	65	7.27	0.55
4	14	2.78	80	-4.62	-10.06
5	20	3.37	68	10.11	4.22
6	12	2.65	68	15.10	9.97
7	17	2.81	68	10.07	6.50



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	9	0.05	88	1.00	-0.98
2	12	4.08	88	1.16	-4.78
3	21	2.08	85	-5.57	-11.01
4	14	4.50	85	-4.75	-10.60
5	20	2.38	82	16.00	6.00
6	12	2.01	98	0.57	-1.15
7	17	0.51	98	0.96	-0.16



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	9	1.80	48	-3.00	-16.40
2	12	3.28	55	-2.17	-10.73
3	21	2.04	58	-0.81	-10.38
4	14	1.65	53	-3.81	-9.38
5	20	1.68	38	9.62	-4.00
6	12	1.84	57	4.62	-9.16
7	17	1.74	58	10.61	-6.58



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	9	1.38	44	-2.88	-19.56
2	12	3.58	53	-2.40	-11.29
3	21	2.45	62	2.01	-4.57
4	14	1.88	53	0.65	-2.25
5	20	1.63	31	0.78	-7.05
6	12	1.57	34	8.28	-8.78
7	17	1.88	41	12.98	-0.02

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	9	1.08	58	3.10	-4.48
2	12	1.86	58	8.61	-1.61
3	21	2.07	56	8.53	-0.15
4	14	1.70	58	6.38	-2.08
5	20	1.61	36	15.86	-0.43
6	12	2.10	56	15.87	-1.70
7	17	3.18	68	12.28	8.81



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	9	1.48	41	-0.88	-18.86
2	12	1.55	43	-0.41	-12.07
3	21	1.88	48	4.60	-5.04
4	14	2.48	54	6.08	-3.20
5	20	1.77	38	14.26	0.07
6	12	4.07	63	10.86	3.51
7	17	8.28	83	11.82	8.58

CAPITA

REGION	# STNS	DEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	8	2.60	90	-5.22	-10.27
2	12	2.08	66	7.17	-4.48
3	21	2.58	55	8.38	-0.99
4	14	2.79	80	5.60	-2.30
5	28	2.01	68	16.52	2.60
6	12	4.25	94	12.05	5.16
7	17	10.08	87	12.04	10.81



REGION	# STNS	DEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	8	9.21	88	2.22	-4.44
2	12	8.68	69	2.00	-6.09
3	21	9.16	51	-7.57	-16.56
4	14	1.00	48	-4.72	-8.00
5	28	5.02	71	10.70	7.00
6	12	3.05	79	7.56	3.00
7	17	1.87	88	11.27	8.10



REGION	# STNS	DEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	8	1.81	58	-10.00	-100.00
2	12	1.62	38	-7.81	-10.10
3	21	2.08	51	-2.40	-11.29
4	14	1.00	44	0.14	-0.60
5	28	1.60	36	3.62	-0.11
6	12	1.70	62	2.17	-0.40
7	17	1.70	48	13.60	-0.00



REGION	# STNS	DEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	8	3.50	52	-3.83	-10.13
2	12	3.02	63	0.76	-5.92
3	21	4.12	57	0.50	-7.24
4	14	2.12	52	3.30	-8.20
5	28	1.72	33	12.13	-3.03
6	12	2.01	57	13.70	-0.80
7	17	3.26	50	10.07	7.21



REGION	# STNS	DEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	8	10.38	77	-1.21	-6.88
2	12	3.26	50	0.04	-9.67
3	21	2.37	50	0.23	-9.09
4	14	2.62	61	-0.07	-7.10
5	29	3.04	35	15.10	-0.33
6	12	2.88	58	14.30	0.76
7	17	8.51	68	17.47	11.01



REGION	# STNS	DEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	8	2.34	48	0.22	-8.55
2	12	3.21	47	2.03	-8.32
3	21	7.32	67	4.78	-1.37
4	14	10.71	62	0.69	-1.62
5	28	2.17	48	14.87	2.58
6	12	2.28	53	16.43	8.43
7	17	4.53	71	10.88	15.72

CAPITA



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	12.94	86	-0.89	-3.94
2	12	6.08	88	4.48	-1.38
3	21	12.48	85	5.12	2.85
4	14	10.88	87	6.48	4.48
5	20	2.65	82	10.10	6.82
6	12	2.82	87	10.20	8.88
7	17	3.98	72	20.32	14.88



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.88	43	0.00	-11.10
2	12	4.58	68	8.81	-0.94
3	21	11.08	88	8.91	7.08
4	14	6.56	78	8.88	-0.29
5	20	6.11	68	17.20	8.86
6	12	2.76	65	19.07	11.43
7	17	8.81	88	20.36	12.12



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.58	41	1.81	-10.77
2	12	6.88	77	3.28	-0.58
3	21	8.79	85	7.55	5.10
4	14	2.21	58	1.84	-7.41
5	20	8.78	78	15.72	11.62
6	12	5.16	68	18.58	13.05
7	17	8.71	68	18.71	7.78



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	11.72	86	0.99	-1.11
2	12	3.70	78	5.36	1.08
3	21	2.68	82	4.75	-2.03
4	14	1.77	49	5.10	-5.71
5	20	3.63	76	15.82	11.36
6	12	3.91	72	12.26	7.26
7	17	2.62	55	16.69	7.44



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.77	68	0.00	-5.10
2	12	2.08	61	2.06	-4.02
3	21	3.88	57	0.88	-2.08
4	14	2.18	58	2.08	-5.78
5	20	2.86	55	19.82	4.62
6	12	2.95	49	12.58	1.94
7	17	5.43	74	14.08	8.27



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.85	53	4.33	-4.44
2	12	3.32	50	6.47	-3.56
3	21	2.58	58	7.85	-2.18
4	14	1.68	42	5.43	-4.78
5	20	2.82	52	15.56	5.05
6	12	5.08	45	12.58	0.18
7	17	8.64	73	11.88	8.58

CAPITA



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	3.26	48	-1.00	-10.10
2	12	1.71	42	-1.43	-13.20
3	21	3.55	58	0.23	-8.31
4	14	1.82	48	0.94	-6.00
5	28	3.86	63	16.26	8.43
6	12	2.53	61	15.45	1.61
7	17	1.79	68	17.00	5.81



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.51	61	-2.22	-10.00
2	12	2.06	66	-1.11	-11.75
3	21	1.59	55	0.05	-7.60
4	14	0.50	68	-0.60	-6.00
5	28	1.70	30	15.03	0.01
6	12	2.01	55	19.00	3.00
7	17	1.66	49	20.22	6.40



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	2.81	41	-0.66	-12.82
2	12	1.67	41	0.06	-12.26
3	21	3.08	63	-1.70	-7.90
4	14	2.25	62	-3.60	-10.23
5	28	1.06	30	16.00	2.10
6	12	2.00	48	17.45	5.06
7	17	0.09	66	11.70	5.10



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.46	45	1.11	-8.88
2	12	1.50	40	3.33	-8.71
3	21	1.50	47	1.10	-8.79
4	14	2.55	61	-3.01	-8.79
5	28	2.15	42	18.62	5.21
6	12	6.61	62	19.97	6.81
7	17	0.39	78	6.82	3.48



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.54	45	4.44	-8.77
2	12	3.20	61	1.40	-7.58
3	21	2.05	48	1.68	-8.48
4	14	2.48	67	-2.61	-10.07
5	28	5.07	70	15.30	8.46
6	12	5.46	79	10.27	8.52
7	17	2.67	84	8.30	-0.32



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	0.20	77	-0.55	-4.33
2	12	3.63	72	1.96	-2.63
3	21	2.06	78	0.31	-0.93
4	14	2.02	59	-3.05	-10.30
5	28	2.56	61	10.41	3.11
6	12	2.45	61	4.99	-2.06
7	17	2.07	47	0.00	-1.00

CAPITA



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	0.41	68	0.39	-2.38
2	12	0.22	81	3.01	-0.20
3	21	5.08	58	-2.05	-9.49
4	14	1.68	84	-2.97	-0.86
5	28	2.39	88	0.20	-5.05
6	12	2.67	63	5.41	-0.01
7	17	1.82	68	10.10	-0.48



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	0.88	86	1.59	-0.21
2	12	0.29	84	-0.20	-0.60
3	21	0.58	55	-5.11	-11.92
4	14	1.68	68	-2.58	-12.06
5	28	1.08	86	0.32	-6.86
6	12	3.78	63	5.87	-0.19
7	17	1.82	66	15.61	2.68



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.08	66	0.66	-0.86
2	12	0.33	84	-0.60	-0.25
3	21	2.19	49	-0.62	-9.03
4	14	3.06	84	-0.11	-0.06
5	28	1.84	88	0.36	-7.45
6	12	1.87	56	8.62	-0.46
7	17	0.80	76	12.67	0.87



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.16	48	2.77	-8.77
2	12	1.84	47	3.14	-7.48
3	21	5.10	55	2.56	-8.21
4	14	3.48	66	1.48	-6.81
5	28	1.97	68	12.81	-0.85
6	12	2.30	53	11.83	1.71
7	17	2.05	72	9.53	6.11



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.40	57	5.99	-7.77
2	12	7.40	71	3.60	-1.61
3	21	9.01	75	3.19	-1.02
4	14	8.09	88	1.62	-3.88
5	28	5.28	76	15.65	10.98
6	12	4.08	73	14.02	9.28
7	17	9.38	70	13.28	8.28



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	2.05	43	7.10	-8.10
2	12	3.15	65	6.89	0.13
3	21	8.78	68	5.97	0.21
4	14	8.95	78	1.10	-9.01
5	28	6.31	76	15.98	11.52
6	12	8.22	60	14.81	11.29
7	17	2.81	78	12.12	8.20

CAPITA



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.40	35	0.21	-6.80
2	12	5.13	76	8.06	3.67
3	21	4.85	76	4.20	-0.10
4	14	2.40	81	2.45	-4.00
5	20	7.31	81	15.00	12.41
6	12	5.35	68	15.09	7.21
7	17	4.10	66	7.16	1.87



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	0.76	73	3.60	-0.77
2	12	2.97	61	6.76	-0.66
3	21	2.55	52	7.85	-1.47
4	14	2.30	81	8.80	-0.40
5	20	4.36	60	16.06	8.72
6	12	0.00	77	7.60	5.65
7	17	0.05	70	7.44	5.00



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.60	57	7.21	-0.77
2	12	6.60	60	5.00	-0.36
3	21	7.05	60	5.15	-0.73
4	14	3.20	81	9.00	-0.20
5	20	6.01	70	11.05	7.05
6	12	3.23	71	6.00	1.00
7	17	1.60	54	15.50	5.60



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	0.07	68	2.77	0.80
2	12	0.90	71	4.65	-0.27
3	21	3.60	66	5.10	-1.30
4	14	2.02	58	4.52	-3.50
5	20	1.00	45	13.60	1.60
6	12	2.00	55	11.10	1.71
7	17	2.03	45	17.03	5.60



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.72	88	5.55	-1.72
2	12	3.10	60	7.12	-0.60
3	21	3.25	65	4.35	-1.70
4	14	3.00	93	7.00	-1.70
5	20	1.72	42	14.00	2.00
6	12	2.00	58	14.35	5.50
7	17	1.80	42	22.02	7.40



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.40	46	8.00	-4.60
2	12	2.05	47	8.03	-2.00
3	21	5.01	61	6.54	-1.05
4	14	4.50	60	3.44	-2.02
5	20	2.21	40	18.27	6.92
6	12	2.95	50	19.00	8.97
7	17	2.05	52	18.62	7.97

CAPITA



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	8	3.61	53	8.32	-2.98
2	12	3.38	72	11.38	6.35
3	21	5.32	75	2.81	-1.59
4	14	1.68	58	2.14	-6.47
5	28	2.79	71	16.68	12.38
6	12	1.58	81	9.81	2.48
7	17	1.84	56	12.74	-2.44



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	8	1.81	48	6.92	-8.21
2	12	1.56	42	7.69	-4.01
3	21	2.83	81	3.81	-5.11
4	14	0.69	58	-4.65	-18.06
5	28	1.77	81	16.25	4.98
6	12	1.71	38	11.69	-1.75
7	17	1.87	48	10.88	2.88

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	8	1.40	42	7.66	-4.06
2	12	1.86	43	9.78	-2.08
3	21	2.49	57	0.34	-7.29
4	14	2.33	54	-0.69	-6.86
5	28	2.36	64	18.78	8.17
6	12	3.52	45	18.78	5.28
7	17	4.84	68	12.81	8.71



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	7.21	60	-0.94	-7.89
2	12	8.15	78	-1.94	-5.41
3	21	1.75	51	-0.55	-9.60
4	14	2.78	88	1.38	-5.88
5	28	2.89	69	18.01	11.82
6	12	2.57	66	10.41	4.31
7	17	5.24	87	11.10	6.27



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.31	49	-0.22	-11.88
2	12	1.67	47	0.38	-8.85
3	21	2.63	51	3.70	-5.81
4	14	2.83	81	2.10	-9.95
5	28	3.56	73	12.25	7.26
6	12	5.12	68	12.31	5.92
7	17	8.57	72	14.83	8.78



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	8	7.21	68	3.10	-4.32
2	12	6.83	78	3.42	-1.08
3	21	5.17	48	6.05	-4.20
4	14	4.13	57	1.70	-8.26
5	28	3.27	70	16.56	10.90
6	12	4.05	58	16.80	9.26
7	17	8.75	76	17.35	11.78

CAPITA



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.06	48	8.99	-5.59
2	12	3.76	63	6.43	-2.06
3	21	0.73	81	5.73	-1.76
4	14	0.85	82	1.83	-5.80
5	28	4.68	88	17.93	11.83
6	12	0.97	72	20.84	14.82
7	17	3.71	75	18.27	11.20



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	0.07	98	3.66	1.44
2	12	0.10	95	8.00	6.56
3	21	3.84	73	2.11	-2.35
4	14	2.11	82	4.86	-4.87
5	28	3.03	66	10.60	12.28
6	12	2.56	56	8.57	1.08
7	17	2.16	97	14.11	-0.75



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.40	46	5.21	-8.43
2	12	1.56	46	7.88	-4.16
3	21	2.58	81	6.37	-0.60
4	14	2.01	58	4.12	-8.75
5	28	2.08	37	16.98	1.68
6	12	2.18	58	15.27	0.41
7	17	2.28	57	10.52	2.97



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.40	35	8.32	-8.21
2	12	1.77	46	7.01	-3.23
3	21	2.32	54	4.91	-3.69
4	14	2.00	42	7.09	-5.59
5	28	2.72	45	19.06	5.77
6	12	2.38	28	17.07	2.54
7	17	3.29	61	14.03	6.48



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.32	31	5.00	-9.00
2	12	1.52	38	6.56	-7.40
3	21	1.98	43	7.04	-4.49
4	14	2.30	45	11.22	-1.02
5	28	2.70	48	16.10	4.64
6	12	2.33	42	15.83	2.54
7	17	2.38	45	15.78	5.28



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.91	38	5.08	-7.77
2	12	2.13	46	8.23	-3.42
3	21	3.71	71	6.55	1.79
4	14	1.98	43	12.05	-0.71
5	28	2.67	58	15.80	6.76
6	12	2.37	43	17.49	4.33
7	17	2.25	27	22.51	1.47

CAPITA



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	2.01	90	7.82	-2.86
2	12	2.06	48	10.10	-0.60
3	21	2.50	55	9.78	0.81
4	14	2.21	81	21.10	2.81
5	20	2.35	38	16.95	1.52
6	12	2.12	56	10.69	1.45
7	17	2.20	91	24.17	8.48



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.98	68	13.98	-0.56
2	12	2.21	88	16.62	0.22
3	21	2.14	58	15.14	3.87
4	14	2.08	28	19.64	-4.83
5	20	2.21	32	21.68	3.31
6	12	2.28	28	25.78	6.55
7	17	2.24	80	29.28	11.18



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.68	46	17.68	6.56
2	12	2.42	36	18.82	2.81
3	21	1.84	29	14.81	-4.04
4	14	1.92	29	19.64	-5.80
5	20	2.36	38	24.77	8.36
6	12	2.85	46	21.88	6.97
7	17	2.70	65	30.68	11.76



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	3.08	48	8.93	-4.22
2	12	1.08	46	8.14	-8.00
3	21	1.78	59	9.19	-5.20
4	14	2.01	29	15.71	-3.29
5	20	2.12	31	21.16	2.65
6	12	2.27	35	19.62	2.36
7	17	3.76	62	21.20	12.57



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.96	87	8.10	-7.06
2	12	1.63	39	5.45	-7.49
3	21	2.76	47	8.90	-2.93
4	14	2.24	42	15.67	2.30
5	20	2.33	27	19.69	3.68
6	12	3.52	41	19.94	6.95
7	17	3.46	96	29.59	12.41



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.91	45	10.55	-1.22
2	12	1.65	36	11.43	-4.02
3	21	2.62	49	12.19	1.83
4	14	5.55	71	7.41	2.26
5	20	2.66	64	19.79	9.46
6	12	2.71	57	20.50	10.96
7	17	2.68	42	24.37	8.59

CAPITA



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	8	1.91	46	13.77	-0.22
2	12	1.68	36	13.83	-1.16
3	21	4.82	67	9.82	3.50
4	14	4.04	68	4.84	-1.10
5	28	2.40	56	21.06	11.60
6	12	2.85	55	22.72	11.94
7	17	2.34	38	20.61	8.03



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	8	1.88	58	13.32	-1.11
2	12	3.38	68	10.96	1.49
3	21	3.54	68	10.65	4.01
4	14	2.89	85	6.18	-0.11
5	28	3.26	66	18.50	9.18
6	12	2.79	51	15.75	4.50
7	17	2.29	48	18.82	7.56



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	8	1.91	56	13.88	-1.44
2	12	2.06	41	15.08	0.92
3	21	3.53	51	15.49	5.02
4	14	5.52	87	10.70	6.38
5	28	2.47	48	19.16	7.41
6	12	3.50	49	18.09	7.17
7	17	6.81	69	22.94	12.80



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	8	1.48	35	14.21	-1.77
2	12	1.58	31	16.94	-0.46
3	21	4.05	54	17.03	7.29
4	14	2.91	51	12.33	1.02
5	28	2.53	42	21.69	7.97
6	12	4.20	60	21.24	12.28
7	17	4.92	70	23.81	10.98



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	8	1.53	39	13.99	0.10
2	12	2.02	42	18.16	4.58
3	21	3.01	45	16.82	4.62
4	14	2.94	54	8.72	-0.35
5	28	3.07	67	21.42	12.29
6	12	5.01	74	20.18	15.32
7	17	4.28	70	23.68	17.21



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	8	1.81	47	11.68	0.56
2	12	1.61	45	12.72	0.92
3	21	2.32	55	9.73	0.95
4	14	7.61	78	7.09	3.53
5	28	2.77	47	24.16	11.80
6	12	3.75	60	23.65	15.18
7	17	3.15	67	23.81	18.02

CAPITA



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	9	1.81	28	10.92	-7.77
2	12	2.12	32	10.69	-6.82
3	21	0.38	86	8.59	6.51
4	14	0.11	76	6.58	2.67
5	28	3.08	66	21.66	12.23
6	12	2.96	56	24.85	14.71
7	17	2.53	48	28.58	8.99



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	9	2.76	78	8.89	6.77
2	12	7.29	82	8.32	5.08
3	21	1.91	58	11.88	5.70
4	14	3.93	66	8.48	-0.91
5	28	2.76	50	23.70	11.86
6	12	1.99	38	22.77	7.77
7	17	2.14	32	25.74	7.10



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	9	9.89	81	8.68	8.84
2	12	9.40	83	8.67	8.56
3	21	2.02	58	9.52	1.42
4	14	2.36	61	8.15	-0.07
5	28	9.58	46	25.88	11.88
6	12	1.85	37	22.21	8.81
7	17	2.18	46	24.40	11.98



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	9	2.48	58	8.21	1.10
2	12	1.65	36	15.64	0.37
3	21	2.32	58	16.98	6.28
4	14	2.07	59	13.09	4.08
5	28	2.22	37	26.22	9.50
6	12	2.71	52	26.10	15.27
7	17	3.40	59	26.23	16.58



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	9	1.58	61	9.21	2.10
2	12	2.01	70	13.28	7.26
3	21	1.97	47	15.25	3.46
4	14	1.99	50	11.28	0.94
5	28	4.23	60	25.72	16.66
6	12	2.66	62	20.15	17.95
7	17	2.58	58	25.02	14.85



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	9	12.40	81	8.10	8.77
2	12	9.66	80	11.47	9.98
3	21	2.05	58	16.05	8.21
4	14	1.68	39	16.70	1.88
5	28	4.48	65	24.28	16.88
6	12	2.80	78	20.87	16.53
7	17	2.98	57	23.18	13.23

CAPITA



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.58	48	18.10	2.52
2	12	1.68	48	18.68	6.07
3	21	1.90	55	21.76	5.55
4	14	2.01	58	20.71	4.81
5	20	2.36	48	23.18	11.50
6	12	3.18	65	21.81	16.54
7	17	3.26	61	24.60	16.03



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.47	91	20.44	2.46
2	12	1.01	39	29.05	5.56
3	21	2.62	55	21.67	12.13
4	14	2.49	48	31.62	8.44
5	20	4.54	70	22.55	16.30
6	12	5.62	79	22.03	16.86
7	17	2.68	61	26.19	15.42



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.58	32	24.68	8.86
2	12	2.03	62	20.82	10.08
3	21	2.61	55	24.04	14.25
4	14	2.28	58	22.17	12.88
5	20	3.41	65	24.68	16.86
6	12	4.33	69	25.15	18.86
7	17	3.57	64	27.77	18.08



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	2.45	43	21.32	7.77
2	12	4.37	61	23.20	11.75
3	21	4.62	69	22.85	16.71
4	14	4.28	52	21.80	9.38
5	20	4.25	66	25.09	18.03
6	12	5.15	70	24.71	18.51
7	17	3.68	60	27.20	18.92



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.69	38	18.33	9.11
2	12	3.70	49	23.83	12.35
3	21	6.32	68	26.37	19.59
4	14	3.93	52	20.55	10.19
5	20	3.38	53	26.20	17.63
6	12	4.72	65	28.23	20.92
7	17	3.56	62	25.91	17.12



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.68	34	20.55	3.08
2	12	5.56	60	21.10	12.17
3	21	4.78	71	25.53	18.25
4	14	2.31	39	11.34	3.05
5	20	3.44	55	27.65	17.69
6	12	3.27	57	29.20	19.65
7	17	2.47	58	22.61	12.21

CAPITA



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	2.53	47	23.77	11.77
2	12	3.75	58	26.67	16.08
3	21	2.54	63	21.10	13.58
4	14	3.12	58	7.85	-0.63
5	28	2.03	58	26.80	15.43
6	12	2.47	80	25.58	18.88
7	17	2.02	58	17.67	8.08



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	2.28	51	29.46	12.46
2	12	3.25	67	18.32	11.47
3	21	2.23	57	9.06	0.89
4	14	1.92	38	14.88	0.58
5	28	3.10	58	24.57	14.93
6	12	5.05	73	17.07	12.28
7	17	2.22	48	18.00	8.04

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	2.96	76	13.10	8.66
2	12	2.15	61	12.40	6.80
3	21	2.04	48	15.55	3.80
4	14	1.68	31	21.22	3.21
5	28	3.30	63	19.67	11.76
6	12	2.57	68	15.83	7.35
7	17	2.20	54	21.43	5.71



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.55	47	15.55	2.88
2	12	1.89	47	16.80	4.90
3	21	2.05	45	20.84	7.35
4	14	1.88	33	20.03	3.33
5	28	4.32	68	18.14	11.76
6	12	2.26	45	19.85	7.35
7	17	2.33	33	24.53	8.78



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.91	41	18.88	5.10
2	12	2.21	42	19.34	5.73
3	21	1.92	47	18.60	4.62
4	14	1.82	41	17.78	4.20
5	28	2.32	46	23.78	10.76
6	12	2.16	48	26.53	9.96
7	17	2.14	32	28.48	8.18



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	3.03	58	8.77	0.88
2	12	1.68	46	8.68	-3.23
3	21	1.75	41	10.82	-2.77
4	14	1.96	41	19.58	5.84
5	28	2.10	36	22.37	5.75
6	12	1.94	40	22.83	8.23
7	17	2.37	37	26.48	10.18



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.31	37	9.00	-4.00
2	12	1.52	25	12.63	-6.00
3	21	1.90	57	10.35	5.55
4	14	1.92	48	24.67	10.16
5	20	2.16	31	21.94	4.05
6	12	2.17	40	23.33	9.45
7	17	2.10	42	20.00	11.00



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.52	52	15.00	-1.44
2	12	2.00	61	10.33	7.77
3	21	2.50	41	20.15	11.50
4	14	2.02	47	22.05	9.00
5	20	2.30	30	27.13	12.01
6	12	2.27	42	27.77	13.70
7	17	2.21	47	20.19	12.21



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	2.10	45	10.77	0.11
2	12	2.08	46	26.01	12.72
3	21	2.50	50	25.20	13.89
4	14	2.77	67	15.09	8.21
5	20	2.20	38	20.00	13.66
6	12	2.57	45	27.40	13.78
7	17	2.45	60	20.60	14.05



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	3.06	47	25.21	12.93
2	12	2.51	40	28.51	13.19
3	21	2.29	57	22.16	13.22
4	14	3.08	65	16.78	9.44
5	20	2.35	43	28.40	14.63
6	12	2.42	57	24.50	15.27
7	17	2.56	52	26.29	16.10



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	2.10	54	23.77	13.10
2	12	2.36	47	26.06	13.65
3	21	3.60	70	20.84	15.02
4	14	2.93	68	18.25	11.68
5	20	2.34	48	27.69	15.70
6	12	2.52	61	25.50	17.54
7	17	2.52	55	28.59	17.74



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.52	51	19.08	8.99
2	12	3.28	53	24.67	14.39
3	21	5.04	79	21.05	17.18
4	14	3.43	71	18.03	12.81
5	20	2.71	61	27.93	18.40
6	12	2.61	65	27.95	17.80
7	17	2.38	55	28.68	17.54



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	0.00	70	16.10	10.55
2	12	5.42	66	23.00	16.16
3	21	8.08	62	18.52	13.38
4	16	3.61	67	17.05	10.71
5	20	2.42	47	29.36	16.66
6	12	2.40	55	27.77	17.20
7	17	2.38	56	30.60	17.91



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.65	58	19.96	9.55
2	12	6.03	76	15.78	11.33
3	21	7.78	81	10.02	12.04
4	16	5.00	79	12.17	8.88
5	20	2.84	48	29.06	16.42
6	12	2.45	49	28.28	16.58
7	17	2.50	53	27.89	18.76



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.38	44	16.41	9.77
2	12	2.37	61	17.17	8.66
3	21	4.83	72	20.97	15.38
4	16	1.88	61	12.88	6.38
5	20	3.95	55	26.26	15.86
6	12	2.30	48	28.83	18.01
7	17	3.71	60	21.27	12.26



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.40	54	14.09	5.55
2	12	3.63	75	17.03	12.35
3	21	2.76	67	13.30	7.19
4	16	1.00	62	10.60	5.03
5	20	4.44	65	24.22	16.78
6	12	3.11	65	21.58	14.57
7	17	2.20	61	23.69	8.29



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	0.35	88	15.21	13.21
2	12	3.70	78	14.96	11.33
3	21	1.78	50	15.97	5.46
4	16	1.00	36	25.11	8.13
5	20	2.03	61	21.72	13.42
6	12	2.00	42	21.85	8.42
7	17	2.00	35	26.62	8.59



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	7.71	63	11.98	8.77
2	12	1.65	51	16.75	8.61
3	21	1.52	47	21.29	9.38
4	16	1.92	37	27.01	10.71
5	20	2.36	41	23.52	9.46
6	12	2.03	39	23.88	8.97
7	17	2.16	36	27.96	11.36

CAPITA

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	2.44	80	10.94	8.46
2	12	2.26	83	20.82	18.64
3	21	2.30	89	28.05	15.88
4	16	1.98	91	22.80	8.82
5	20	2.26	81	25.76	12.21
6	12	2.23	86	28.00	12.45
7	17	2.38	86	28.84	15.26

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	2.26	81	21.77	10.88
2	12	2.38	81	23.60	18.05
3	21	2.55	68	25.81	13.98
4	16	2.08	68	28.02	14.00
5	20	2.86	62	29.10	14.67
6	12	2.55	68	28.23	13.88
7	17	2.34	68	28.86	16.07



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.84	48	10.21	7.16
2	12	2.35	48	23.52	11.80
3	21	2.95	45	28.67	15.70
4	16	2.28	83	24.38	19.29
5	20	2.82	63	29.08	15.07
6	12	2.55	59	29.71	16.54
7	17	2.62	58	28.08	16.66



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	2.68	61	24.59	18.65
2	12	3.52	59	25.64	15.55
3	21	3.00	58	28.13	15.58
4	16	2.52	59	22.25	13.21
5	20	3.03	48	29.46	16.53
6	12	2.92	55	30.03	13.65
7	17	2.97	57	27.21	17.31



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	8	1.36	50	17.21	6.66
2	12	3.23	65	21.19	14.16
3	21	8.56	69	22.34	15.85
4	16	2.51	83	21.78	13.80
5	20	3.31	48	30.19	16.56
6	12	2.05	33	30.97	15.50
7	17	2.58	58	26.82	17.64



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.24	91	17.32	3.55
2	12	4.11	74	17.91	12.63
3	21	5.48	67	23.91	17.53
4	16	2.09	63	23.52	15.19
5	20	4.35	55	20.40	18.04
6	12	2.33	41	31.01	16.23
7	17	2.74	56	27.21	17.04

CAPITA

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.59	86	12.21	6.59
2	12	0.06	78	18.28	16.11
3	21	5.21	82	24.20	18.42
4	14	1.06	48	18.13	8.58
5	28	4.20	67	26.85	18.80
6	12	5.43	48	30.22	17.28
7	17	2.88	55	27.58	17.58

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	0.37	88	17.21	14.86
2	12	0.83	73	20.67	16.32
3	21	1.83	47	17.89	8.02
4	14	1.94	48	18.98	7.29
5	28	2.53	58	27.71	18.74
6	12	2.93	54	30.38	15.84
7	17	2.71	54	27.47	18.98

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.91	48	19.94	9.59
2	12	1.78	59	25.88	8.86
3	21	1.95	51	27.18	8.79
4	14	1.08	84	21.66	11.28
5	28	2.47	46	26.58	13.78
6	12	2.03	36	27.21	11.98
7	17	3.17	56	28.78	17.44



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.31	39	18.77	2.46
2	12	1.85	46	16.42	6.57
3	21	2.53	51	23.03	12.21
4	14	2.54	68	20.56	14.18
5	28	2.77	56	25.94	16.26
6	12	2.87	50	28.56	17.03
7	17	2.30	58	26.23	16.53



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.31	39	17.99	1.55
2	12	1.82	46	21.47	8.46
3	21	4.18	58	25.80	16.58
4	14	3.67	67	21.74	15.15
5	28	3.54	66	24.32	16.60
6	12	3.15	67	25.87	19.18
7	17	2.51	61	28.03	18.82



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.53	58	20.32	9.88
2	12	1.64	42	26.64	7.17
3	21	3.91	65	29.14	18.97
4	14	3.03	66	22.89	15.98
5	28	3.73	66	24.06	16.54
6	12	3.93	72	23.18	17.77
7	17	3.13	60	27.77	18.43

CAPITA



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.98	43	26.21	12.66
2	12	2.20	55	24.00	16.32
3	21	1.82	73	23.43	18.18
4	14	2.70	73	18.44	14.24
5	20	2.66	62	26.00	17.00
6	12	2.57	61	25.70	17.48
7	17	2.20	80	22.15	17.81



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	2.31	64	20.40	10.10
2	12	2.61	58	27.40	17.46
3	21	4.50	74	23.87	18.81
4	14	2.66	68	17.60	10.70
5	20	2.91	58	27.00	18.02
6	12	2.70	61	26.00	18.50
7	17	2.56	80	22.70	18.30



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	2.01	54	20.21	17.00
2	12	2.43	63	20.05	18.23
3	21	4.38	79	19.56	16.70
4	14	2.02	51	18.79	9.84
5	20	2.47	58	27.87	18.60
6	12	3.04	73	25.10	18.96
7	17	2.60	48	23.13	10.81



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.98	61	25.60	17.92
2	12	3.02	78	23.20	17.17
3	21	3.75	72	18.18	10.73
4	14	2.90	52	19.55	8.60
5	20	2.57	59	27.10	18.24
6	12	3.07	78	22.03	17.77
7	17	2.61	48	23.03	9.80

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.33	58	17.98	9.44
2	12	4.18	69	15.09	11.80
3	21	3.00	69	17.87	10.60
4	14	2.45	49	20.71	8.96
5	20	3.58	67	25.57	18.68
6	12	2.42	68	25.00	17.30
7	17	2.47	58	22.97	11.09



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	2.19	77	16.99	12.66
2	12	5.76	70	23.75	15.50
3	21	3.25	62	21.92	13.53
4	14	2.67	41	24.07	8.83
5	20	2.92	59	27.15	18.20
6	12	2.39	61	23.14	14.99
7	17	2.14	45	25.32	12.31

CAPITA



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	0.30	85	13.00	11.21
2	12	3.70	68	18.00	11.66
3	21	2.20	48	22.89	11.13
4	14	2.08	38	27.33	12.25
5	20	2.45	57	25.47	15.00
6	12	3.23	66	21.57	14.38
7	17	2.16	41	28.80	13.25

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	2.07	68	15.00	9.00
2	12	2.03	56	20.00	10.50
3	21	2.02	48	20.39	14.05
4	14	1.85	38	28.72	12.05
5	20	2.40	48	25.74	13.82
6	12	2.34	60	25.05	15.14
7	17	2.31	42	28.11	14.00

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.50	47	24.00	12.77
2	12	2.57	48	27.07	16.50
3	21	2.03	48	27.02	15.00
4	14	2.02	42	28.02	14.07
5	20	2.57	47	27.00	15.33
6	12	2.51	44	27.95	14.07
7	17	2.42	48	29.30	16.19

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	2.58	48	27.77	15.00
2	12	2.53	47	27.63	15.17
3	21	3.47	45	28.49	15.47
4	14	2.37	48	28.36	16.42
5	20	2.66	50	28.13	16.50
6	12	2.96	46	29.40	16.26
7	17	2.54	47	28.80	16.25

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	2.58	51	27.77	16.32
2	12	3.12	46	28.00	16.04
3	21	3.99	47	29.75	16.29
4	14	3.01	50	25.70	16.70
5	20	3.32	47	29.18	16.58
6	12	3.55	52	28.85	17.72
7	17	2.62	55	27.99	16.30



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	3.30	47	29.22	16.66
2	12	4.48	48	29.71	17.77
3	21	4.95	50	28.72	17.42
4	14	3.91	65	22.81	15.70
5	20	3.30	50	29.52	17.73
6	12	3.41	55	28.28	18.51
7	17	2.41	50	28.49	17.41

CAPITA



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.50	50	18.00	10.40
2	12	8.52	45	27.60	16.40
3	21	6.70	58	27.05	17.79
4	16	3.00	71	23.06	18.70
5	20	3.60	50	30.31	18.50
6	12	9.37	57	29.10	19.70
7	17	2.46	53	30.01	18.00



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.31	44	17.35	6.44
2	12	1.07	35	29.05	8.75
3	21	3.72	49	24.85	17.51
4	16	1.00	65	23.06	10.50
5	20	3.11	48	28.07	17.45
6	12	9.29	75	25.90	20.62
7	17	2.50	67	31.48	21.48



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.31	38	21.00	6.77
2	12	1.65	45	22.06	10.13
3	21	4.55	67	28.05	19.35
4	16	8.43	60	25.03	18.24
5	20	8.67	57	26.06	16.60
6	12	9.00	81	28.03	20.59
7	17	2.92	53	31.00	20.07



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.53	49	24.55	11.43
2	12	2.01	65	19.95	12.95
3	21	4.43	72	24.50	18.88
4	16	2.48	61	26.36	16.10
5	20	2.00	61	25.50	17.43
6	12	6.24	64	28.09	19.50
7	17	2.37	51	32.35	20.30

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.00	59	22.77	14.21
2	12	4.41	72	22.26	16.00
3	21	4.69	69	26.55	20.34
4	16	2.03	60	25.70	17.21
5	20	3.11	60	26.09	19.55
6	12	3.40	64	28.73	21.10
7	17	2.30	45	32.41	18.39



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	2.22	69	23.93	18.00
2	12	7.72	76	25.10	20.22
3	21	5.27	68	23.15	22.19
4	16	1.90	55	27.40	17.33
5	20	3.22	56	30.05	20.77
6	12	3.33	54	31.80	21.33
7	17	2.52	43	32.07	17.70

CAPITA



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	0.00	84	21.84	18.10
2	12	4.46	67	26.06	20.27
3	21	2.48	55	27.21	17.37
4	14	1.63	58	23.10	11.97
5	20	2.03	53	32.26	21.32
6	12	3.00	56	32.45	22.07
7	17	2.26	47	32.52	18.68

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	2.44	59	28.77	18.10
2	12	1.84	51	26.13	14.38
3	21	1.59	40	18.98	7.58
4	14	1.88	44	20.60	11.79
5	20	2.47	46	32.08	18.86
6	12	2.98	54	29.98	19.57
7	17	2.61	50	31.17	18.27



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.38	46	17.77	5.46
2	12	1.76	46	18.88	6.86
3	21	2.08	55	19.65	9.08
4	14	2.61	62	20.95	12.83
5	20	2.54	61	20.79	10.62
6	12	3.16	62	20.97	20.10
7	17	2.38	48	31.82	18.08



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.48	49	19.93	8.88
2	12	5.76	76	17.35	12.91
3	21	3.76	67	18.90	12.08
4	14	3.08	52	23.82	11.58
5	20	3.28	61	29.62	21.06
6	12	2.65	58	29.82	20.08
7	17	3.08	54	28.72	18.29

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	3.50	68	20.21	13.44
2	12	2.43	60	21.57	13.37
3	21	2.24	47	25.67	11.78
4	14	2.08	51	24.71	14.06
5	20	3.15	66	29.20	19.63
6	12	3.33	58	27.54	18.65
7	17	2.27	54	28.68	18.39

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.48	18	25.59	10.08
2	12	1.99	45	25.36	12.40
3	21	2.39	47	25.55	13.48
4	14	2.29	48	27.01	15.07
5	20	3.84	54	28.82	18.38
6	12	4.04	51	28.65	17.68
7	17	2.59	54	30.35	19.88

CAPITA



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.81	38	28.10	12.85
2	12	3.21	46	26.88	16.43
3	21	5.54	60	28.34	17.76
4	14	2.09	51	25.85	14.71
5	28	4.16	56	29.53	18.67
6	12	4.36	58	28.88	18.25
7	17	2.87	58	30.90	20.30

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	2.00	40	23.88	9.44
2	12	2.41	62	23.32	13.08
3	21	2.25	57	21.80	12.08
4	14	2.58	66	24.91	15.23
5	28	4.78	65	28.72	21.12
6	12	4.57	68	27.17	20.27
7	17	2.31	94	31.30	30.12

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	3.01	84	16.66	10.22
2	12	4.42	76	20.13	15.58
3	21	5.27	77	19.38	15.15
4	14	3.89	48	24.97	12.68
5	28	5.41	65	28.46	21.16
6	12	5.50	57	30.18	20.87
7	17	2.98	48	33.87	18.75

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.31	69	19.59	13.21
2	12	2.11	67	19.30	12.82
3	21	3.19	49	22.03	10.81
4	14	1.99	47	26.06	14.16
5	28	2.63	58	28.82	18.72
6	12	3.05	57	26.47	17.35
7	17	2.16	47	32.19	19.01

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.31	43	20.99	7.77
2	12	1.53	35	22.05	6.88
3	21	2.18	48	24.67	12.88
4	14	1.92	42	31.19	18.30
5	28	2.45	46	26.70	13.96
6	12	2.45	47	26.45	14.08
7	17	2.29	48	32.22	19.96

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.31	58	24.55	8.66
2	12	1.87	47	29.97	11.57
3	21	2.70	53	28.58	17.08
4	14	1.92	45	31.54	18.01
5	28	2.57	47	27.27	16.79
6	12	2.75	47	28.74	16.52
7	17	2.42	58	31.17	21.10

CAPITA

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	0.75	80	17.80	16.30
2	12	5.87	61	27.35	18.06
3	21	3.25	55	32.27	22.19
4	14	2.08	52	30.91	18.06
5	20	3.27	48	30.53	18.46
6	12	5.61	50	30.55	18.86
7	17	2.47	51	31.80	20.55



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.98	48	24.68	12.80
2	12	2.16	48	27.95	15.82
3	21	3.27	58	32.45	22.48
4	14	1.98	49	30.95	18.48
5	20	2.78	48	32.46	20.11
6	12	4.05	51	32.54	21.15
7	17	2.68	48	31.82	19.93



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	6.51	75	28.99	19.49
2	12	6.98	76	29.37	18.68
3	21	2.79	57	31.05	21.91
4	14	2.02	38	31.15	16.47
5	20	5.91	56	32.56	22.61
6	12	4.30	51	33.52	22.07
7	17	2.58	44	33.28	19.40

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	2.13	68	29.95	18.77
2	12	6.91	68	26.93	19.90
3	21	2.27	57	28.24	18.69
4	14	1.94	47	25.83	12.25
5	20	5.17	55	32.85	22.27
6	12	4.01	53	32.98	21.38
7	17	2.78	48	34.28	18.75



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	0.10	68	29.21	21.10
2	12	3.73	67	26.86	20.04
3	21	1.59	60	20.51	12.16
4	14	1.00	48	22.21	9.98
5	20	3.31	53	32.42	21.42
6	12	3.12	52	30.23	19.30
7	17	2.43	50	33.30	17.10

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.50	51	25.22	14.10
2	12	1.87	58	23.00	16.16
3	21	2.05	48	22.68	10.78
4	14	1.00	39	25.68	10.04
5	20	2.47	67	27.47	17.98
6	12	2.10	47	25.53	13.32
7	17	2.28	38	30.34	14.40

CAPITA

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.91	48	26.95	15.77
2	12	1.76	45	26.60	12.56
3	21	1.89	58	25.88	10.79
4	14	1.88	46	27.40	14.26
5	20	2.30	48	28.46	16.32
6	12	2.22	46	28.80	14.18
7	17	2.29	41	31.49	18.18

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.52	56	20.21	11.00
2	12	1.88	40	27.46	12.58
3	21	2.54	45	27.76	14.59
4	14	2.08	48	29.18	18.62
5	20	2.65	46	29.65	18.60
6	12	2.57	42	29.87	15.52
7	17	2.20	36	34.00	17.21



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	2.53	43	28.88	15.52
2	12	3.22	40	28.28	16.20
3	21	5.03	64	25.80	18.05
4	14	1.02	40	28.28	13.28
5	20	3.08	51	30.58	18.26
6	12	3.57	58	28.31	19.11
7	17	2.32	47	32.84	18.80



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	3.31	51	28.43	17.32
2	11	4.49	67	25.14	19.38
3	18	3.69	68	22.26	15.52
4	14	1.86	48	28.32	14.67
5	26	3.32	65	26.43	21.06
6	12	3.13	55	29.67	19.57
7	17	2.24	49	32.84	20.12



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	1	1.61	76	27.22	22.22
2	3	3.02	69	25.17	19.07
3	11	4.22	65	23.83	16.46
4	1	3.48	46	28.88	15.54
5	3	3.49	73	25.36	20.36
6	3	4.11	52	27.95	18.06
7	0	-100.00		-100.00	-100.00



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	3.48	76	25.33	20.68
2	11	3.78	67	24.89	18.17
3	12	4.07	59	28.33	17.58
4	11	2.00	48	29.84	17.52
5	16	3.51	53	29.33	18.74
6	7	3.68	47	29.67	17.21
7	3	1.27	26	34.91	11.47

CAPITA



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	8	1.48	45	24.44	11.88
2	12	2.06	47	26.88	14.53
3	18	4.21	48	28.71	17.06
4	14	2.48	51	30.27	18.88
5	16	3.60	57	28.85	20.65
6	7	3.58	55	28.75	19.91
7	17	2.27	68	30.28	20.81



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	1	1.81	88	25.00	15.84
2	4	2.02	43	26.96	13.06
3	8	4.07	48	30.75	18.94
4	4	2.45	47	29.85	17.21
5	17	4.58	47	30.06	17.54
6	8	4.07	44	32.08	18.28
7	0	-100.00	------	-100.00	-100.00



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	8	1.68	54	23.55	13.66
2	12	3.22	65	24.06	17.03
3	21	5.41	59	29.70	20.68
4	14	2.07	62	29.89	19.84
5	28	4.06	57	30.17	20.96
6	12	3.53	52	31.81	20.84
7	17	2.52	63	31.24	20.16

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.60	64	24.44	17.10
2	12	5.08	74	25.50	20.50
3	21	2.43	58	27.56	18.48
4	14	1.68	43	25.90	11.86
5	28	4.04	57	31.56	21.05
6	12	2.24	53	31.85	21.15
7	17	2.78	58	30.71	20.19



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	5.48	88	22.44	20.83
2	12	3.31	68	24.57	18.37
3	21	1.91	45	26.13	13.11
4	14	1.86	34	30.39	12.85
5	28	2.51	50	31.62	19.09
6	12	2.52	50	29.87	18.00
7	17	2.44	58	30.38	20.32

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.91	50	25.55	14.55
2	12	1.75	45	27.03	13.93
3	21	2.17	49	28.38	15.12
4	14	1.66	40	31.68	16.38
5	28	2.32	47	29.52	16.08
6	12	2.37	43	29.90	15.78
7	17	2.24	47	32.41	19.49

CAPITA



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	2.34	52	27.44	15.77
2	12	2.67	48	28.32	16.43
3	21	3.44	61	28.00	17.48
4	14	1.80	59	28.80	17.48
5	28	2.61	48	30.36	18.48
6	12	2.68	41	31.15	18.10
7	17	2.15	45	32.84	18.85

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.00	58	21.77	12.77
2	12	2.76	62	25.22	17.86
3	21	4.75	74	24.09	19.09
4	14	1.08	81	21.78	19.04
5	28	2.72	68	31.40	18.68
6	12	2.53	45	32.17	18.42
7	17	2.25	42	33.48	18.25



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	0.96	70	24.52	18.11
2	12	4.04	68	25.36	18.76
3	21	2.56	68	17.77	11.13
4	14	1.91	48	23.34	9.51
5	28	2.80	58	30.58	21.36
6	12	3.10	68	27.12	20.04
7	17	2.16	58	28.92	17.98

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.77	52	24.77	13.55
2	12	1.76	50	22.17	11.26
3	21	1.69	45	22.40	9.86
4	14	1.68	42	24.32	10.02
5	28	2.01	63	26.52	18.76
6	12	5.24	68	23.37	17.05
7	17	2.76	81	26.00	17.54

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.91	99	25.92	10.21
2	12	1.70	45	24.87	11.19
3	21	2.11	42	24.49	10.65
4	14	1.88	41	25.55	11.34
5	28	6.44	74	24.99	19.73
6	12	6.84	82	22.35	19.18
7	17	2.48	91	26.85	15.81



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.40	58	28.89	19.43
2	12	2.63	91	25.13	13.59
3	21	5.18	68	23.83	18.02
4	14	2.78	52	24.28	12.73
5	28	3.34	71	27.57	21.05
6	12	2.39	69	27.17	21.01
7	17	2.69	58	28.48	18.68

CAPITA



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.61	37	30.99	16.55
2	12	3.73	59	28.88	18.68
3	21	4.23	64	28.05	18.04
4	14	2.57	50	27.61	15.88
5	20	3.33	66	29.36	22.35
6	12	2.48	57	30.18	20.83
7	17	2.32	52	30.08	19.06

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	3.08	47	29.80	17.21
2	12	5.36	68	27.00	20.73
3	21	5.88	55	29.30	19.50
4	14	2.08	45	30.76	17.28
5	20	3.51	63	30.30	22.37
6	12	3.37	62	30.06	21.98
7	17	2.36	57	28.57	19.66



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	5.65	57	29.10	19.66
2	12	5.31	60	28.09	19.62
3	21	4.81	58	29.49	19.73
4	14	1.98	47	30.55	17.81
5	20	4.10	62	29.83	21.70
6	12	4.34	60	30.59	21.98
7	17	2.26	53	31.04	20.02



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	4.31	48	31.94	18.99
2	12	5.29	55	30.04	19.90
3	21	5.63	63	28.84	20.09
4	14	3.93	54	29.58	19.09
5	20	4.54	62	30.17	21.66
6	12	3.74	58	31.34	21.50
7	17	2.31	52	32.83	20.64



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	3.83	54	31.22	20.99
2	12	6.47	59	29.99	21.01
3	21	5.37	62	29.73	21.63
4	14	2.05	59	29.90	20.47
5	20	4.47	58	31.18	22.27
6	12	3.25	55	32.03	22.07
7	17	2.35	51	32.02	20.64



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	4.31	56	30.55	20.77
2	12	7.01	61	30.04	21.66
3	21	5.17	65	29.17	21.79
4	14	2.36	58	29.72	20.75
5	20	4.68	67	31.28	23.25
6	12	3.59	59	31.48	22.21
7	17	2.39	49	32.90	20.72

CAPITA



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	0.33	56	33.11	21.21
2	12	0.10	65	28.56	21.29
3	21	2.05	70	27.90	21.45
4	16	1.06	48	31.56	18.48
5	28	4.20	62	30.79	22.51
6	12	3.50	57	31.80	22.30
7	17	2.40	48	33.33	20.71



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	2.48	84	27.10	10.77
2	12	4.87	76	27.21	22.26
3	21	5.84	68	29.75	22.69
4	16	1.95	50	28.72	18.05
5	28	4.27	61	31.24	22.79
6	12	3.53	58	31.34	22.17
7	17	2.28	48	33.05	20.28



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	4.77	81	26.21	22.55
2	12	6.55	78	28.87	23.00
3	21	2.53	59	28.16	17.58
4	16	1.83	45	28.06	15.62
5	28	3.26	56	32.71	22.98
6	12	3.18	59	32.05	23.00
7	17	2.27	47	33.10	20.25

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	2.06	56	29.53	18.80
2	12	1.52	50	28.76	17.12
3	21	2.03	52	27.04	16.21
4	16	1.02	40	28.78	16.62
5	28	2.87	52	32.30	21.08
6	12	3.18	58	31.85	22.35
7	17	2.41	43	34.54	19.79

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.48	48	26.77	14.10
2	12	2.18	53	27.35	16.75
3	21	3.39	60	25.38	16.68
4	16	1.08	54	24.20	13.49
5	28	3.12	56	31.80	21.48
6	12	3.82	68	30.18	23.48
7	17	2.78	51	32.96	20.51



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.31	53	29.52	18.33
2	12	1.59	48	23.60	11.08
3	21	2.38	59	20.29	11.75
4	16	2.20	58	25.83	18.62
5	28	2.55	58	30.51	18.00
6	12	2.93	61	29.81	21.38
7	17	2.23	58	31.78	21.59

CAPITA



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.91	50	25.10	11.06
2	12	2.32	54	23.83	13.68
3	21	3.58	59	23.14	14.58
4	14	3.20	66	20.20	14.78
5	20	3.06	56	20.64	10.26
6	12	5.16	59	30.04	21.83
7	17	2.80	63	32.52	21.27



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.48	46	25.10	12.21
2	12	2.02	46	25.45	12.81
3	21	2.58	52	25.55	14.91
4	14	3.00	59	20.29	10.00
5	20	3.75	58	20.80	10.63
6	12	5.30	55	31.08	21.01
7	17	2.33	46	33.69	19.88



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.98	42	27.43	13.44
2	12	3.70	51	26.43	15.22
3	21	5.38	50	26.53	15.41
4	14	3.62	65	27.45	19.58
5	20	4.31	61	28.25	19.07
6	12	5.70	60	29.81	21.08
7	17	2.93	46	34.18	18.83



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	2.38	42	28.55	15.44
2	12	3.11	45	27.38	14.35
3	21	3.84	53	24.84	16.02
4	14	2.77	62	27.57	19.08
5	20	4.11	61	28.53	20.43
6	12	5.19	63	30.52	21.38
7	17	2.36	46	34.87	20.42



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	2.30	53	24.10	15.21
2	12	4.04	51	28.03	15.68
3	21	3.58	53	26.39	16.03
4	14	4.08	51	24.87	15.18
5	20	3.63	69	27.31	20.04
6	12	5.45	63	25.35	22.17
7	17	2.48	48	33.30	20.61

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	2.17	45	23.71	15.48
2	12	3.38	50	27.27	16.35
3	21	5.11	61	25.95	17.36
4	14	5.33	53	26.58	15.02
5	20	7.19	60	29.36	20.39
6	12	3.55	45	29.39	21.57
7	17	2.84	54	31.17	20.41

CAPITA



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	2.80	60	29.92	18.77
2	12	2.21	48	27.58	16.10
3	21	5.07	50	27.82	18.59
4	16	4.03	51	28.05	18.76
5	28	3.20	68	26.12	19.53
6	12	3.08	72	25.00	19.53
7	17	3.55	48	31.82	18.16



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.44	90	20.10	18.08
2	12	2.75	68	20.06	17.35
3	21	5.45	58	20.35	18.82
4	16	3.80	66	20.70	18.42
5	28	4.06	68	27.21	20.35
6	12	5.59	70	25.92	20.04
7	17	2.96	41	32.46	18.85



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.81	68	29.90	17.93
2	12	3.62	58	29.63	17.81
3	21	8.35	58	28.87	17.29
4	16	3.84	43	31.10	18.84
5	16	3.66	66	28.98	21.69
6	7	6.79	69	28.72	21.02
7	17	2.98	41	32.84	17.18



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	3.67	48	30.33	18.88
2	12	5.58	49	30.84	19.05
3	21	7.27	49	29.30	17.77
4	16	3.98	49	30.83	19.82
5	28	3.20	59	30.83	21.06
6	12	6.78	57	30.84	20.84
7	17	3.04	45	32.48	18.32



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	4.26	43	32.77	18.54
2	12	5.01	47	30.73	18.74
3	21	7.45	52	29.56	18.59
4	16	2.58	44	27.05	13.56
5	28	3.10	58	30.85	21.60
6	12	6.37	58	30.75	21.75
7	17	2.69	48	32.48	19.60

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	4.92	40	29.11	17.93
2	12	6.62	50	31.01	19.43
3	21	3.65	50	28.63	16.52
4	16	2.22	48	25.39	13.24
5	28	3.16	59	30.68	21.60
6	12	6.10	57	31.15	21.09
7	17	2.47	45	33.13	19.43

CAPITA



REGION	# STNS	HEAT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	3.01	48	28.66	18.66
2	12	3.36	52	27.77	16.84
3	21	2.23	49	28.97	19.00
4	14	2.05	59	26.70	17.29
5	28	3.50	57	31.32	21.68
6	12	4.41	62	30.55	22.40
7	17	2.36	43	30.05	18.26

REGION	# STNS	HEAT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.31	38	25.10	9.09
2	12	1.98	41	26.87	12.17
3	21	4.03	63	25.84	17.38
4	14	2.76	64	26.60	18.06
5	28	3.37	56	30.87	20.82
6	12	5.23	60	30.87	22.35
7	17	2.34	45	33.05	18.73



REGION	# STNS	HEAT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.91	48	26.88	12.52
2	12	3.58	58	26.38	17.12
3	21	4.08	69	27.05	20.38
4	14	2.20	46	29.41	18.67
5	28	3.65	61	30.17	21.84
6	12	4.10	65	28.53	21.80
7	17	2.33	53	32.18	21.10

REGION	# STNS	HEAT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	3.31	72	22.66	18.10
2	12	4.20	78	26.61	23.69
3	21	2.98	57	28.15	15.58
4	14	1.98	43	29.51	9.87
5	28	2.93	61	30.15	21.97
6	12	3.29	67	29.30	22.83
7	17	2.27	55	31.48	21.06

REGION	# STNS	HEAT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.39	48	24.80	13.33
2	12	1.74	41	25.18	10.82
3	21	2.12	49	24.30	11.18
4	14	1.95	45	24.85	11.54
5	28	3.01	57	30.05	20.61
6	12	3.20	61	29.87	21.29
7	17	2.54	57	31.20	21.38

REGION	# STNS	HEAT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.94	44	23.86	10.66
2	12	1.73	42	25.41	11.57
3	21	4.56	66	22.82	15.69
4	14	2.25	51	24.43	12.63
5	28	3.46	62	29.88	20.95
6	12	3.28	65	30.41	22.66
7	17	2.28	52	30.25	21.32

CAPITA

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	7.42	80	30.77	30.00
2	12	6.30	70	23.05	30.07
3	21	2.50	54	25.59	13.05
4	16	1.00	37	26.62	10.71
5	20	6.35	73	27.83	22.41
6	12	3.35	79	20.80	21.47
7	17	2.20	52	30.05	10.31

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.31	40	22.00	13.40
2	12	2.33	50	23.70	12.67
3	21	2.11	51	25.22	13.51
4	16	1.00	30	27.77	12.08
5	20	3.55	66	27.47	18.00
6	12	2.02	55	27.21	17.44
7	17	3.32	51	28.06	17.47

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.00	47	25.33	13.21
2	12	2.63	48	25.70	14.16
3	21	2.40	58	27.29	15.06
4	16	2.10	41	28.84	13.44
5	20	3.45	62	28.80	18.99
6	12	3.07	55	28.29	18.28
7	17	3.20	44	30.12	15.81



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	2.33	47	28.32	15.86
2	12	3.10	51	27.43	16.39
3	21	2.67	48	28.80	16.95
4	16	2.10	38	30.91	14.75
5	20	4.67	60	28.60	18.95
6	12	5.26	59	28.10	19.20
7	17	2.62	43	30.75	15.74

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	2.19	52	25.08	13.44
2	12	3.58	52	28.32	17.44
3	21	3.01	54	28.51	18.14
4	16	2.37	42	29.60	16.58
5	20	4.38	57	29.67	20.23
6	12	4.36	61	28.23	19.87
7	17	2.85	40	31.43	15.35



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	2.70	59	23.93	15.33
2	12	4.85	55	29.35	19.36
3	21	5.60	59	29.01	18.00
4	16	2.78	44	27.93	14.51
5	20	3.78	56	30.53	20.61
6	12	5.55	59	29.98	20.78
7	17	3.38	43	30.87	15.97

CAPITA

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.48	48	29.84	12.55
2	12	3.01	46	26.10	10.24
3	21	4.05	66	25.85	17.59
4	14	2.88	67	28.83	18.43
5	28	4.15	53	31.66	20.70
6	12	3.32	69	30.08	22.12
7	17	2.88	48	30.65	17.76



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.32	58	21.66	10.21
2	12	3.05	65	23.68	15.08
3	21	5.05	55	30.78	20.09
4	14	2.08	48	25.27	13.32
5	28	3.04	54	31.76	21.34
6	12	2.47	61	30.87	22.48
7	17	3.16	58	28.79	16.66

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.52	46	21.46	6.68
2	12	1.76	46	22.63	10.41
3	21	1.81	58	22.11	11.25
4	14	2.51	48	25.67	13.84
5	28	2.67	52	33.56	20.61
6	12	2.41	58	31.36	21.43
7	17	2.94	58	28.69	20.77



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.31	30	16.21	1.09
2	12	1.69	38	20.36	6.57
3	21	2.05	48	23.22	10.09
4	14	2.63	52	26.43	16.20
5	28	2.33	58	29.66	17.67
6	12	3.08	61	29.78	21.47
7	17	3.37	68	27.44	20.67



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.31	33	20.21	9.33
2	12	1.92	48	22.17	7.63
3	21	3.18	51	27.68	15.08
4	14	3.01	58	27.25	17.01
5	28	3.16	55	29.10	18.88
6	12	3.08	55	31.15	21.38
7	17	2.51	62	28.47	21.26



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.48	60	19.10	11.10
2	12	3.09	67	22.46	15.92
3	21	3.35	72	25.93	20.12
4	14	2.08	58	26.96	17.13
5	28	3.38	62	29.91	21.97
6	12	2.61	66	29.96	21.80
7	17	2.26	58	31.82	21.53

CAPITA

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	0.32	82	24.55	21.39
2	12	2.72	67	20.80	10.68
3	21	5.19	84	25.92	18.40
4	14	1.88	43	28.38	13.84
5	20	2.48	65	31.56	21.44
6	12	2.26	68	28.80	21.43
7	17	2.22	53	32.20	21.07



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	9	1.81	98	25.44	16.77
2	12	1.80	58	25.87	15.31
3	21	2.54	56	28.31	18.38
4	14	2.01	57	27.57	17.45
5	20	2.30	58	30.81	21.06
6	12	2.10	65	29.34	21.08
7	17	2.10	52	32.35	21.10



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	9	1.34	52	20.10	9.98
2	12	1.81	45	23.23	10.68
3	21	4.09	67	24.87	17.82
4	14	2.80	53	30.39	18.80
5	20	2.42	52	29.38	18.50
6	12	2.74	55	31.15	21.15
7	17	2.20	52	32.18	21.06



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.28	68	16.55	10.68
2	12	1.98	48	23.47	11.05
3	21	3.32	63	28.35	20.70
4	14	1.92	58	25.87	13.79
5	20	2.95	55	28.52	18.38
6	12	2.96	67	28.58	22.12
7	17	2.68	48	32.56	19.66



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.40	67	17.94	11.21
2	12	2.02	55	23.62	14.02
3	21	2.68	63	25.23	17.77
4	14	1.83	48	26.22	11.48
5	20	3.26	57	28.56	19.16
6	12	3.47	67	29.87	22.06
7	17	2.42	58	30.84	20.64



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	0.23	81	17.38	13.68
2	12	5.81	80	21.83	17.81
3	21	2.98	69	25.12	16.47
4	14	2.35	64	22.91	14.64
5	20	3.41	81	23.60	20.25
6	12	3.27	81	30.00	21.93
7	17	2.33	47	32.81	18.40

CAPITA



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	6.08	81	22.10	18.88
2	12	6.56	78	26.80	20.87
3	21	1.08	58	23.23	10.55
4	14	1.80	38	18.12	6.87
5	20	3.02	57	31.90	21.46
6	12	3.35	81	28.88	20.55
7	17	2.23	48	28.10	15.84

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.51	38	21.39	8.98
2	12	1.68	45	21.38	8.31
3	21	1.91	40	21.21	8.97
4	14	1.86	38	22.21	8.86
5	20	2.64	67	27.81	18.54
6	12	2.58	58	27.58	17.62
7	17	2.68	58	28.98	18.97

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.51	40	22.32	8.21
2	12	1.60	42	22.86	8.31
3	21	2.48	49	22.45	10.85
4	14	1.86	50	14.78	8.46
5	20	3.02	68	26.62	17.77
6	12	2.53	49	28.85	17.07
7	17	2.38	58	30.85	20.25



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.53	51	22.77	11.09
2	12	2.14	58	22.68	13.08
3	21	4.06	73	16.74	11.32
4	14	3.61	74	8.86	4.29
5	20	2.62	57	27.57	18.18
6	12	3.56	59	29.87	20.87
7	17	2.83	71	28.93	20.38



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.09	70	13.94	7.66
2	12	5.05	76	18.83	14.30
3	21	8.09	87	15.70	13.56
4	14	5.17	88	10.53	9.68
5	20	2.75	56	29.89	20.23
6	12	3.48	58	30.15	20.55
7	17	2.42	81	29.73	21.25

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	7.57	96	12.10	9.21
2	12	7.58	96	21.20	18.78
3	21	6.55	89	26.28	19.81
4	14	2.82	72	14.18	9.04
5	20	3.18	56	30.63	20.29
6	12	2.54	55	30.82	20.53
7	17	2.85	58	29.80	19.93

CAPITA

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	0.45	77	19.10	16.77
2	12	3.71	67	25.00	17.60
3	21	5.49	85	19.75	12.30
4	14	3.60	72	15.43	10.11
5	28	2.65	56	31.80	20.57
6	12	2.95	52	30.60	19.07
7	17	3.01	67	27.70	20.71



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.53	80	17.10	7.82
2	12	2.01	63	22.12	12.17
3	21	8.86	70	22.90	16.71
4	14	2.06	75	17.89	12.89
5	28	2.93	56	29.85	20.33
6	12	2.78	57	30.59	21.10
7	17	2.76	66	28.58	21.33



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	10.30	60	16.55	10.60
2	12	13.02	60	21.05	10.02
3	21	4.31	73	20.41	15.56
4	14	3.46	63	22.39	16.16
5	28	3.20	58	30.25	21.28
6	12	2.62	64	29.81	22.03
7	17	2.91	64	28.72	21.29



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.98	53	24.21	10.10
2	12	1.71	55	21.10	11.80
3	21	2.70	56	23.81	15.57
4	14	4.32	64	23.70	18.34
5	28	2.52	55	29.28	19.09
6	12	3.30	60	30.66	21.29
7	17	2.55	59	30.16	21.00

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.61	50	22.60	12.10
2	12	2.28	54	23.29	13.55
3	21	5.52	64	25.55	18.14
4	14	2.50	60	26.70	17.65
5	29	3.24	59	27.97	19.16
6	12	2.68	58	31.20	21.36
7	17	2.30	58	31.01	21.04



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	0.31	53	24.55	15.93
2	12	4.17	49	26.23	19.03
3	21	3.32	62	29.65	21.02
4	14	1.83	53	27.58	21.56
5	29	3.26	57	33.13	23.78
6	12	2.93	57	33.15	23.65
7	17	2.29	59	30.66	23.04

CAPITA

Reproduced from
best available copy.

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	4.48	81	29.00	21.55
2	12	3.79	58	30.65	21.34
3	21	3.79	70	25.09	17.56
4	16	2.43	80	18.90	7.83
5	28	2.90	53	31.56	20.94
6	12	2.51	55	31.76	21.33
7	17	2.01	83	28.46	20.16

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	2.52	58	27.55	16.99
2	12	4.27	56	28.56	19.25
3	21	3.88	73	22.24	17.03
4	16	3.12	66	18.70	8.67
5	28	2.98	55	31.38	21.18
6	12	2.70	58	30.15	21.08
7	17	2.59	66	22.62	16.89

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.81	58	22.94	13.99
2	12	4.16	58	30.18	21.01
3	21	3.28	69	23.22	17.05
4	16	2.87	71	15.88	10.43
5	28	2.73	67	30.38	20.67
6	12	2.29	81	29.30	21.01
7	17	2.34	56	27.47	17.21



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	3.34	83	27.50	19.99
2	12	3.91	61	28.55	20.78
3	21	2.88	69	23.30	16.29
4	16	4.13	74	13.80	9.04
5	28	2.68	57	30.33	20.67
6	12	2.69	66	28.48	20.83
7	17	2.23	66	27.56	19.83



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	2.78	65	24.11	16.99
2	12	3.35	57	28.65	19.25
3	21	3.22	75	17.21	12.66
4	16	1.78	48	13.88	2.79
5	28	2.43	55	30.58	20.47
6	12	2.48	61	28.83	20.55
7	17	2.30	63	19.73	11.78

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	3.92	88	16.33	14.32
2	12	2.47	77	18.76	10.53
3	21	1.86	58	15.65	5.09
4	16	1.60	82	17.37	4.04
5	28	2.59	67	25.53	18.56
6	12	2.22	71	19.25	13.65
7	17	2.36	58	17.87	9.08

CAPITA

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.81	58	16.83	6.88
2	12	2.65	60	16.96	8.43
3	21	2.09	50	13.58	3.08
4	14	1.88	38	20.05	5.31
5	28	2.26	67	22.25	12.83
6	12	2.08	42	21.58	8.28
7	17	2.26	47	20.68	8.55

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.61	66	14.10	7.95
2	12	1.78	69	12.68	8.08
3	21	1.95	62	15.69	5.80
4	14	1.88	57	24.88	6.52
5	28	2.11	46	21.06	8.17
6	12	1.98	38	21.70	7.17
7	17	2.21	47	22.88	10.87



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.56	68	13.68	8.98
2	12	2.21	67	16.18	6.43
3	21	2.07	56	17.56	8.67
4	14	2.03	49	22.87	9.28
5	28	2.26	45	24.32	11.22
6	12	2.10	46	25.92	12.81
7	17	2.22	46	25.78	12.77



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	2.42	66	14.21	7.88
2	12	2.56	67	15.41	7.81
3	21	2.09	54	16.61	7.27
4	14	2.25	43	23.32	8.48
5	28	2.32	45	24.85	11.39
6	12	2.28	48	25.59	12.53
7	17	2.27	49	26.68	14.78

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	2.51	65	15.99	9.44
2	12	2.32	56	19.20	10.27
3	21	2.41	48	21.87	8.40
4	14	2.05	32	21.78	4.28
5	28	2.53	53	25.84	15.33
6	12	2.37	45	27.35	14.62
7	17	2.38	47	27.84	15.09

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	3.58	78	19.44	16.93
2	12	2.78	61	19.85	11.78
3	21	1.84	43	12.95	0.19
4	14	1.80	31	14.87	-2.16
5	28	2.38	46	20.68	15.09
6	12	2.27	38	26.70	11.06
7	17	2.39	47	27.47	14.73

CAPITA

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.45	52	10.10	0.90
2	12	1.76	45	14.82	2.17
3	21	1.04	52	15.04	-0.32
4	14	1.88	86	21.38	6.58
5	28	2.14	33	23.26	5.43
6	12	1.98	26	21.24	1.80
7	17	2.48	56	26.99	16.03

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.91	48	19.88	9.10
2	12	1.76	41	16.15	3.81
3	21	2.18	44	20.82	7.08
4	14	2.27	68	28.67	11.98
5	28	2.14	35	26.30	7.20
6	12	2.02	29	25.13	5.87
7	17	2.11	87	26.25	17.03

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.81	68	18.21	9.10
2	12	2.27	53	20.18	10.18
3	21	2.56	43	25.22	9.75
4	14	2.76	64	28.98	12.13
5	28	2.36	43	26.10	12.27
6	12	2.32	48	24.65	12.05
7	17	2.48	61	26.82	17.83



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	2.19	58	22.45	12.15
2	12	3.15	93	21.07	17.19
3	21	3.03	55	22.85	13.31
4	14	4.09	88	0.83	6.36
5	28	2.56	52	25.91	15.19
6	12	2.53	69	22.91	15.67
7	17	2.43	81	27.03	18.36



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	5.38	59	23.21	16.66
2	12	6.41	52	23.76	19.23
3	21	4.56	69	20.65	16.41
4	14	5.13	82	5.27	2.45
5	28	2.60	58	25.31	16.36
6	12	3.16	72	22.81	17.46
7	17	3.65	86	26.39	20.71



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	6.36	59	23.68	18.68
2	12	3.76	58	22.63	19.19
3	21	3.15	67	19.89	13.46
4	14	5.34	93	4.54	-0.27
5	28	2.50	60	25.54	16.03
6	12	3.23	69	23.00	15.69
7	17	2.09	91	15.13	1.92

CAPITA

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	10.32	80	17.39	13.54
2	12	4.12	67	20.82	14.49
3	21	2.00	55	11.37	2.35
4	14	2.01	57	8.09	-0.32
5	28	3.38	64	25.06	18.44
6	12	2.77	68	18.19	11.68
7	17	2.21	48	18.34	6.33

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	7.48	78	17.95	13.55
2	12	7.46	77	18.55	14.34
3	21	3.08	62	14.87	7.27
4	14	3.23	68	10.78	4.84
5	28	3.09	61	26.50	18.30
6	12	3.82	64	24.38	17.05
7	17	4.32	68	20.98	13.81



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	6.83	74	19.48	14.77
2	12	6.93	72	20.66	15.45
3	21	8.55	78	17.50	13.00
4	14	3.22	65	13.64	6.66
5	28	3.31	68	26.58	17.73
6	12	2.80	67	24.34	18.38
7	17	3.10	66	20.28	12.70



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	6.05	79	20.10	15.32
2	12	5.02	79	20.47	16.52
3	21	6.76	68	18.99	16.21
4	14	4.52	73	13.42	6.58
5	28	3.52	59	26.84	17.61
6	12	2.61	66	24.11	18.52
7	17	2.04	56	22.83	12.60

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	4.03	71	21.55	15.99
2	12	3.11	71	22.31	16.75
3	21	3.09	78	15.41	11.42
4	14	2.18	59	8.01	-0.11
5	28	3.50	66	26.18	19.04
6	12	2.47	70	22.91	17.03
7	17	2.37	58	21.48	12.41



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	4.72	83	19.99	16.68
2	12	6.26	69	17.54	15.73
3	21	2.18	58	10.83	1.93
4	14	1.50	46	9.74	-1.46
5	28	4.91	74	24.86	19.26
6	12	5.57	77	18.83	14.78
7	17	2.54	62	16.76	9.11

CAPITA



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	2.01	75	6.32	4.30
2	12	1.70	50	10.79	0.32
3	21	2.01	43	9.85	-2.40
4	14	1.80	42	19.93	0.49
5	20	2.32	56	10.32	0.62
6	12	1.93	66	15.73	9.47
7	17	2.00	86	15.20	8.15

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.78	88	4.98	-1.80
2	12	1.80	65	7.21	-6.30
3	21	2.04	95	13.14	1.59
4	14	1.95	48	14.12	2.17
5	20	2.15	41	16.72	2.76
6	12	1.94	39	18.15	1.99
7	17	2.43	60	14.89	8.96

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.45	47	13.88	2.21
2	12	1.88	48	15.96	5.04
3	21	2.12	46	15.32	4.41
4	14	2.24	54	12.81	5.82
5	20	2.29	59	20.04	5.98
6	12	2.43	47	17.77	5.83
7	17	2.64	62	18.59	8.95

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.58	28	9.77	-7.77
2	12	1.97	37	14.20	-0.32
3	21	3.19	52	15.81	5.73
4	14	2.12	57	14.94	5.25
5	20	2.95	47	21.70	9.38
6	12	3.45	67	18.89	10.64
7	17	3.23	66	18.63	11.30



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.68	35	12.80	-2.46
2	12	2.03	49	15.22	4.57
3	21	3.50	82	12.19	9.07
4	14	3.58	58	15.15	6.56
5	20	4.06	75	19.92	14.53
6	12	4.01	82	17.49	14.36
7	17	2.42	57	21.29	12.20



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.53	49	12.80	7.22
2	12	3.28	82	15.32	12.26
3	21	7.81	79	13.35	9.78
4	14	5.17	83	15.30	9.08
5	20	5.62	68	20.69	17.05
6	12	4.08	98	17.28	12.86
7	17	2.87	62	22.50	15.99

CAPITA



REGION	# STNS	DEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.03	79	14.60	9.98
2	12	4.58	86	16.66	14.71
3	21	5.62	68	15.02	8.25
4	14	5.97	65	15.82	8.60
5	28	3.20	68	22.67	15.66
6	12	5.83	62	19.20	11.81
7	17	8.00	69	25.88	18.17



REGION	# STNS	DEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	6.61	60	16.21	14.49
2	12	2.75	83	16.86	13.87
3	21	8.23	68	15.02	10.15
4	14	8.48	75	15.47	10.71
5	28	3.31	56	22.85	13.05
6	12	5.22	59	20.78	12.48
7	17	2.78	87	21.78	18.68



REGION	# STNS	DEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.89	68	17.88	11.68
2	12	2.05	66	17.84	10.73
3	21	4.09	65	17.32	10.52
4	14	8.28	70	16.30	10.55
5	28	3.82	62	22.25	14.51
6	12	4.80	77	19.39	14.94
7	17	5.04	63	23.85	12.25



REGION	# STNS	DEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.45	69	12.10	6.55
2	12	3.79	76	15.32	11.05
3	21	8.53	69	16.92	11.02
4	14	5.41	68	14.67	8.40
5	28	3.08	66	22.11	15.78
6	12	5.26	66	21.26	14.67
7	17	2.40	58	24.88	15.81



REGION	# STNS	DEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.53	69	9.99	4.55
2	12	3.01	77	14.16	10.08
3	21	7.98	74	16.92	11.68
4	14	3.65	68	10.59	4.83
5	28	3.45	61	21.30	13.34
6	12	2.88	61	23.00	14.95
7	17	2.45	60	28.33	17.21



REGION	# STNS	DEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.00	61	5.55	-1.55
2	12	1.98	60	11.19	3.65
3	21	6.58	73	17.87	12.87
4	14	2.01	70	8.20	2.97
5	28	2.66	62	19.32	11.78
6	12	3.41	60	22.28	14.16
7	17	2.94	62	18.29	12.48

CAPITA

Reproduced from best available copy.



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.61	43	10.89	-2.21
2	12	2.10	57	11.86	2.68
3	21	5.83	76	15.22	8.58
4	14	3.29	82	7.33	0.23
5	20	2.61	84	10.34	12.36
6	12	8.36	78	16.34	12.77
7	17	2.54	47	18.48	8.52



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.40	46	11.44	-0.33
2	12	2.18	61	12.86	2.06
3	21	4.73	68	12.27	0.29
4	14	1.98	68	7.48	-0.83
5	20	5.38	76	19.06	14.36
6	12	8.88	82	14.85	11.56
7	17	2.13	36	17.98	1.88



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.70	44	11.80	-0.22
2	12	3.60	70	12.03	8.28
3	21	5.78	59	13.85	5.25
4	14	2.51	68	5.96	0.59
5	20	5.07	68	19.77	16.83
6	12	2.58	60	17.91	8.28
7	17	2.20	31	20.52	2.36



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.62	98	12.66	0.98
2	12	2.48	75	12.81	8.37
3	21	2.48	68	11.76	4.09
4	14	2.31	67	4.79	-1.11
5	20	3.87	76	20.45	15.68
6	12	2.73	48	20.36	8.76
7	17	2.28	41	20.25	6.30



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.57	48	14.94	2.99
2	12	3.00	72	15.18	9.95
3	21	2.58	58	10.07	1.61
4	14	2.52	68	5.47	-0.67
5	20	3.49	75	19.77	14.95
6	12	2.60	61	18.51	10.84
7	17	2.01	58	16.90	7.51



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.58	78	13.88	8.43
2	12	2.52	72	14.85	9.81
3	21	8.49	69	7.32	4.70
4	14	4.72	80	3.98	0.58
5	20	3.41	66	20.38	13.62
6	12	3.45	74	14.07	8.93
7	17	2.27	52	12.18	2.19

CAPITA

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.77	84	12.89	4.22
2	12	2.98	85	13.00	6.78
3	21	3.43	74	8.76	2.48
4	14	4.08	80	8.52	0.81
5	28	3.23	61	18.44	10.55
6	12	2.25	54	11.76	2.17
7	17	2.16	48	12.47	-0.16

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	2.08	88	10.99	9.52
2	12	3.21	75	11.24	7.77
3	21	2.97	77	7.50	3.58
4	14	2.97	88	4.75	-0.78
5	28	3.61	54	12.61	3.33
6	12	2.68	82	7.68	0.58
7	17	2.16	48	11.65	-1.58

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	3.15	88	6.98	3.66
2	12	2.26	65	8.18	1.66
3	21	2.52	78	7.93	2.80
4	14	1.88	83	9.40	-0.32
5	28	2.13	47	13.72	2.38
6	12	2.13	53	12.31	2.81
7	17	2.21	87	10.28	0.58



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.91	56	8.99	-5.30
2	12	1.77	55	9.67	0.87
3	21	2.58	58	12.21	4.01
4	14	1.98	48	13.81	0.91
5	28	2.16	40	17.83	3.20
6	12	2.68	37	17.28	2.35
7	17	3.19	37	18.81	3.28



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	2.05	50	14.99	4.43
2	12	2.75	55	14.25	5.18
3	21	2.60	59	11.39	3.72
4	14	3.25	87	7.41	1.06
5	28	2.23	40	20.11	6.02
6	12	2.18	47	19.02	7.35
7	17	2.38	45	22.71	9.40



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.47	47	8.46	-2.03
2	12	2.23	54	11.58	2.96
3	21	4.71	69	12.83	5.73
4	14	6.82	69	7.63	4.48
5	28	2.70	42	20.76	7.31
6	12	2.04	50	20.22	9.30
7	17	2.28	52	22.74	11.59

CAPITA



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.45	86	10.10	8.86
2	12	2.00	88	12.60	9.86
3	21	4.97	87	14.85	8.25
4	14	8.80	81	8.80	5.78
5	28	2.87	56	20.50	10.56
6	12	2.81	81	10.57	10.22
7	17	2.20	48	18.19	5.06



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	0.71	81	11.89	7.00
2	12	0.00	66	10.56	11.89
3	21	4.25	78	9.91	8.50
4	14	4.07	66	0.89	2.77
5	28	5.67	77	10.66	14.50
6	12	2.95	72	15.70	8.66
7	17	2.10	58	10.65	8.72



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	9.43	86	14.21	11.86
2	12	7.64	88	15.81	13.51
3	21	5.25	78	9.50	5.71
4	14	9.46	77	4.26	0.90
5	28	6.12	77	18.46	13.96
6	12	5.79	78	14.07	8.37
7	17	2.54	62	18.68	8.10



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.50	71	12.10	6.98
2	12	5.18	60	13.83	12.30
3	21	8.19	75	10.96	8.19
4	14	3.78	72	3.35	-0.35
5	28	6.70	71	18.72	13.05
6	12	8.27	78	14.62	9.30
7	17	2.10	48	14.79	2.51



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	3.58	85	8.88	8.48
2	12	8.78	88	8.06	8.46
3	21	5.02	78	8.19	6.57
4	14	4.46	70	3.25	-0.55
5	28	9.21	62	18.78	11.00
6	12	8.18	88	14.25	8.57
7	17	8.07	78	19.82	8.86



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.81	75	8.21	3.72
2	12	2.16	88	8.32	6.84
3	21	4.79	78	2.72	-1.29
4	14	2.29	85	-0.51	-6.58
5	28	6.21	76	18.28	13.82
6	12	5.59	88	13.35	8.60
7	17	2.81	66	9.47	2.88

CAPITA



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	0.48	84	8.33	4.96
2	12	0.58	84	8.00	7.08
3	21	2.33	85	1.97	-5.10
4	14	1.86	58	2.02	-8.22
5	28	3.10	68	10.20	7.41
6	12	2.81	71	4.50	-0.89
7	17	2.28	48	7.77	-3.48

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.09	88	8.21	6.90
2	12	1.76	80	4.63	-2.72
3	21	2.10	58	3.08	-4.89
4	14	2.07	69	7.38	-2.10
5	28	2.27	62	8.28	-0.31
6	12	2.38	51	5.54	-3.88
7	17	2.20	57	12.60	-0.16



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.66	66	8.88	-0.66
2	12	2.20	64	6.66	-2.21
3	21	3.04	59	0.29	-1.29
4	14	2.81	61	7.67	0.11
5	28	2.53	47	11.40	0.27
6	12	2.47	48	9.37	-0.73
7	17	2.29	42	16.62	2.68

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	2.01	80	8.55	-0.84
2	12	2.47	82	7.35	0.55
3	21	3.98	80	7.35	0.10
4	14	2.58	85	8.40	0.00
5	28	3.70	58	12.81	4.36
6	12	5.22	88	11.84	5.78
7	17	2.91	94	19.70	2.80



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	2.54	84	8.88	6.30
2	12	4.20	68	10.82	5.02
3	21	6.05	78	8.22	5.70
4	14	7.51	82	4.20	1.28
5	28	4.38	57	17.07	8.15
6	12	6.85	71	15.92	10.50
7	17	2.91	48	20.81	8.50

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.97	80	8.77	5.44
2	12	4.38	76	11.01	6.88
3	21	2.67	78	6.88	3.19
4	14	1.83	80	5.19	-2.41
5	28	3.00	67	19.36	12.57
6	12	2.01	54	14.53	5.06
7	17	2.27	53	17.67	0.80

CAPITA

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.32	55	8.10	0.08
2	12	1.72	47	9.80	-1.75
3	21	2.21	58	7.77	-8.05
4	14	3.14	63	5.69	-1.54
5	28	2.14	38	16.65	2.14
6	12	2.10	39	15.42	-0.58
7	17	2.36	47	21.07	9.85

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.58	58	8.88	0.11
2	12	1.75	48	11.24	0.08
3	21	2.19	55	4.88	-5.48
4	14	2.88	48	-6.58	-19.84
5	28	2.24	48	18.76	7.22
6	12	2.47	58	15.27	8.88
7	17	2.31	47	17.81	8.85

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.58	84	8.44	-0.22
2	12	3.01	48	0.23	-10.08
3	21	3.88	55	-7.55	-15.07
4	14	1.88	48	-8.12	-18.88
5	28	3.22	48	10.17	-0.83
6	12	2.17	48	0.88	-11.75
7	17	2.11	24	8.58	-12.77



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	4.43	58	-0.33	-8.88
2	12	3.38	57	-1.86	-9.02
3	21	3.18	58	-4.85	-12.08
4	14	2.16	51	-9.68	-19.48
5	28	2.23	37	2.25	-11.16
6	12	2.17	43	-3.19	-14.28
7	17	2.08	27	6.25	-12.28

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.38	48	-0.88	-10.77
2	12	2.18	57	-0.73	-8.37
3	21	2.17	48	-0.50	-10.63
4	14	1.88	48	8.55	-8.42
5	28	2.32	38	5.88	-7.61
6	12	2.17	52	4.81	-10.55
7	17	2.24	48	16.27	1.78

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.88	57	1.00	-8.55
2	12	1.91	42	5.04	-7.07
3	21	2.99	61	8.88	-0.42
4	14	3.53	69	0.08	-5.35
5	28	2.34	37	13.58	-1.48
6	12	2.38	49	13.80	2.08
7	17	2.29	47	22.90	10.52

CAPITA



REGION	# STNS	DEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.00	86	5.99	-0.56
2	12	2.93	56	9.43	0.88
3	21	6.06	62	7.50	4.75
4	14	5.58	75	-0.51	-4.85
5	28	2.61	46	18.62	6.62
6	12	2.17	55	17.98	8.36
7	17	2.96	66	18.79	10.58



REGION	# STNS	DEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	0.80	86	5.46	2.86
2	12	6.78	75	9.25	3.63
3	21	5.75	86	4.70	2.14
4	14	5.64	78	1.22	-2.28
5	28	3.24	58	20.88	8.63
6	12	5.36	83	19.20	11.80
7	17	5.21	87	18.31	12.74



REGION	# STNS	DEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	2.00	68	3.99	0.91
2	12	3.87	71	7.12	3.07
3	21	3.93	68	6.86	7.27
4	14	3.58	81	0.21	0.16
5	28	3.06	66	18.81	11.58
6	12	4.34	84	21.15	13.85
7	17	2.68	62	22.02	14.08



REGION	# STNS	DEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	5.48	82	7.10	6.21
2	12	2.30	54	9.76	3.18
3	21	5.01	62	8.55	3.75
4	14	7.61	76	0.32	0.03
5	28	2.87	52	21.87	11.36
6	12	5.53	65	23.24	13.83
7	17	2.82	59	22.74	13.68



REGION	# STNS	DEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.81	80	4.22	-2.09
2	12	2.01	62	9.69	1.75
3	21	3.12	69	17.18	9.07
4	14	2.38	91	10.11	-1.50
5	28	3.15	59	19.20	10.76
6	12	3.26	80	21.10	12.02
7	17	2.47	69	22.34	10.08

REGION	# STNS	DEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	2.58	65	13.32	8.68
2	12	2.30	53	14.48	6.85
3	21	2.09	45	11.95	-0.58
4	14	1.89	50	8.10	-4.04
5	28	3.07	51	22.55	11.80
6	12	5.20	65	20.38	13.28
7	17	4.28	66	22.02	12.84

CAPITA



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	9	3.31	28	13.10	-0.98
2	12	3.93	66	13.00	-1.11
3	21	6.19	84	13.71	8.08
4	14	6.57	84	7.79	-9.21
5	28	3.36	54	21.26	11.48
6	12	2.92	84	21.70	18.48
7	17	3.00	93	28.08	10.91



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	9	0.28	82	3.89	0.44
2	12	2.60	88	6.66	+0.00
3	21	2.05	88	1.92	-4.45
4	14	2.01	91	2.69	-7.06
5	28	2.38	36	10.36	1.18
6	12	1.91	28	16.80	-5.00
7	17	2.42	61	10.69	4.00



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	9	1.40	81	-2.85	-11.95
2	12	1.85	61	0.97	-6.62
3	21	2.45	52	3.84	-8.39
4	14	3.38	41	-3.69	-18.20
5	28	2.50	42	14.50	1.21
6	12	2.78	49	15.00	-0.52
7	17	3.20	48	10.97	7.87



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	9	5.08	88	-2.77	-2.88
2	12	7.23	83	-1.71	-8.56
3	21	5.11	88	-4.14	-10.97
4	14	1.80	48	-9.61	-11.98
5	28	2.17	32	11.20	-6.61
6	12	1.35	38	5.27	-8.42
7	17	2.19	48	13.81	-0.16



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	9	1.34	48	-5.00	-15.21
2	12	2.14	51	-2.81	-12.03
3	21	3.41	55	-1.53	-9.73
4	14	1.82	48	4.76	-5.98
5	28	2.35	37	8.26	-5.33
6	12	2.15	57	5.48	-8.89
7	17	2.18	48	14.78	0.65

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	9	7.53	58	-0.77	-14.62
2	12	3.74	60	-1.34	-8.37
3	21	2.31	45	6.45	-4.75
4	14	2.03	59	7.45	-0.76
5	28	2.50	38	11.70	-2.37
6	12	2.19	30	12.07	-5.22
7	17	2.75	54	10.65	0.59



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	10.50	85	-4.10	-8.21
2	12	6.10	82	4.71	-2.91
3	21	5.73	58	8.68	1.08
4	14	3.54	82	-0.65	-6.06
5	28	2.75	47	18.17	6.42
6	12	5.03	56	15.78	8.80
7	17	6.00	65	20.00	11.00



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	2.06	81	-0.11	-0.00
2	12	2.64	81	5.13	-2.21
3	21	5.21	72	2.58	-2.11
4	14	10.34	78	-5.60	-6.70
5	28	3.36	58	19.77	8.74
6	12	8.12	71	17.54	12.12
7	17	2.58	94	21.43	12.05



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	2.41	60	-4.10	-10.00
2	12	8.31	83	0.32	-2.36
3	21	10.34	88	4.82	2.90
4	14	3.70	78	-5.70	-8.00
5	28	3.56	58	18.82	10.15
6	12	6.11	79	17.00	14.18
7	17	2.02	82	8.90	1.00



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	5.19	73	-5.93	-10.21
2	12	6.20	88	0.23	-1.52
3	21	7.93	68	0.83	-1.94
4	14	8.40	79	-1.30	-4.07
5	28	3.40	76	17.23	12.54
6	12	5.56	78	7.82	4.39
7	17	2.27	47	8.17	-2.12



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	0.70	83	-4.68	-7.32
2	12	0.97	91	0.55	-0.78
3	21	4.08	78	-0.05	-3.35
4	14	1.84	84	-3.50	-7.81
5	28	3.38	65	12.58	5.81
6	12	2.91	83	8.52	-0.27
7	17	2.31	92	8.78	-0.39

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	3.36	75	-4.55	-8.33
2	12	2.52	68	1.29	-3.93
3	21	2.69	84	-0.34	-8.52
4	14	2.67	85	-4.28	-8.55
5	28	2.31	42	11.80	-0.93
6	12	2.25	43	8.58	-3.23
7	17	3.01	48	12.15	1.11

CAPITA

REGION	# STNS	DEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.06	69	-6.10	-12.21
2	12	4.38	73	0.18	-4.26
3	21	5.48	67	0.37	-5.20
4	14	2.86	71	-0.15	-5.08
5	28	2.46	48	12.73	1.78
6	12	4.52	57	8.65	-0.13
7	17	5.48	62	13.87	7.67



REGION	# STNS	DEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	2.32	66	-6.88	-9.90
2	12	5.32	70	-0.78	-3.87
3	21	11.58	68	1.55	-0.55
4	14	7.71	70	-1.94	-5.98
5	28	7.11	61	12.76	0.32
6	12	5.18	71	13.09	7.65
7	17	2.58	48	19.20	-0.55

REGION	# STNS	DEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	13.28	88	-0.77	-2.22
2	12	4.48	86	1.71	-0.37
3	21	8.54	81	1.66	-1.21
4	14	8.04	79	0.78	-2.65
5	28	2.38	61	13.70	6.18
6	12	5.00	65	7.60	1.15
7	17	2.28	56	17.11	0.42



REGION	# STNS	DEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.69	65	-1.22	-6.89
2	12	2.87	69	2.40	-3.74
3	21	7.73	66	3.43	0.34
4	14	8.33	73	-3.72	-5.76
5	28	2.84	51	14.10	4.02
6	12	4.55	61	11.70	4.16
7	17	3.35	63	10.68	11.54



REGION	# STNS	DEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	4.32	78	0.00	-3.46
2	12	4.76	78	5.82	2.21
3	21	4.68	77	2.32	-1.21
4	14	2.02	65	-8.97	-11.81
5	28	2.74	54	18.24	8.58
6	12	5.03	81	15.41	12.12
7	17	2.94	84	19.62	8.82



REGION	# STNS	DEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.32	54	0.44	-7.77
2	12	2.22	58	3.16	-4.39
3	21	2.48	64	-3.48	-8.77
4	14	2.28	59	-5.77	-8.28
5	28	3.71	60	16.06	7.93
6	12	5.43	77	11.20	7.22
7	17	6.08	78	11.79	7.44

CAPITA



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.48	80	-8.44	-10.79
2	12	6.27	66	-1.25	-7.07
3	21	5.35	78	-1.29	-4.94
4	14	7.91	78	-8.78	-8.28
5	20	8.22	75	14.16	9.32
6	12	8.87	77	15.00	11.70
7	17	5.35	78	17.46	12.84



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	19.21	79	-9.81	-11.84
2	12	11.38	80	-3.42	-4.88
3	21	8.94	85	1.61	-0.55
4	14	8.29	84	-2.85	-5.11
5	20	6.82	76	17.55	12.80
6	12	6.10	79	16.19	14.48
7	17	9.17	78	18.89	15.72



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	5.79	71	-11.94	-10.91
2	12	6.41	82	-2.03	-4.67
3	21	9.09	84	1.45	-0.97
4	14	9.84	58	-8.28	-14.58
5	20	5.99	76	14.44	10.76
6	12	2.45	72	20.67	15.84
7	17	2.93	48	12.69	1.49



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	10.11	88	-4.77	-6.77
2	12	5.12	67	-1.89	-7.48
3	21	3.55	66	-8.25	-11.01
4	14	2.01	55	-4.89	-11.89
5	20	2.31	43	19.69	0.97
6	12	2.19	48	8.78	-5.41
7	17	2.16	40	8.50	-3.75



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.77	84	-5.89	-11.55
2	12	3.71	71	-1.75	-6.33
3	21	8.68	68	-5.91	-9.00
4	14	1.80	53	-7.17	-16.21
5	20	2.53	58	10.23	2.20
6	12	3.98	84	5.31	-1.10
7	17	2.48	49	10.51	-2.07

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	8.14	77	-5.10	-9.55
2	12	3.55	67	-2.48	-8.09
3	21	3.73	64	-4.85	-10.71
4	14	1.80	58	0.51	-7.73
5	20	2.11	41	3.86	-8.62
6	12	1.95	41	-0.89	-12.21
7	17	2.08	31	9.48	-8.79

CAPITA



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.77	80	-5.66	-10.89
2	12	4.56	72	-2.70	-8.29
3	21	5.08	62	-4.62	-10.87
4	14	1.89	60	-6.10	-9.00
5	20	2.16	86	7.87	-7.27
6	12	1.58	48	5.13	-7.95
7	17	2.11	46	14.66	2.56



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.88	68	-8.88	-19.38
2	12	3.18	68	-3.28	-10.41
3	21	3.87	63	-4.08	-10.23
4	14	2.98	69	-8.48	-10.88
5	20	2.38	38	0.84	-5.87
6	12	2.42	46	8.57	-6.85
7	17	3.34	62	16.78	9.88



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.40	67	-8.33	-15.46
2	12	2.25	58	-3.61	-10.58
3	21	4.95	65	-5.33	-9.82
4	14	2.78	62	-4.18	-10.26
5	20	4.08	64	6.84	0.08
6	12	5.82	69	8.57	0.78
7	17	2.44	48	19.45	9.86



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.40	57	-7.68	-16.90
2	12	2.05	57	-4.85	-12.49
3	21	5.32	65	-4.07	-9.54
4	14	3.42	65	0.35	-5.83
5	20	3.51	61	6.60	-0.75
6	12	4.28	67	4.93	-0.78
7	17	3.29	67	12.81	5.32



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	5	1.96	84	-4.88	-13.10
2	12	2.51	61	-3.79	-10.60
3	21	5.45	68	-1.58	-7.29
4	14	5.78	78	0.51	-4.85
5	20	7.01	76	7.28	2.97
6	12	7.58	80	3.37	-0.27
7	17	2.28	42	11.38	3.95

CAPITA


REGION 1, QTR 1 1970
100 15
30
RH
BEXT
TEMP
0 0
-20
JAN
FEB
MAR


REGION 1, QTR 2 1970
100 15
40
RH
BEXT
TEMP
0 0
-10
APR
MAY
JUN


REGION 1, QTR 3 1970
100 15
50
RH
BEXT
TEMP
0 0
0
JUL
AUG
SEP


REGION 1, QTR 4 1970
100 15
30
RH
BEXT
TEMP
0 0
-20
OCT
NOV
DEC

CAPITA


REGION 2, QTR 1 1970
100 15
30
RH
BEXT
TEMP
0 0
-20
JAN
FEB
MAR


REGION 2, QTR 2 1970
100 15
40
RH
BEXT
TEMP
0 0
-10
APR
MAY
JUN


REGION 2, QTR 3 1970
100 15
50
RH
BEXT
TEMP
0 0
0
JUL
AUG
SEP


REGION 2, QTR 4 1970
100 15
30
RH
BEXT
TEMP
0 0
-20
OCT
NOV
DEC

CAPITA


REGION 3, QTR 1 1970
100 15
30
RH
BEXT
TEMP
0 0
-20
JAN
FEB
MAR


REGION 3, QTR 2 1970
100 15
40
RH
BEXT
TEMP
0 0
-10
APR
MAY
JUN


REGION 3, QTR 3 1970
100 15
50
RH
BEXT
TEMP
0 0
0
JUL
AUG
SEP


REGION 3, QTR 4 1970
100 15
30
RH
BEXT
TEMP
0 0
-20
OCT
NOV
DEC

CAPITA


REGION 4, QTR 1 1970
100 15
30
RH
BEXT
TEMP
0 0
-20
JAN
FEB
MAR
REGION 4, QTR 2 1970
100 15
40
RH
BEXT
TEMP
0 0
-10
APR
MAY
JUN
REGION 4, QTR 3 1970
100 15
50
RH
BEXT
TEMP
0 0
0
JUL
AUG
SEP
REGION 4, QTR 4 1970
100 15
30
RH
BEXT
TEMP
0 0
OCT
NOV
DEC

CAPITA


REGION 5, QTR 1 1970
100 15
30
RH
BEXT
TEMP
0 0
-20
JAN
FEB
MAR


REGION 5, QTR 2 1970
100 15
40
RH
BEXT
TEMP
0 0
-10
APR
MAY
JUN


REGION 5, QTR 3 1970
100 15
50
RH
BEXT
TEMP
0 0
0
JUL
AUG
SEP


REGION 5, QTR 4 1970
100 15
30
RH
BEXT
TEMP
0 0
-20
OCT
NOV
DEC

CAPITA


REGION 6, QTR 1 1970
100 15
30
RH
BEXT
TEMP
0 0
-20
JAN
FEB
MAR
REGION 6, QTR 2 1970
100 15
40
RH
BEXT
TEMP
0 0
-10
APR
MAY
JUN
REGION 6, QTR 3 1970
100 15
50
RH
BEXT
TEMP
0 0
0
JUL
AUG
SEP
REGION 6, QTR 4 1970
100 15
30
RH
BEXT
TEMP
0 0
-20
OCT
NOV
DEC

CAPITO


REGION 7, QTR 1 1970
100 15
30
RH
BEXT
TEMP
0 0
-20
JAN
FEB
MAR
REGION 7, QTR 2 1970
100 15
40
RH
BEXT
TEMP
0 0
-10
APR
MAY
JUN
REGION 7, QTR 3 1970
100 15
50
RH
BEXT
TEMP
0 0
0
JUL
AUG
SEP
REGION 7, QTR 4 1970
100 15
30
RH
BEXT
TEMP
0 0
-20
OCT
NOV
DEC

CAPITA


EUS MEAN, QTR 1 1970
100 15
30
RH
BEXT
TEMP
0 0
-20
JAN
FEB
MAR
EUS MEAN, QTR 2 1970
100 15
40
RH
BEXT
TEMP
0 0
-10
APR
MAY
JUN
EUS MEAN, QTR 3 1970
100 15
50
RH
BEXT
TEMP
0 0
0
JUL
AUG
SEP
EUS MEAN, QTR 4 1970
100 15
30
RH
BEXT
TEMP
0 0
-20
OCT
NOV
DEC

CAPITA



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	9.97	87	-8.10	-9.25
2	12	9.76	82	-3.76	-6.52
3	21	7.49	78	-0.89	-4.85
4	14	2.87	86	2.48	-3.76
5	20	3.05	87	6.80	-1.58
6	12	3.35	85	5.15	-1.48
7	17	2.00	87	14.11	2.58



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	1.40	87	-1.80	-7.21
2	12	2.82	72	-3.48	-5.96
3	21	2.58	85	1.32	-4.58
4	14	2.05	89	-2.48	-8.66
5	20	2.77	48	10.76	0.08
6	12	3.57	58	9.62	0.97
7	17	5.81	76	14.21	8.24



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	1.71	68	1.96	-5.41
2	12	3.52	66	1.67	-4.36
3	21	7.47	78	0.84	-5.03
4	14	7.76	88	-7.19	-8.52
5	20	2.06	56	13.05	6.38
6	12	2.81	60	11.40	4.02
7	17	3.56	76	13.98	8.44



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	5.75	80	-1.80	-4.05
2	12	7.78	87	2.86	0.97
3	21	4.88	78	1.83	-1.55
4	14	3.05	70	-12.03	-15.56
5	20	7.73	82	15.67	12.45
6	12	5.39	83	12.20	9.44
7	17	2.38	53	1.48	-7.67



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	7.20	88	4.18	2.21
2	12	3.08	74	2.68	-1.48
3	21	3.85	65	-8.91	-12.18
4	14	2.08	58	-13.84	-14.46
5	20	3.17	71	14.46	9.12
6	12	3.52	64	0.74	-5.58
7	17	1.08	48	-0.48	-10.09



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	1.48	64	-0.83	-8.16
2	12	1.81	57	-3.96	-10.96
3	21	3.16	58	-10.88	-15.48
4	14	2.02	63	-14.68	-15.73
5	20	2.84	68	8.78	1.07
6	12	2.22	58	-0.41	-9.67
7	17	1.81	45	-0.42	-10.75

CAPITA



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	1.71	54	-9.80	-11.84
2	12	1.08	52	-6.68	-10.18
3	21	3.51	58	-10.84	-15.87
4	14	2.87	64	-10.17	-12.58
5	28	2.70	68	7.38	-2.16
6	12	2.55	45	-1.20	-11.88
7	17	2.60	84	-0.78	-0.58



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	1.28	48	-8.58	-17.21
2	12	2.16	55	-6.38	-16.02
3	21	5.55	60	-7.37	-15.85
4	14	2.17	64	-8.74	-12.65
5	28	5.48	68	5.66	0.00
6	12	10.28	79	-0.25	-3.70
7	17	2.84	57	2.81	-5.68



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	1.98	55	-7.48	-8.38
2	12	2.72	58	-6.78	-12.47
3	21	6.08	60	-5.17	-9.88
4	14	4.17	76	-2.79	-8.82
5	28	5.85	78	6.80	3.13
6	12	5.58	81	5.51	0.55
7	17	3.58	48	0.82	-1.47



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	3.23	77	-4.02	-7.49
2	12	3.69	66	0.78	-4.84
3	21	4.38	69	-0.29	-5.33
4	14	3.91	87	-7.54	-8.60
5	28	6.05	80	8.32	4.93
6	12	6.81	82	6.80	3.97
7	17	3.58	48	15.84	9.00



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	2.98	57	1.88	-5.96
2	12	3.53	62	3.09	-3.56
3	21	9.78	77	-0.23	-3.85
4	14	3.79	68	-10.22	-8.98
5	28	7.98	78	12.11	9.05
6	12	5.68	81	12.21	9.02
7	17	4.27	50	17.44	4.80



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	1.25	48	-3.80	-10.55
2	12	2.24	58	-1.71	-8.31
3	21	4.28	67	-3.30	-8.75
4	14	5.18	66	-12.82	-19.88
5	28	3.51	66	14.30	7.83
6	12	8.20	78	13.05	9.30
7	17	7.92	72	12.31	6.82

CAPITA



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	1.40	92	-11.38	-100.00
2	12	1.08	67	-7.12	-19.78
3	21	11.78	86	-2.88	-6.82
4	14	8.77	78	-6.92	-8.48
5	20	4.02	88	10.86	8.21
6	12	8.88	83	15.41	12.31
7	17	8.06	75	16.58	11.07



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	19.87	88	-0.98	-10.83
2	12	8.66	89	0.32	-1.43
3	21	5.45	78	-1.88	-5.02
4	14	2.07	64	-8.96	-12.48
5	20	5.46	71	16.72	11.06
6	12	6.51	84	17.87	16.28
7	17	6.70	83	18.18	8.83



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	8.77	76	-9.81	-7.49
2	12	8.26	71	-0.28	-6.06
3	21	5.25	65	-6.90	-11.23
4	14	1.88	58	-10.40	-19.43
5	20	3.69	66	13.40	6.78
6	12	3.00	62	7.45	0.55
7	17	2.98	62	12.18	1.86



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	1.28	39	-12.83	-100.00
2	12	2.26	50	-9.20	-16.35
3	21	5.57	68	-7.84	-12.58
4	14	3.81	66	-8.18	-8.18
5	20	1.93	39	6.94	-7.31
6	12	2.71	48	2.60	-7.07
7	17	2.42	42	13.65	0.92



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	1.30	40	-12.36	-100.00
2	12	2.56	57	-7.03	-13.83
3	21	4.08	70	-7.40	-11.57
4	14	4.23	69	-8.22	-9.22
5	20	3.03	47	8.07	-3.20
6	12	2.58	55	7.58	-1.01
7	17	2.31	46	15.64	3.20



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	1.58	43	-9.96	-17.77
2	12	2.03	56	-8.51	-12.78
3	21	3.66	65	-7.53	-12.42
4	14	3.65	67	-9.52	-11.36
5	20	2.76	58	6.36	-1.70
6	12	3.84	65	2.91	-3.19
7	17	2.43	49	15.62	2.41

CAPITA



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	1.41	46	-19.92	-100.00
2	12	5.06	57	-11.80	-17.09
3	21	5.24	62	-10.28	-14.87
4	14	9.16	66	-10.05	-11.86
5	28	2.61	48	1.52	-9.50
6	12	2.08	48	-2.59	-12.77
7	17	2.07	48	6.89	-6.16



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	3.12	48	-11.96	-100.00
2	12	5.06	60	-8.80	-13.04
3	21	5.81	61	-7.05	-13.10
4	14	9.44	69	-0.67	-5.91
5	28	1.93	37	2.30	-11.42
6	12	1.98	41	-0.85	-12.35
7	17	2.24	41	11.10	-1.88



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	2.78	68	-5.89	-11.24
2	12	2.54	58	-1.62	-8.88
3	21	0.99	67	0.67	-4.05
4	14	1.48	56	1.82	-5.98
5	28	2.46	33	9.73	-6.28
6	12	2.23	44	9.36	-2.82
7	17	2.76	52	17.15	0.66



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	1.51	47	1.80	-8.47
2	12	3.02	57	3.19	-5.04
3	21	3.69	64	1.42	-4.65
4	14	1.68	54	-1.30	-8.98
5	28	3.67	59	12.97	4.46
6	12	0.79	82	12.21	9.07
7	17	3.57	60	18.65	9.98



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	0.48	89	-0.27	-1.80
2	12	1.61	56	2.96	-4.99
3	21	1.08	51	-0.84	-9.96
4	14	1.43	52	-1.39	-8.48
5	28	2.46	55	14.71	5.07
6	12	0.04	58	9.85	1.11
7	17	2.38	59	14.04	5.88



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	1.38	45	1.80	-8.88
2	12	1.80	46	1.80	-8.60
3	21	2.12	55	2.21	-8.57
4	14	1.70	58	-0.10	-5.98
5	28	5.48	70	12.15	6.10
6	12	9.41	65	11.70	9.08
7	17	9.58	68	17.34	7.57

CAPITA



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	2.43	72	3.10	-1.96
2	12	4.46	77	3.00	-0.83
3	21	6.75	77	2.04	-1.10
4	14	6.56	65	0.75	-4.91
5	20	6.10	76	19.56	8.32
6	12	6.97	85	15.23	10.78
7	17	2.39	48	20.19	5.70



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	10.18	87	4.02	1.94
2	12	7.78	81	1.99	-1.15
3	21	8.14	84	-8.35	-11.69
4	14	2.88	69	-8.10	-12.68
5	20	2.08	41	16.43	1.58
6	12	1.77	51	9.16	-7.26
7	17	2.26	94	18.20	-1.80



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	9.08	48	-11.18	-100.00
2	12	7.01	68	-10.95	-16.88
3	21	5.20	54	-17.92	-15.68
4	14	2.84	58	-5.84	-11.24
5	20	1.76	27	2.61	-8.06
6	12	1.85	35	-1.89	-13.51
7	17	2.07	38	10.71	-5.29



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	1.34	44	-8.83	-100.00
2	12	4.13	63	-8.87	-16.24
3	21	4.28	60	-11.87	-15.72
4	14	2.45	62	-5.80	-8.56
5	20	2.68	36	5.21	-10.16
6	12	2.62	43	4.39	-7.54
7	17	2.67	48	15.78	6.50



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	1.46	47	-6.84	-18.66
2	12	1.68	46	-6.01	-15.08
3	21	8.34	73	-5.10	-9.58
4	14	5.32	54	3.69	-4.25
5	20	2.46	35	10.01	-4.66
6	12	2.49	52	12.54	2.07
7	17	2.94	69	20.02	8.24



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	1.41	43	1.11	-10.15
2	12	3.05	52	-1.67	-11.10
3	21	4.99	58	-11.13	-14.03
4	14	3.64	58	-7.52	-11.89
5	20	3.02	61	16.77	7.45
6	12	5.48	79	12.40	8.88
7	17	2.27	48	20.84	6.87

CAPITA



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	1.41	48	-0.02	-15.03
2	12	0.88	48	-10.66	-17.77
3	21	3.50	51	-14.17	-17.21
4	14	5.76	61	-8.00	-13.38
5	28	2.43	66	0.62	2.20
6	12	3.11	54	-1.25	-8.66
7	17	2.00	48	11.69	-0.16



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	1.81	80	-11.80	-100.00
2	12	1.05	48	-12.81	-23.39
3	21	5.54	51	-14.41	-17.77
4	14	1.80	48	-8.00	-18.38
5	28	1.94	74	2.61	-4.48
6	12	1.78	55	-5.19	-15.20
7	17	1.84	50	8.20	-7.31



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	1.81	48	-10.78	-100.00
2	12	1.78	48	-11.88	-22.78
3	21	5.65	51	-15.09	-15.52
4	14	3.88	80	-6.87	-12.84
5	28	2.13	36	9.67	-5.00
6	12	2.08	50	-2.77	-15.52
7	17	2.97	48	8.72	-6.78



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	1.51	42	-10.98	-100.00
2	12	3.43	48	-7.49	-16.01
3	21	6.34	66	-3.80	-9.81
4	14	9.66	78	-5.94	-9.28
5	28	2.68	47	5.81	-3.33
6	12	5.50	78	3.88	-0.09
7	17	8.04	78	13.80	8.85



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	1.54	44	-8.05	-16.11
2	12	5.81	65	-4.84	-10.18
3	21	14.04	91	0.90	-0.29
4	14	9.29	80	-7.17	-9.11
5	28	10.39	80	7.75	3.06
6	12	8.17	88	10.52	8.42
7	17	9.33	84	14.80	9.36



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	9.80	87	-1.10	-3.05
2	12	9.63	87	2.05	0.87
3	21	9.92	88	-1.95	-7.13
4	14	3.10	70	-8.48	-13.01
5	28	6.05	77	13.20	8.76
6	12	1.81	58	7.95	-0.23
7	17	1.96	54	12.60	-3.52

CAPITA



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	6	1.81	56	8.00	-4.02
2	12	2.48	81	2.62	-4.11
3	21	2.58	82	-5.75	-9.06
4	14	1.82	80	-11.40	-15.47
5	20	2.31	61	14.67	9.02
6	12	2.09	92	9.25	-2.03
7	17	2.51	97	10.52	1.00



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	6	2.27	85	1.82	-0.52
2	12	2.91	82	1.16	-5.41
3	21	3.11	87	-5.55	-9.16
4	14	1.84	97	-12.81	-11.66
5	20	5.40	76	12.13	8.37
6	12	2.88	88	8.33	5.00
7	17	4.89	88	8.47	-2.02



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	6	1.86	81	0.98	-1.04
2	12	6.68	88	1.96	-1.18
3	21	8.77	83	-8.80	-11.16
4	14	4.02	88	-12.81	-14.88
5	20	7.66	87	8.68	7.66
6	12	8.98	77	-2.22	-3.78
7	17	1.88	46	1.68	-8.87



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	6	2.21	87	2.00	-3.47
2	12	3.55	65	-2.82	-8.56
3	21	3.59	58	-12.26	-15.27
4	14	1.50	86	-8.71	-12.10
5	20	2.00	43	2.00	-9.36
6	12	2.13	58	-6.29	-13.73
7	17	1.80	41	4.36	-7.97



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	6	1.51	59	-5.00	-14.16
2	12	3.07	55	-7.60	-15.17
3	21	3.56	62	-5.04	-12.00
4	14	2.08	87	-3.19	-8.98
5	20	1.82	36	3.54	-12.30
6	12	2.31	45	-1.24	-11.80
7	17	1.83	31	12.74	-4.97



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	6	1.81	48	-2.22	-11.82
2	12	1.78	48	1.24	-8.88
3	21	2.98	62	3.25	-3.48
4	14	8.99	71	2.78	-2.26
5	20	2.13	37	10.38	-4.08
6	12	2.45	44	9.25	-2.49
7	17	2.34	58	10.29	0.72

CAPITA



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	1.01	55	8.10	-2.48
2	12	2.54	36	6.57	-1.84
3	21	8.90	61	-1.03	-3.93
4	14	1.90	62	-7.16	-8.77
5	20	2.33	48	16.62	4.64
6	12	5.48	88	8.48	9.20
7	17	1.83	41	12.67	-1.14



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	10.21	88	4.44	3.39
2	12	12.61	85	3.48	2.08
3	21	8.72	86	-8.98	-13.05
4	14	2.68	88	-6.87	-8.78
5	20	6.68	76	7.87	3.31
6	12	7.28	72	-2.55	-7.48
7	17	1.71	88	8.88	-0.56

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	1.01	80	-2.89	-8.44
2	12	4.07	66	-4.78	-10.82
3	21	2.48	62	-0.63	-12.41
4	14	2.56	78	0.81	-9.52
5	20	1.81	38	4.36	-8.98
6	12	2.05	52	-0.06	-9.71
7	17	1.80	88	10.82	2.02



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	1.35	45	-1.88	-12.08
2	12	3.20	58	-1.71	-8.97
3	21	4.40	69	-1.21	-8.18
4	14	3.05	74	2.85	-1.76
5	20	2.08	36	11.86	-6.06
6	12	2.87	53	8.60	-0.78
7	17	2.10	44	17.87	5.08



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	1.44	40	-1.38	-13.18
2	12	2.25	52	0.41	-8.87
3	21	4.28	67	0.42	-5.02
4	14	2.88	88	8.58	-0.51
5	20	2.58	43	12.49	-0.03
6	12	3.58	58	11.94	3.98
7	17	2.65	47	21.72	8.38



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	1.58	57	-0.55	-8.18
2	12	6.48	86	1.98	-4.48
3	21	7.58	62	3.85	1.08
4	14	1.92	60	7.13	-0.48
5	20	2.85	48	16.00	4.60
6	12	3.28	61	15.73	8.08
7	17	2.32	58	21.00	11.38

CAPITA



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	2.08	62	6.10	-0.68
2	12	2.08	68	7.85	0.32
3	21	5.98	73	8.83	2.11
4	14	0.78	77	4.80	0.86
5	28	2.17	85	10.69	8.26
6	12	5.87	58	18.14	8.98
7	17	2.92	85	21.10	11.58



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	1.45	47	8.88	-0.38
2	12	2.60	63	4.89	-1.84
3	21	7.17	81	9.08	8.02
4	14	0.00	88	1.74	-1.58
5	28	2.80	46	20.21	8.16
6	12	2.52	58	18.87	10.18
7	17	1.84	46	18.14	8.84



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	10.47	81	0.87	-0.01
2	12	8.16	87	6.38	4.26
3	21	4.72	81	2.82	-0.21
4	14	2.48	73	-2.81	-6.90
5	28	2.38	65	20.13	12.87
6	12	2.48	61	15.88	7.95
7	17	3.16	68	17.25	8.10



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	3.04	82	-2.77	-5.41
2	12	2.44	68	6.08	-0.51
3	21	4.37	75	0.84	-5.08
4	14	3.60	71	-3.82	-8.48
5	28	3.65	66	17.61	10.75
6	12	8.48	82	13.18	10.18
7	17	5.08	66	10.74	5.28



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	4.20	75	0.13	-3.74
2	12	8.68	86	1.61	-0.41
3	21	10.78	86	2.53	0.39
4	14	8.28	73	-4.00	-8.13
5	28	5.30	80	18.17	14.32
6	12	1.87	58	13.87	5.78
7	17	2.50	45	8.83	-5.74



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	10.10	64	0.00	-0.03
2	12	7.17	83	2.54	-0.10
3	21	7.34	78	-0.02	-3.27
4	14	1.78	65	-1.90	-7.77
5	28	2.05	60	13.82	2.99
6	12	2.13	53	6.81	-3.00
7	17	1.80	59	11.90	-2.57

CAPITA



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	2.21	72	-1.94	-8.24
2	12	3.58	70	2.05	-2.21
3	21	3.62	72	1.52	-5.15
4	14	1.87	84	0.15	-8.36
5	28	2.33	96	13.21	1.17
6	12	2.11	95	11.15	-0.87
7	17	2.18	82	18.87	9.84



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	2.83	89	2.99	-2.89
2	12	3.54	81	4.58	-2.46
3	21	5.14	82	7.88	0.10
4	14	4.38	87	4.04	-1.83
5	28	2.58	91	18.12	4.22
6	12	2.13	90	17.58	3.88
7	17	6.01	78	16.38	11.78



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	2.01	94	5.41	-3.92
2	12	2.86	58	8.88	0.68
3	21	4.72	77	11.18	7.21
4	14	4.78	78	2.45	-0.75
5	28	5.22	68	17.87	10.68
6	12	8.51	84	15.75	13.08
7	17	2.52	47	18.18	5.74



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	10.09	90	8.65	4.02
2	12	3.29	71	11.10	5.78
3	21	1.87	58	4.91	-5.58
4	14	4.18	88	-0.51	-7.88
5	28	2.46	62	20.92	13.01
6	12	1.73	32	14.99	-1.57
7	17	1.82	30	14.80	-2.87

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	1.34	87	0.92	-5.68
2	12	1.25	33	8.79	-7.56
3	21	1.81	51	5.38	-6.05
4	14	1.93	58	-2.62	-8.55
5	28	1.98	37	10.06	2.69
6	12	1.82	35	14.34	-1.52
7	17	2.86	51	15.18	5.86

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	1.41	42	5.87	-8.10
2	12	1.60	48	7.83	-4.71
3	21	1.82	48	3.84	-8.53
4	14	3.28	65	-2.73	-9.48
5	28	3.08	56	10.60	0.31
6	12	3.78	57	17.31	8.28
7	17	4.91	61	15.77	8.43

CAPITA



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	6	1.26	40	9.10	-9.10
2	12	2.04	60	2.17	-5.13
3	21	2.12	50	1.08	-9.50
4	14	1.43	38	-6.27	-12.35
5	28	4.26	71	10.60	10.03
6	12	4.08	88	10.19	10.31
7	17	6.81	72	6.80	6.47



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	6	9.72	80	-1.98	-4.84
2	12	10.08	87	-1.20	-3.09
3	21	5.85	84	-3.72	-9.78
4	14	1.84	58	-2.57	-10.27
5	28	9.08	81	12.97	9.22
6	12	7.69	81	1.71	-1.29
7	17	1.78	44	4.50	-7.83



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	6	10.00	[illegible]	-1.04	-9.76
2	12	9.16	[illegible]	-3.58	-7.12
3	21	1.85	48	-0.08	-10.57
4	14	1.[illegible]	87	2.57	-6.48
5	28	1.[illegible]	41	5.27	-7.13
6	12	[illegible]	47	2.17	-8.08
7	17	1.79	51	12.21	-5.04

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	6	1.81	54	-0.14	-8.80
2	12	1.62	54	2.60	-5.96
3	21	2.35	51	5.10	-9.28
4	14	0.14	70	2.33	-2.83
5	28	1.82	30	12.49	-6.19
6	12	1.79	38	11.29	-3.42
7	17	2.76	44	20.28	8.17



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	6	1.24	41	2.81	-9.18
2	12	2.57	50	6.47	-3.65
3	21	11.09	82	5.51	0.50
4	14	4.42	69	-1.68	-6.82
5	28	2.24	42	17.11	3.68
6	12	3.08	75	14.71	9.85
7	17	2.10	49	19.49	0.71



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	6	12.61	69	1.52	-0.13
2	12	6.08	75	3.42	-0.64
3	21	8.94	79	-2.11	-8.57
4	14	2.80	61	-9.80	-10.53
5	28	2.02	46	12.29	0.16
6	12	1.91	48	4.78	-5.45
7	17	1.84	28	10.61	-7.56

CAPITA



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	1.41	81	0.14	-0.02
2	12	4.05	68	-2.89	-8.76
3	21	5.49	68	-5.75	-10.60
4	14	1.62	86	-2.05	-10.16
5	20	1.81	32	7.41	-8.76
6	12	1.60	37	5.19	-8.89
7	17	1.68	26	15.94	-6.67



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	1.41	47	-1.82	-11.82
2	12	2.66	84	-0.50	-8.83
3	21	2.33	51	-0.75	-9.75
4	14	4.00	69	0.88	-8.71
5	20	1.76	26	10.65	-8.46
6	12	1.82	39	10.50	-5.41
7	17	2.08	46	18.18	6.87



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	1.26	96	0.07	-19.99
2	12	2.36	46	2.91	-8.51
3	21	9.15	81	0.87	-2.11
4	14	5.71	68	2.68	-8.18
5	20	3.00	62	13.24	2.63
6	12	6.16	75	9.85	5.52
7	17	2.08	36	17.81	0.84



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	13.05	91	0.13	-1.31
2	12	4.37	76	3.86	-0.83
3	21	4.58	68	1.40	-5.91
4	14	3.04	87	0.26	0.31
5	20	2.29	43	15.33	2.57
6	12	2.56	50	12.08	1.68
7	17	1.95	46	21.06	7.76



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	1.80	88	2.95	-0.30
2	12	3.18	56	4.38	-3.83
3	21	9.01	78	5.39	1.21
4	14	5.18	85	0.08	2.14
5	20	2.68	48	18.05	5.85
6	12	5.74	84	17.17	10.08
7	17	2.97	94	22.96	11.10



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	2.27	68	3.74	-2.98
2	12	7.77	78	5.08	1.71
3	21	15.52	85	5.31	2.98
4	14	3.70	66	11.88	4.52
5	20	3.53	57	20.67	11.56
6	12	8.51	83	15.82	12.68
7	17	2.31	44	25.81	10.76

CAPITA



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	8.00	77	4.30	0.41
2	12	6.06	66	8.05	2.31
3	21	4.84	76	15.55	10.81
4	14	5.23	72	8.17	3.01
5	28	4.32	63	19.87	12.41
6	12	3.38	71	20.22	14.78
7	17	2.48	48	28.18	10.87



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	7.04	84	8.88	8.24
2	12	6.00	83	11.60	8.83
3	21	2.31	68	8.58	0.55
4	14	8.14	81	5.65	-4.20
5	28	2.06	67	22.00	15.21
6	12	2.16	46	18.18	5.27
7	17	1.81	22	18.68	-2.36



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	1.71	45	12.77	-0.18
2	12	1.82	64	8.62	-0.18
3	21	5.77	84	-0.81	-0.97
4	14	1.88	51	3.08	-0.88
5	28	1.78	39	20.04	8.16
6	12	1.78	52	16.35	-1.26
7	17	1.84	25	21.17	-1.38



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	1.48	48	9.87	-0.52
2	12	2.05	50	2.17	-4.99
3	21	2.08	54	1.61	-0.82
4	14	2.92	54	6.88	-2.39
5	28	1.82	32	12.47	-4.42
6	12	1.79	55	10.55	-6.87
7	17	2.42	28	21.69	0.62



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	1.26	41	1.52	-10.68
2	12	1.57	42	3.88	-8.05
3	21	5.75	61	5.87	-3.46
4	14	7.20	68	8.05	-2.57
5	29	2.21	33	13.50	-2.81
6	12	1.91	30	15.27	-2.95
7	17	5.20	41	10.81	3.85



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	1.48	45	2.08	-8.60
2	12	0.66	62	2.48	-0.36
3	21	8.44	81	2.27	-0.68
4	14	1.84	62	0.78	-8.02
5	28	4.52	68	15.13	8.62
6	12	2.11	52	8.51	-1.15
7	17	2.15	23	12.80	-8.13

CAPITA



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	3.66	71	8.76	-1.26
2	12	5.48	76	2.77	-1.66
3	21	6.61	82	1.16	-5.57
4	14	1.84	59	4.90	-4.66
5	20	2.00	38	10.17	-4.26
6	12	2.35	46	8.67	-5.52
7	17	2.07	21	14.27	-8.16



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	1.71	48	9.74	-5.98
2	12	1.38	48	4.46	-5.59
3	21	2.58	52	0.71	-2.72
4	14	2.64	68	3.84	-4.06
5	20	1.76	26	13.10	-6.01
6	12	1.75	52	15.80	-2.91
7	17	1.68	36	20.61	6.27



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	1.24	58	4.06	-8.74
2	12	2.04	57	1.64	-2.46
3	21	5.51	82	2.32	-4.48
4	14	1.98	81	-2.69	-8.80
5	20	2.21	43	17.03	6.57
6	12	2.84	56	14.68	8.08
7	17	3.20	47	20.18	8.04



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	1.25	44	2.22	-8.30
2	12	2.55	46	2.68	-8.08
3	21	6.37	59	-2.48	-9.81
4	14	2.53	55	-5.37	-11.02
5	20	2.03	43	13.86	1.05
6	12	1.97	48	7.58	-4.54
7	17	3.38	48	18.20	6.14



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	1.28	49	-0.41	-11.00
2	12	3.31	49	-0.87	-10.78
3	21	2.58	58	-0.88	-10.02
4	14	5.08	57	-2.22	-9.89
5	20	2.46	36	11.16	-4.34
6	12	1.68	34	8.84	-7.95
7	17	3.03	48	19.81	1.58



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	1.28	29	1.62	-11.24
2	12	1.68	41	1.75	-10.16
3	21	2.28	48	1.18	-9.28
4	14	4.38	68	0.51	-6.83
5	20	6.22	51	10.15	-0.47
6	12	8.28	76	8.61	1.61
7	17	9.85	62	18.85	8.82

CAPITA



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	6	1.24	86	1.52	-12.86
2	12	1.58	40	1.86	-10.10
3	21	2.58	45	9.12	-7.35
4	14	5.07	73	3.57	-2.02
5	20	6.53	74	8.23	3.38
6	12	3.98	73	5.62	1.15
7	17	2.67	82	10.67	5.58



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	6	1.36	90	1.86	-7.77
2	12	1.43	31	6.10	-9.81
3	21	3.55	49	7.00	-3.25
4	14	5.01	85	9.45	3.10
5	20	2.20	42	11.60	-1.10
6	12	5.01	50	12.31	2.05
7	17	2.87	52	22.81	10.45

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	6	1.71	42	4.72	-7.77
2	12	1.64	36	8.00	-6.86
3	21	2.67	55	11.62	2.11
4	14	1.71	66	7.66	-1.80
5	20	2.20	41	10.36	4.68
6	12	6.58	64	17.63	10.58
7	17	3.30	61	24.43	12.26



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	6	2.01	58	9.30	-0.97
2	12	2.73	57	8.80	-0.23
3	21	2.64	53	5.91	-5.02
4	14	1.45	41	8.40	-4.78
5	20	4.70	67	16.32	8.63
6	12	2.15	51	14.30	4.25
7	17	1.87	35	18.24	2.58



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	6	5.26	51	8.88	-4.44
2	12	2.85	47	5.27	-5.58
3	21	2.15	44	6.52	-5.31
4	14	1.62	38	15.43	-0.15
5	20	1.01	37	12.81	-2.06
6	12	2.01	51	12.56	-4.50
7	17	1.83	23	21.38	-0.84



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	6	1.26	38	5.13	-7.77
2	12	1.48	35	6.10	-8.42
3	21	2.49	58	15.94	1.29
4	14	2.23	43	16.80	2.17
5	20	1.75	28	16.10	-2.69
6	12	1.77	28	18.58	-0.58
7	17	1,86	37	24.06	7.11

CAPITA



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	6	1.38	82	7.86	-0.16
2	12	1.70	33	12.21	-0.93
3	21	4.57	72	11.21	5.89
4	14	6.26	61	1.62	-8.71
5	28	1.97	36	20.74	4.14
6	12	2.76	57	17.63	8.05
7	17	5.93	42	10.01	3.66



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	6	2.08	68	19.60	5.19
2	12	8.62	67	11.81	5.81
3	21	5.55	52	3.62	-5.60
4	14	4.50	49	2.65	-8.35
5	28	3.84	64	17.27	9.75
6	12	2.13	45	10.50	-1.11
7	17	1.80	21	17.67	-5.61



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	6	1.96	69	7.81	1.24
2	12	1.56	39	10.06	-3.88
3	21	3.43	51	2.48	-7.15
4	14	1.50	42	4.20	-8.56
5	28	1.82	31	16.66	-1.08
6	12	1.78	27	16.60	-2.28
7	17	1.87	24	20.78	-2.51

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	6	1.61	37	9.43	-4.89
2	12	1.41	37	8.33	-5.82
3	21	2.07	47	4.30	-8.31
4	14	1.55	43	4.58	-7.55
5	28	2.20	36	19.65	2.95
6	12	1.92	27	19.30	0.00
7	17	3.45	52	10.72	5.45



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	6	1.44	41	4.84	-7.77
2	12	2.73	51	4.48	-5.22
3	21	2.52	48	4.46	-6.23
4	14	2.56	45	5.19	-6.74
5	28	3.68	61	17.01	8.80
6	12	2.17	50	16.34	4.99
7	17	1.68	38	15.97	1.07

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	6	1.83	64	5.68	-3.47
2	12	2.45	57	6.36	-2.82
3	21	2.82	58	7.30	-0.24
4	14	1.68	52	11.10	-5.79
5	28	5.78	74	11.72	6.80
6	12	5.18	69	6.52	0.48
7	17	2.09	50	19.69	-4.08

CAPITA



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	1.61	88	9.74	-1.52
2	12	1.36	38	8.81	-3.89
3	21	2.09	30	15.01	-4.28
4	14	1.47	27	16.06	-2.87
5	20	2.38	62	11.70	1.58
6	12	2.11	58	12.77	-2.07
7	17	1.92	18	18.70	-6.43



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	1.36	40	9.47	-8.88
2	12	1.25	26	8.84	-11.33
3	21	2.10	25	18.24	-2.53
4	14	1.62	32	17.41	-0.59
5	20	2.06	29	17.88	-0.87
6	12	2.16	28	18.87	-1.01
7	17	2.00	24	23.65	0.84



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	1.58	28	11.24	-7.07
2	12	1.78	30	10.78	0.06
3	21	2.28	40	18.83	2.45
4	14	1.68	28	18.68	-4.06
5	20	2.07	26	23.88	2.53
6	12	2.15	51	22.17	6.30
7	17	2.14	42	22.21	8.03



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	5.91	81	11.30	2.77
2	12	2.25	56	6.06	-2.58
3	21	1.92	28	15.38	-4.44
4	14	2.00	29	20.19	-1.00
5	20	1.88	30	20.39	1.06
6	12	1.93	38	19.62	1.24
7	17	2.14	42	24.24	10.81



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	2.91	62	8.33	1.24
2	12	1.29	27	14.30	-5.04
3	21	2.08	23	21.06	-0.81
4	14	2.11	33	18.32	1.23
5	20	1.82	25	21.83	0.31
6	12	1.91	23	23.83	1.52
7	17	2.12	42	25.88	11.23



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	3.17	48	12.21	0.97
2	12	2.58	31	10.32	-0.58
3	21	3.55	59	23.72	7.98
4	14	1.65	34	17.65	1.09
5	20	2.18	26	25.27	3.27
6	12	2.27	29	26.01	8.68
7	17	2.30	97	26.38	8.44

CAPITA



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	6	2.47	57	17.77	2.96
2	12	3.03	41	19.78	5.06
3	21	3.76	62	13.15	3.75
4	14	1.61	97	10.43	-5.09
5	20	2.50	33	26.94	8.64
6	12	2.11	55	25.59	9.20
7	17	3.37	48	22.15	8.67



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	6	2.41	87	8.10	0.19
2	12	1.38	41	7.63	-5.06
3	21	1.93	45	8.50	-5.11
4	14	1.78	89	10.68	-3.26
5	20	2.10	30	16.47	1.00
6	12	2.08	37	16.64	1.43
7	17	2.26	48	10.69	5.23



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	6	1.34	28	8.38	-12.48
2	12	1.37	26	8.07	-8.18
3	21	2.41	55	15.55	-0.23
4	14	1.78	92	21.78	6.08
5	20	2.26	32	18.88	1.38
6	12	2.08	29	20.15	1.10
7	17	2.29	48	23.72	12.08



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	6	0.45	78	2.93	-2.08
2	12	1.73	58	11.33	-4.71
3	21	3.13	41	18.84	4.28
4	14	2.64	50	19.82	8.21
5	20	2.48	31	22.85	6.09
6	12	2.48	29	23.48	6.28
7	17	3.48	68	21.17	14.14

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	6	1.51	46	8.74	-3.60
2	12	2.65	41	11.40	-1.43
3	21	4.74	60	18.40	10.10
4	14	2.32	48	19.47	8.01
5	20	2.48	32	24.36	6.12
6	12	2.67	33	26.33	8.83
7	17	2.88	68	21.89	14.50

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	6	1.81	58	8.08	0.27
2	12	1.37	28	14.85	-3.61
3	21	3.08	54	16.18	6.37
4	14	2.93	88	15.87	10.03
5	20	3.06	37	24.90	8.66
6	12	3.31	46	25.69	12.31
7	17	2.97	82	23.98	15.71

CAPITA



REGION	% STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	6	1.96	48	14.90	8.05
2	12	1.20	26	16.88	-0.27
3	21	2.97	38	19.17	4.04
4	14	6.75	67	19.00	12.17
5	28	2.23	32	24.61	6.86
6	12	2.91	35	25.61	10.10
7	17	2.84	58	23.66	16.16



REGION	% STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	6	1.46	52	19.80	9.88
2	12	1.00	26	18.56	-1.10
3	21	3.23	29	22.16	5.19
4	14	6.00	61	19.71	11.50
5	28	2.02	35	25.82	8.74
6	12	3.21	41	27.21	11.98
7	17	2.54	60	18.62	8.47



REGION	% STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	6	1.71	64	12.77	5.97
2	12	2.11	46	16.81	2.66
3	21	2.83	61	11.29	5.62
4	14	2.26	64	15.05	8.16
5	28	4.03	46	26.31	11.72
6	12	3.18	69	22.31	16.20
7	17	2.60	44	24.97	8.27



REGION	% STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	6	1.96	52	10.83	0.98
2	12	1.47	61	10.91	0.92
3	21	1.91	48	11.79	-0.07
4	14	3.28	52	12.79	2.02
5	28	2.48	41	22.75	8.39
6	12	2.95	51	20.15	9.25
7	17	3.04	55	24.65	13.42



REGION	% STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	6	1.44	49	9.72	-2.77
2	12	1.21	29	14.16	-4.16
3	21	1.98	27	14.80	-4.01
4	14	1.51	36	16.06	0.67
5	28	4.50	60	18.68	9.56
6	12	5.26	75	16.84	11.94
7	17	2.22	48	22.70	10.06



REGION	% STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	6	1.94	39	14.30	-1.94
2	12	1.75	28	12.58	-2.58
3	21	2.28	41	8.59	-4.73
4	14	1.66	43	13.68	1.11
5	28	2.73	41	22.47	8.11
6	12	1.91	48	19.50	5.38
7	17	1.84	43	22.70	9.04

CAPITA



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	2.16	69	8.48	2.86
2	12	1.76	68	8.65	0.80
3	21	1.85	48	14.35	0.52
4	14	1.86	46	12.81	1.96
5	28	2.00	52	23.60	8.72
6	12	1.96	53	22.56	5.50
7	17	2.87	48	26.52	11.85



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	1.71	84	8.82	1.66
2	12	3.05	72	8.22	3.00
3	21	1.62	48	11.61	0.48
4	14	3.24	63	10.91	5.58
5	28	2.45	58	24.89	8.06
6	12	2.64	48	25.70	10.82
7	17	3.87	56	26.88	10.40



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	2.01	84	10.18	1.68
2	12	1.72	44	13.85	1.47
3	21	3.07	60	9.87	1.85
4	14	4.88	73	8.48	5.60
5	28	2.88	48	21.18	8.30
6	12	4.05	60	23.85	16.53
7	17	3.38	46	26.20	11.50



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	1.87	58	10.82	2.08
2	12	4.53	81	9.58	6.28
3	21	3.06	64	11.21	4.28
4	14	1.71	61	9.40	1.82
5	28	3.13	64	22.79	15.35
6	12	2.11	42	25.79	10.06
7	17	3.32	48	24.70	12.94



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	2.73	87	5.55	3.46
2	12	2.69	71	9.48	6.36
3	21	2.20	59	9.57	1.50
4	14	1.59	65	12.19	5.19
5	28	2.61	48	22.65	9.38
6	12	2.96	58	16.75	7.46
7	17	4.01	64	22.02	15.19



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	2.08	64	11.88	5.13
2	12	2.91	71	10.31	5.22
3	21	2.13	49	13.32	1.10
4	14	2.77	57	14.59	5.55
5	28	2.05	64	19.73	9.45
6	12	2.82	59	16.68	8.19
7	17	2.98	57	20.87	11.9

CAPITA



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	6	1.81	41	19.80	0.27
2	12	1.78	48	14.84	2.31
3	21	2.15	45	15.20	2.58
4	14	1.87	53	14.84	4.29
5	20	2.76	41	21.80	7.93
6	12	2.28	38	20.32	5.84
7	17	2.00	41	24.69	-10.46



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	6	2.07	52	14.65	6.86
2	12	3.81	68	12.26	8.24
3	21	2.31	65	8.81	2.24
4	14	1.58	43	12.41	0.47
5	20	3.02	67	22.15	8.87
6	12	2.35	51	19.02	8.25
7	17	1.66	36	28.39	0.65



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	6	0.55	87	9.90	8.08
2	12	4.25	73	10.27	6.36
3	21	1.78	58	12.64	-1.69
4	14	1.47	88	17.58	0.76
5	20	2.25	63	17.61	4.16
6	12	2.13	59	14.46	0.41
7	17	1.78	38	24.37	0.34



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	6	1.81	70	8.80	5.32
2	12	1.95	38	13.56	-0.74
3	21	2.16	37	14.57	-0.81
4	14	1.75	51	18.23	7.37
5	20	1.81	27	10.79	0.39
6	12	2.14	31	18.65	0.97
7	17	2.23	44	26.68	12.61



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	6	1.39	98	10.94	0.83
2	12	1.51	84	19.20	2.68
3	21	3.25	54	18.03	8.29
4	14	2.73	48	19.79	7.01
5	20	2.27	32	24.30	8.22
6	12	2.75	57	22.65	13.28
7	17	2.62	68	27.77	16.47



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	6	2.15	83	14.99	6.99
2	12	4.53	69	15.27	9.11
3	21	4.51	67	15.65	9.09
4	14	3.48	54	17.62	6.60
5	20	2.94	60	25.60	13.88
6	12	3.52	65	23.83	16.01
7	17	2.91	54	26.33	14.69

CAPITA



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	6	1.40	26	19.85	-0.07
2	12	1.95	38	18.83	2.72
3	21	5.08	53	18.29	5.88
4	16	2.79	87	19.43	8.89
5	28	3.70	64	25.21	14.67
6	12	2.38	88	23.80	18.81
7	17	9.23	86	26.04	18.81

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	6	1.08	48	18.82	8.76
2	12	0.87	87	11.61	8.43
3	21	2.45	98	19.45	5.44
4	16	1.70	67	17.39	8.81
5	28	6.48	86	24.16	18.76
6	12	2.40	81	22.72	16.87
7	17	9.71	89	25.81	16.11

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	6	0.00	00	0.00	0.00
2	12	2.01	78	12.17	7.63
3	21	2.29	41	18.68	5.20
4	16	1.79	48	18.46	8.00
5	28	2.36	45	24.71	11.58
6	12	2.76	58	22.66	11.75
7	17	2.88	63	24.67	16.36

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	6	1.48	48	17.35	8.41
2	12	1.65	43	20.10	8.98
3	21	2.75	42	21.50	7.58
4	16	3.25	88	17.85	10.05
5	28	2.62	48	24.55	10.88
6	12	2.88	35	25.85	15.76
7	17	2.98	57	28.58	16.04



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	6	1.78	28	24.88	8.27
2	12	2.25	38	24.16	8.56
3	21	4.14	55	20.60	10.55
4	16	2.15	56	14.81	8.71
5	28	3.01	48	26.86	13.48
6	12	3.15	65	25.48	18.47
7	17	2.76	88	22.61	16.57

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	6	1.88	33	26.41	8.04
2	12	3.05	65	19.67	12.81
3	21	2.20	55	9.38	0.45
4	16	1.48	36	14.80	-0.87
5	28	3.36	63	25.72	17.06
6	12	4.78	82	18.65	16.28
7	17	3.12	81	18.68	8.62

CAPITA



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	7.88	86	12.82	9.71
2	12	5.78	82	10.41	7.21
3	21	1.89	54	18.29	0.57
4	14	1.48	33	22.21	6.03
5	20	2.63	68	22.57	16.16
6	12	2.61	76	13.23	8.51
7	17	1.89	86	18.76	6.97



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	1.50	28	18.05	-1.24
2	12	1.65	36	17.88	2.60
3	21	2.21	40	19.25	5.28
4	14	1.47	37	23.40	7.26
5	20	2.20	63	22.83	12.65
6	12	2.30	52	18.44	9.44
7	17	1.83	81	24.11	5.12



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	1.96	56	17.91	-0.27
2	12	1.64	39	18.39	2.72
3	21	2.33	57	24.82	9.17
4	14	1.46	35	25.68	6.18
5	20	5.49	72	21.14	15.91
6	12	4.20	68	20.45	15.55
7	17	1.84	56	26.68	9.60

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	8.05	84	12.83	9.90
2	12	4.08	78	16.06	10.83
3	21	2.18	50	24.81	8.99
4	14	1.45	34	24.20	6.80
5	20	2.53	66	22.10	15.23
6	12	2.42	51	24.39	15.57
7	17	1.90	37	29.24	12.91

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	1.98	64	18.33	10.98
2	12	1.48	33	21.84	4.38
3	21	2.07	32	25.34	7.90
4	14	2.50	56	21.38	11.54
5	20	2.17	44	27.13	13.68
6	12	2.43	45	28.89	13.83
7	17	2.20	40	28.68	12.57



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	2.41	43	23.10	9.16
2	12	1.57	26	25.50	0.34
3	21	2.88	48	28.42	14.50
4	14	2.70	72	19.88	8.88
5	20	2.18	38	28.52	12.97
6	12	2.63	47	27.28	15.08
7	17	2.34	47	28.38	12.07

CAPITA



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	2.91	60	22.21	12.77
2	12	3.06	44	27.12	13.88
3	21	2.03	52	22.84	12.16
4	14	2.32	53	12.20	2.94
5	20	2.48	43	20.36	15.48
6	12	2.59	51	27.21	18.15
7	17	1.98	48	24.14	11.13

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	2.48	61	20.86	11.94
2	12	3.46	64	19.67	12.31
3	21	1.91	58	15.48	6.98
4	14	1.48	60	10.56	4.52
5	20	2.76	48	20.13	10.12
6	12	3.08	58	25.76	16.76
7	17	1.89	47	20.27	13.29

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	2.43	78	16.84	11.88
2	12	4.58	68	16.10	9.43
3	21	1.93	58	10.14	3.75
4	14	1.78	66	10.88	6.64
5	20	2.66	63	24.40	13.36
6	12	1.78	54	24.62	7.68
7	17	2.37	61	27.77	16.84

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	1.50	82	15.55	8.05
2	12	1.56	46	17.07	6.32
3	21	1.68	42	10.39	3.17
4	14	3.99	72	15.59	10.03
5	20	2.19	40	24.41	10.01
6	12	1.95	36	24.36	8.23
7	17	1.91	50	20.03	14.76

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	1.36	92	15.82	-1.30
2	12	1.45	82	10.11	2.08
3	21	2.14	40	19.48	5.18
4	14	4.59	78	16.38	12.17
5	20	2.11	40	24.87	10.49
6	12	2.04	39	28.15	11.38
7	17	2.08	53	27.83	15.12



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	1.94	28	18.88	-0.88
2	12	1.76	44	19.63	8.05
3	21	3.08	65	22.18	15.23
4	14	3.43	70	13.44	7.77
5	20	3.22	64	26.66	16.32
6	12	2.71	53	27.12	16.52
7	17	2.10	48	24.43	10.81

CAPITA



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	5.70	64	20.00	14.06
2	12	3.45	81	22.21	14.16
3	21	2.05	69	15.03	7.29
4	14	1.81	84	14.10	8.61
5	20	2.85	54	26.05	17.33
6	12	1.76	47	25.05	11.64
7	17	1.06	90	20.42	10.01



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	1.61	44	23.11	7.01
2	12	2.10	58	16.75	7.26
3	21	2.00	85	12.80	5.04
4	14	1.53	84	16.27	8.06
5	20	2.14	62	27.43	13.36
6	12	1.73	41	20.01	11.59
7	17	2.07	48	29.66	17.10



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	2.07	50	30.24	7.03
2	12	2.30	62	14.71	6.94
3	21	1.90	50	14.20	5.80
4	14	1.67	44	17.69	6.10
5	20	2.43	48	35.12	13.64
6	12	2.76	57	25.80	16.10
7	17	2.21	61	30.20	17.34



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	1.50	53	17.00	7.08
2	12	1.70	48	17.03	5.87
3	21	1.80	39	10.30	4.20
4	14	1.47	45	19.91	7.17
5	20	4.20	66	21.72	14.51
6	12	2.61	61	20.87	12.91
7	17	3.59	81	26.92	18.19

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	2.18	41	21.60	7.49
2	12	1.67	42	20.64	7.12
3	21	1.98	58	20.71	5.02
4	14	2.09	60	20.62	9.55
5	20	4.83	70	19.85	13.48
6	12	2.30	48	20.58	8.09
7	17	2.70	61	24.44	15.45

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	3.31	77	16.60	11.62
2	12	3.50	67	18.56	11.01
3	21	2.08	55	23.99	7.40
4	14	2.13	69	18.24	10.78
5	20	3.46	61	21.26	12.51
6	12	2.28	44	22.72	9.67
7	17	3.08	58	25.71	15.38

CAPITA

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	4.08	73	17.77	12.48
2	12	2.62	66	20.36	11.18
3	21	2.40	48	22.08	10.15
4	14	2.40	67	18.88	13.48
5	28	2.62	64	26.84	13.17
6	12	2.08	39	26.56	11.33
7	17	2.00	57	28.68	16.52



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	1.84	36	18.82	2.08
2	12	1.42	26	21.66	6.76
3	21	4.81	65	20.38	12.55
4	14	2.78	66	18.18	11.80
5	28	2.62	38	28.21	12.81
6	12	2.88	48	27.54	15.51
7	17	2.00	54	28.57	17.44



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	1.44	36	23.88	8.84
2	12	3.50	66	18.56	11.28
3	21	4.06	58	21.78	15.78
4	14	2.31	66	21.58	15.48
5	28	3.81	58	26.62	17.45
6	12	3.38	55	27.72	17.88
7	17	2.88	54	30.45	18.47

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	5.78	72	22.83	17.35
2	12	4.50	65	24.02	17.03
3	21	2.82	57	25.52	18.34
4	14	2.01	57	25.58	18.30
5	28	3.01	66	29.06	19.50
6	12	4.20	54	29.53	19.08
7	17	2.41	58	28.82	18.19

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	2.03	48	26.52	14.02
2	12	2.50	48	27.98	13.08
3	21	5.19	51	28.58	17.95
4	14	2.73	64	26.18	18.48
5	28	3.22	51	30.07	18.76
6	12	3.72	51	30.27	19.16
7	17	2.75	50	29.80	17.08



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	1.24	28	19.89	0.00
2	12	1.66	41	23.42	9.25
3	21	5.27	59	29.89	19.43
4	14	1.87	52	26.34	15.55
5	28	3.13	48	30.57	18.54
6	12	4.24	48	31.15	19.02
7	17	2.34	47	30.68	17.28

CAPITA

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	1.34	34	20.41	3.74
2	12	3.32	65	24.11	16.07
3	21	3.21	57	28.66	18.93
4	14	1.00	66	26.18	18.26
5	20	3.34	60	31.16	18.32
6	12	4.47	51	30.80	18.56
7	17	2.79	46	30.61	18.79

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	3.78	60	27.01	15.65
2	12	3.98	63	29.07	18.42
3	21	3.25	58	27.80	18.56
4	14	1.72	66	23.96	16.26
5	20	3.20	56	30.73	20.10
6	12	3.98	56	28.80	18.76
7	17	2.32	47	31.06	17.96

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	5.40	68	27.77	19.60
2	12	3.68	65	28.16	18.06
3	21	2.28	84	19.36	12.21
4	14	2.17	85	20.81	15.52
5	20	2.06	68	29.46	20.37
6	12	3.33	63	27.17	19.39
7	17	1.84	68	30.22	17.76

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	1.60	58	20.41	11.52
2	12	1.37	48	22.03	10.36
3	21	2.13	50	20.45	9.54
4	14	1.00	61	23.01	14.99
5	20	2.00	58	27.59	18.48
6	12	4.02	63	28.61	18.97
7	17	1.91	48	30.74	18.18

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	1.34	30	20.88	2.48
2	12	1.35	39	22.26	7.54
3	21	2.54	47	22.68	10.49
4	14	2.95	66	23.92	16.70
5	20	3.26	60	26.90	17.98
6	12	3.55	55	28.37	18.65
7	17	1.92	51	30.68	18.91

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	1.34	28	23.80	9.18
2	12	1.78	40	23.65	9.21
3	21	6.15	57	28.45	18.84
4	14	2.67	62	25.78	17.60
5	20	3.32	67	27.41	17.98
6	12	5.00	56	29.20	19.57
7	17	1.95	62	30.91	19.80

CAPITA



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	2.02	44	24.89	11.38
2	12	4.76	63	26.70	18.16
3	21	5.07	65	27.50	20.56
4	14	1.76	67	28.24	18.88
5	28	3.56	61	27.81	19.43
6	12	5.92	58	30.15	20.58
7	17	1.87	48	31.62	18.48

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	2.78	60	22.77	16.02
2	12	5.87	69	25.41	18.08
3	21	1.88	55	28.11	18.38
4	14	1.58	58	27.08	17.33
5	28	3.46	60	29.38	20.18
6	12	5.28	56	30.51	21.15
7	17	1.85	47	31.68	18.42



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	1.17	51	18.88	8.16
2	12	4.47	68	20.79	14.67
3	21	3.85	61	25.41	17.29
4	14	1.58	60	24.08	14.76
5	28	3.07	58	29.85	20.76
6	12	2.47	55	31.52	21.58
7	17	1.84	50	31.81	18.82

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	1.81	61	18.74	10.69
2	12	3.93	76	16.70	12.17
3	21	5.81	58	25.10	15.98
4	14	1.81	54	28.62	16.10
5	28	4.69	63	28.09	19.77
6	12	2.59	58	29.70	20.27
7	17	1.98	48	30.71	17.93

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	1.58	49	22.77	11.52
2	12	2.27	56	20.68	11.52
3	21	5.81	45	26.82	15.69
4	14	2.22	55	27.25	17.25
5	28	3.71	64	26.82	19.22
6	12	2.87	57	29.30	19.94
7	17	2.02	48	31.07	18.09

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	1.81	44	26.96	13.80
2	12	3.59	46	24.85	12.36
3	21	3.48	42	28.24	14.09
4	14	3.02	57	27.17	17.77
5	28	3.08	66	26.08	18.84
6	12	3.45	59	28.23	19.57
7	17	1.97	45	32.91	18.82

CAPITA



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	2.87	46	28.76	15.88
2	12	2.68	46	26.61	14.52
3	21	4.93	44	29.14	15.76
4	14	1.80	54	27.89	17.61
5	20	2.83	61	27.27	18.68
6	12	2.72	59	29.48	20.89
7	17	1.89	55	30.65	19.17



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	2.72	48	28.80	14.50
2	12	2.61	62	26.80	16.24
3	21	4.78	56	29.38	18.43
4	14	1.67	58	28.18	18.40
5	20	2.71	61	28.18	19.03
6	12	2.86	61	28.70	20.41
7	17	1.83	57	29.80	20.02

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	3.52	48	30.41	17.48
2	12	3.38	67	28.18	18.62
3	21	2.24	53	30.41	19.75
4	14	1.61	64	28.08	19.88
5	20	2.70	59	29.20	20.38
6	12	2.60	62	29.58	20.50
7	17	2.25	57	29.48	19.78



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	4.89	64	27.83	19.43
2	12	4.59	72	25.27	19.76
3	21	2.98	60	25.96	15.65
4	14	1.58	52	28.18	15.43
5	20	3.14	66	30.33	20.48
6	12	2.93	63	29.18	21.29
7	17	2.25	81	28.52	18.89



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	1.70	51	25.69	14.57
2	12	1.95	48	25.36	13.88
3	21	2.14	47	25.39	13.27
4	14	1.53	48	28.25	15.98
5	20	3.18	58	29.32	20.07
6	12	4.39	63	27.31	19.48
7	17	2.22	57	29.88	20.18

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	9.28	62	23.74	15.83
2	12	9.46	63	25.70	15.41
3	21	2.54	49	27.08	15.55
4	14	1.78	48	23.05	15.74
5	20	5.03	66	28.07	20.37
6	12	3.16	50	28.93	17.58
7	17	2.45	48	31.24	18.91

CAPITA



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	4.10	56	27.35	17.21
2	12	4.29	58	28.62	16.86
3	21	3.35	48	29.45	18.38
4	14	1.84	67	26.01	17.04
5	28	4.23	56	29.75	19.09
6	12	3.35	52	30.11	19.62
7	17	2.54	44	32.35	18.45

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	4.08	51	25.41	17.21
2	12	5.02	56	28.56	18.56
3	21	5.00	55	28.82	18.48
4	14	2.36	64	26.20	18.62
5	28	5.22	57	30.25	20.61
6	12	3.52	48	32.40	20.41
7	17	2.21	48	32.15	18.96



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	1.98	48	26.18	12.77
2	12	3.18	58	28.68	18.61
3	21	4.57	61	28.95	18.77
4	14	3.40	65	28.64	18.06
5	28	3.68	69	30.41	21.08
6	12	3.07	53	32.78	21.08
7	17	2.06	48	31.11	18.52



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	1.98	39	26.38	10.89
2	12	2.48	47	27.77	15.50
3	21	2.85	47	33.81	20.71
4	14	1.82	48	30.63	17.48
5	28	3.08	60	30.59	21.76
6	12	3.13	58	29.71	20.38
7	17	2.38	51	30.84	18.34

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	1.24	42	22.35	8.88
2	12	2.03	57	26.61	17.48
3	21	2.47	45	33.89	20.32
4	14	1.68	48	28.72	16.78
5	28	3.80	59	30.85	21.76
6	12	2.90	62	29.87	21.58
7	17	2.07	62	29.27	20.41

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	1.81	46	24.30	10.98
2	12	3.14	59	26.52	17.86
3	21	2.37	48	31.32	19.74
4	14	3.21	65	28.94	19.60
5	28	5.13	64	29.63	22.17
6	12	3.08	62	29.48	21.43
7	17	2.23	58	30.58	20.16

CAPITA



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	6.10	49	29.81	21.24
2	12	6.62	59	30.41	21.24
3	21	5.65	57	30.38	20.84
4	14	1.81	58	28.31	19.08
5	28	4.52	64	28.85	22.21
6	12	5.33	62	29.39	21.98
7	17	2.48	86	30.61	19.84



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	8.84	66	30.97	22.77
2	12	7.36	67	28.88	21.88
3	21	2.29	58	26.85	15.31
4	14	1.58	62	24.13	16.08
5	28	2.90	63	30.81	22.33
6	12	5.00	66	28.28	21.75
7	17	2.34	84	30.22	18.78

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	1.56	64	24.66	16.98
2	12	1.63	63	26.47	16.90
3	21	1.00	48	25.57	13.58
4	14	1.59	66	26.96	19.47
5	28	2.53	65	28.70	21.42
6	12	3.61	62	28.25	20.08
7	17	2.23	83	30.48	19.80

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	1.17	54	21.80	6.13
2	12	1.24	35	24.30	7.72
3	21	1.98	41	26.32	12.43
4	14	2.31	60	25.75	17.17
5	28	2.69	58	27.69	18.80
6	12	2.91	56	29.00	19.53
7	17	1.84	48	32.02	18.53



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	1.24	34	27.77	10.41
2	12	1.50	40	27.21	12.68
3	21	3.70	45	29.09	18.00
4	14	1.89	61	25.09	16.76
5	28	2.15	55	27.61	17.48
6	12	3.48	58	28.69	19.53
7	17	2.02	48	32.22	18.44



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	1.81	41	28.05	13.05
2	12	1.77	48	27.82	14.02
3	21	3.19	65	25.52	18.51
4	14	1.97	57	25.39	15.88
5	28	2.16	56	28.28	18.18
6	12	2.65	60	27.21	20.73
7	17	2.11	48	32.71	18.58

CAPITA

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	6	2.10	48	27.77	19.48
2	12	2.00	66	20.69	18.85
3	21	2.25	49	28.72	15.02
4	16	1.84	57	28.18	18.84
5	28	2.71	68	28.48	21.06
6	12	2.82	72	27.35	21.75
7	17	1.88	49	33.82	18.85

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	6	1.64	29	30.19	10.41
2	12	1.44	86	30.18	19.08
3	21	2.88	42	30.15	15.55
4	16	2.43	60	28.82	17.17
5	28	2.61	68	29.63	20.68
6	12	2.44	84	25.88	21.93
7	17	2.04	62	33.06	18.78

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	6	1.46	82	30.19	11.80
2	12	1.86	88	31.80	18.78
3	21	3.48	81	28.87	20.28
4	16	1.88	81	24.78	19.58
5	28	2.76	87	30.87	20.68
6	12	2.58	58	31.10	21.15
7	17	1.88	48	32.28	18.68



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	6	2.78	48	31.94	17.83
2	12	2.62	48	29.90	17.26
3	21	3.20	57	27.29	18.01
4	16	1.81	58	25.47	18.62
5	28	3.49	58	30.86	21.98
6	12	3.46	58	31.47	21.88
7	17	1.98	47	32.25	19.26

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	6	1.44	32	29.90	11.24
2	12	1.55	85	27.82	11.01
3	21	3.01	56	26.34	18.55
4	16	2.95	87	24.87	17.81
5	28	2.92	67	30.73	21.18
6	12	2.98	55	31.57	21.43
7	17	2.18	48	31.86	19.34

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	6	1.98	45	29.68	10.97
2	12	2.58	68	21.38	13.93
3	21	2.96	68	24.54	15.84
4	16	2.12	68	24.98	17.93
5	28	2.61	61	29.81	21.48
6	12	2.31	53	31.38	20.64
7	17	1.78	47	32.28	18.43

CAPITA

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	6	1.17	89	28.88	8.50
2	12	1.28	35	26.22	8.42
3	21	2.78	52	28.55	15.88
4	14	1.81	66	27.05	18.46
5	28	2.68	62	27.72	19.47
6	12	2.57	58	29.58	19.81
7	17	1.74	44	33.50	18.17



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	6	1.96	50	26.10	8.71
2	12	2.28	60	25.50	15.00
3	21	2.97	49	26.81	16.66
4	14	1.47	80	24.66	19.76
5	28	3.06	68	28.10	20.41
6	12	3.55	58	30.55	21.30
7	17	1.76	48	33.70	18.69

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	6	1.48	66	28.10	18.48
2	12	1.37	46	26.18	12.56
3	21	1.78	48	25.02	12.55
4	14	1.87	83	25.87	19.48
5	28	2.80	64	30.80	20.46
6	12	2.78	65	29.96	21.52
7	17	1.82	56	34.08	17.67



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	6	1.20	44	25.41	12.22
2	12	1.46	41	26.30	12.07
3	21	2.23	51	25.41	14.59
4	14	1.63	45	28.80	13.60
5	28	2.46	55	29.24	18.04
6	12	2.92	66	28.23	20.73
7	17	1.80	40	34.06	18.38

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	6	2.21	49	27.21	14.98
2	12	2.92	52	27.03	16.52
3	21	1.81	47	27.64	15.25
4	14	1.50	46	29.04	16.66
5	28	3.06	62	28.96	20.78
6	12	3.05	60	28.19	19.53
7	17	1.81	48	33.69	17.69

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	6	3.04	68	25.68	18.38
2	12	3.55	62	26.61	18.37
3	21	1.95	56	23.83	14.01
4	14	1.58	48	28.68	18.78
5	28	2.76	64	30.63	20.02
6	12	3.97	61	28.93	20.55
7	17	1.82	48	33.62	17.87

CAPITA

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	1.81	86	24.62	9.76
2	12	1.26	36	24.67	8.66
3	21	2.23	51	24.62	13.51
4	14	1.87	80	25.51	18.60
5	28	2.64	64	30.23	18.60
6	12	2.71	57	30.75	21.56
7	17	1.80	48	29.69	18.15



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	7.08	77	20.88	18.86
2	12	8.05	86	21.52	19.02
3	21	5.35	71	21.02	15.48
4	14	1.48	47	28.64	11.30
5	28	2.60	68	28.78	22.15
6	12	2.35	86	28.58	21.08
7	17	1.69	67	31.24	18.09



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	1.07	87	29.98	14.80
2	12	2.08	69	28.89	12.05
3	21	1.88	47	23.38	12.13
4	14	1.47	47	28.18	18.48
5	28	2.63	68	27.67	18.77
6	12	2.82	86	25.95	18.48
7	17	2.26	48	29.15	18.88



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	1.61	44	25.69	12.49
2	12	1.91	45	25.45	12.86
3	21	2.17	47	26.80	14.48
4	14	1.49	45	28.80	15.27
5	28	3.00	63	26.98	18.56
6	12	2.96	49	27.40	15.98
7	17	2.38	59	29.50	18.19



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	2.52	45	28.52	13.74
2	12	2.98	45	27.26	14.25
3	21	2.58	47	28.14	15.92
4	14	1.88	50	25.78	18.42
5	28	3.36	59	28.10	19.14
6	12	4.02	48	28.42	16.24
7	17	1.98	48	32.28	19.84



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	3.68	50	28.68	17.08
2	12	4.89	53	27.81	17.40
3	21	6.12	57	26.10	18.71
4	14	1.82	53	25.88	15.43
5	28	3.71	61	26.09	18.93
6	12	5.65	55	26.80	18.37
7	17	2.39	63	28.85	20.58

CAPITA



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	4.96	81	27.35	19.08
2	12	8.78	87	25.18	18.06
3	21	6.81	79	25.40	18.40
4	14	2.11	61	28.34	15.27
5	28	3.35	62	28.14	21.08
6	12	4.04	72	28.20	20.88
7	17	2.59	66	28.24	20.84

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	8.04	86	24.99	17.21
2	12	6.26	84	26.78	18.87
3	21	4.56	69	27.80	18.41
4	14	1.87	54	28.84	15.80
5	28	3.06	65	28.86	21.84
6	12	4.58	78	28.88	22.03
7	17	2.35	86	28.57	20.15



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	7.68	88	25.82	19.80
2	12	6.78	88	27.81	20.68
3	21	5.00	88	25.48	19.51
4	14	1.48	48	31.84	8.46
5	28	2.63	85	28.67	22.26
6	12	5.51	77	28.15	21.81
7	17	2.07	87	28.80	18.78



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	3.24	77	24.85	20.19
2	12	1.83	52	25.41	14.89
3	21	1.67	48	23.01	9.98
4	14	1.58	47	24.20	11.70
5	28	2.62	62	28.86	20.76
6	12	2.81	63	28.33	18.89
7	17	1.88	61	28.89	20.52



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	1.96	52	24.18	13.88
2	12	1.43	42	26.06	12.07
3	21	5.09	67	21.79	14.88
4	14	1.56	52	20.43	10.07
5	29	3.37	63	29.18	21.46
6	12	2.59	68	28.05	20.53
7	17	2.08	62	28.62	20.12



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	5.10	78	24.90	20.41
2	12	7.08	78	24.99	20.66
3	21	1.93	51	22.81	11.90
4	14	1.09	62	19.18	8.58
5	28	3.38	78	28.85	22.01
6	12	3.29	74	25.58	20.32
7	17	1.87	68	28.26	20.42

CAPITA



REGION	# STNS	DEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	8.29	80	29.75	20.38
2	12	6.47	72	28.51	18.06
3	21	9.08	68	19.87	12.57
4	14	1.48	48	20.48	7.81
5	28	3.71	73	27.25	21.85
6	12	6.78	78	25.35	19.85
7	17	2.00	66	25.95	18.86

REGION	# STNS	DEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	2.01	70	28.18	22.21
2	12	2.06	66	26.47	19.98
3	21	2.02	50	22.11	11.29
4	14	1.40	48	26.38	11.28
5	28	2.68	72	27.81	21.68
6	12	3.81	78	23.85	17.03
7	17	2.42	62	26.48	16.98

REGION	# STNS	DEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	8.42	84	27.07	19.18
2	12	5.07	68	25.68	18.03
3	21	1.97	49	24.78	13.48
4	14	1.48	48	24.58	12.18
5	28	2.62	68	28.24	21.88
6	12	5.05	71	25.58	18.78
7	17	2.03	64	28.48	17.81



REGION	# STNS	DEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	2.18	64	28.33	20.03
2	12	3.31	71	26.29	20.58
3	21	3.03	58	25.47	18.13
4	14	1.58	53	22.77	12.73
5	28	2.48	66	28.58	21.64
6	12	2.70	72	26.38	21.43
7	17	4.19	86	28.89	18.18

REGION	# STNS	DEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	3.02	71	25.87	18.98
2	12	4.83	77	25.04	20.55
3	21	4.48	65	22.64	15.73
4	14	2.28	57	22.81	13.48
5	28	2.41	65	28.28	21.86
6	12	2.23	88	27.63	21.38
7	17	3.56	86	28.38	18.85

REGION	# STNS	DEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	2.36	68	22.22	15.41
2	12	3.41	78	20.85	15.98
3	21	2.97	68	21.08	14.22
4	14	2.72	57	23.78	14.28
5	28	3.08	67	28.72	21.82
6	12	2.55	85	28.88	21.28
7	17	2.48	81	27.74	18.04

CAPITA

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	6	1.24	62	29.74	18.18
2	12	1.38	65	26.62	11.47
3	21	2.09	58	23.27	12.31
4	16	2.05	56	28.86	16.20
5	28	3.88	69	26.88	20.57
6	12	5.25	86	28.42	20.58
7	17	2.69	87	20.60	19.47

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	6	1.38	48	27.89	16.02
2	12	1.69	46	25.50	12.62
3	21	2.52	49	25.55	12.26
4	16	2.16	68	25.38	16.81
5	28	3.75	84	27.69	19.68
6	12	5.89	87	28.52	21.84
7	17	3.98	84	20.17	18.78

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	6	1.38	48	28.88	18.18
2	12	1.68	61	27.66	18.47
3	21	2.77	45	28.58	13.48
4	16	4.01	66	25.31	16.81
5	28	2.87	67	28.26	18.88
6	12	3.56	81	29.36	21.18
7	17	2.58	84	27.88	18.88



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	6	1.01	42	27.35	13.05
2	12	2.58	50	29.11	17.63
3	21	4.22	47	28.27	15.88
4	16	9.78	55	27.81	17.05
5	28	3.48	55	30.59	20.58
6	12	4.35	81	30.04	21.71
7	17	2.21	58	28.59	18.43



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	6	2.17	38	31.80	18.10
2	12	2.88	47	30.22	17.72
3	21	5.51	53	29.94	19.58
4	16	1.85	47	30.47	17.35
5	28	3.57	58	30.01	21.00
6	12	4.35	84	29.50	22.28
7	17	2.06	66	30.09	20.09



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	6	4.48	48	30.97	18.74
2	12	7.16	58	30.22	20.58
3	21	4.18	57	30.39	20.78
4	16	2.10	48	27.48	14.71
5	28	3.47	60	30.33	21.84
6	12	3.58	67	29.30	22.83
7	17	2.91	56	30.58	20.77

CAPITA



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	4.75	69	29.02	24.10
2	12	3.54	66	27.00	20.27
3	21	2.02	51	24.20	13.24
4	14	1.00	40	20.76	11.79
5	20	3.26	62	30.10	22.13
6	12	4.13	65	29.57	22.35
7	17	2.01	80	30.22	28.66

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	1.24	42	29.88	8.87
2	12	1.26	48	22.35	9.06
3	21	1.91	45	24.75	12.11
4	14	1.88	47	20.26	15.86
5	20	2.66	61	27.17	18.86
6	12	2.63	55	28.09	18.52
7	17	2.16	61	28.66	88.88



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	1.46	42	28.86	12.72
2	12	1.81	46	26.88	18.82
3	21	2.88	51	27.62	18.71
4	14	2.42	61	29.29	17.37
5	20	2.72	56	27.83	18.30
6	12	4.10	58	27.98	18.88
7	17	2.86	66	28.66	21.07



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	1.71	50	28.30	14.99
2	12	2.67	45	27.01	14.76
3	21	2.88	57	25.63	17.38
4	14	2.04	58	25.27	18.08
5	20	2.51	58	28.44	19.22
6	12	3.11	53	28.88	18.42
7	17	3.36	65	28.23	20.65

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	2.48	68	21.52	15.13
2	12	3.10	61	24.94	16.52
3	21	3.88	64	23.54	18.18
4	14	2.88	55	28.62	18.14
5	20	3.26	59	29.12	19.87
6	12	3.23	55	29.53	19.18
7	17	2.61	64	29.39	20.78



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	1.46	47	23.18	11.24
2	12	1.78	52	24.88	13.55
3	21	2.58	58	24.75	15.69
4	14	3.58	65	27.88	17.77
5	20	4.45	73	26.62	21.20
6	12	4.22	57	29.96	20.13
7	17	3.06	67	29.46	20.12

CAPITA

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	1.25	38	29.88	12.89
2	12	2.98	46	26.75	13.78
3	21	2.89	45	28.50	13.43
4	14	2.70	48	28.18	17.21
5	28	6.21	68	27.00	20.41
6	12	5.11	58	28.89	18.98
7	17	9.06	88	28.73	18.89



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	1.71	47	28.75	18.18
2	12	3.12	48	28.78	16.88
3	21	3.52	46	27.98	16.48
4	14	2.88	58	27.77	18.96
5	28	6.23	68	27.83	21.42
6	12	5.98	68	27.05	20.45
7	17	6.16	58	30.68	18.57



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	4.59	68	28.62	19.18
2	12	5.38	68	27.72	17.86
3	21	8.45	58	28.83	17.45
4	14	7.19	69	27.88	18.62
5	28	8.81	88	28.48	22.87
6	12	6.33	81	29.28	20.88
7	17	6.16	58	29.88	18.48

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	7.97	56	29.18	19.18
2	12	9.28	64	27.54	20.08
3	21	6.23	68	28.43	19.81
4	14	2.73	58	28.28	18.42
5	28	6.13	56	31.12	21.48
6	12	6.22	58	30.89	21.08
7	17	3.11	54	30.85	20.48

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	3.48	51	27.68	15.58
2	12	4.65	60	28.70	20.32
3	21	4.07	58	28.69	19.01
4	14	2.82	53	28.84	17.41
5	28	3.81	57	31.28	21.68
6	12	3.90	57	30.55	20.32
7	17	2.11	57	30.81	21.30

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	1.98	48	27.07	15.15
2	12	2.38	48	27.77	15.58
3	21	3.48	58	28.99	19.07
4	14	2.48	47	31.82	17.57
5	28	3.31	65	28.88	21.66
6	12	3.85	78	28.88	21.71
7	17	1.88	54	31.58	20.87

CAPITA

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	6	1.81	48	21.52	9.66
2	12	1.36	48	21.80	10.22
3	21	2.06	52	22.55	11.78
4	14	2.10	60	20.25	10.66
5	20	2.77	61	20.00	20.47
6	12	4.21	86	20.09	21.06
7	17	1.81	96	21.47	21.50

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	6	1.96	88	20.62	8.27
2	12	1.28	61	18.46	6.87
3	21	2.48	51	24.78	16.81
4	14	1.78	46	25.88	12.81
5	20	2.46	56	27.31	17.46
6	12	3.52	58	29.39	19.58
7	17	1.88	84	30.18	21.85

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	6	1.84	49	21.88	8.18
2	12	2.10	64	22.86	12.68
3	21	2.64	51	26.82	16.81
4	14	1.68	43	28.16	11.22
5	20	2.83	58	28.32	18.86
6	12	4.04	58	29.90	20.52
7	17	2.31	84	28.72	20.87



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	6	2.36	80	23.74	15.55
2	12	3.77	58	25.84	16.08
3	21	2.98	63	22.84	14.99
4	14	1.50	46	24.18	11.62
5	20	3.87	68	27.33	20.08
6	12	4.09	81	25.20	20.52
7	17	2.20	84	30.84	20.35



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	6	8.37	88	18.38	14.58
2	12	8.08	88	20.27	18.42
3	21	9.95	85	21.31	14.25
4	14	1.76	47	29.52	11.28
5	20	9.52	72	27.55	21.78
6	12	2.81	52	28.32	17.83
7	17	2.17	52	31.17	20.12

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	6	8.52	77	23.48	18.88
2	12	2.38	71	23.87	18.14
3	21	5.18	58	23.40	15.98
4	14	2.21	45	28.28	15.12
5	20	2.75	58	28.46	18.33
6	12	5.85	51	28.88	15.58
7	17	2.86	51	31.87	18.88

CAPITA

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	6	2.87	86	27.87	18.86
2	12	6.48	88	26.87	17.17
3	21	2.58	87	28.17	14.17
4	14	2.27	68	27.86	14.56
5	28	3.45	88	28.21	18.28
6	12	3.48	86	27.72	17.46
7	17	2.87	88	30.81	18.42

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	6	3.19	82	28.86	18.88
2	12	6.18	86	27.81	17.88
3	21	3.58	88	27.88	15.81
4	14	3.84	81	24.98	15.76
5	28	4.06	80	28.06	20.01
6	12	4.38	85	27.77	18.81
7	17	3.34	86	28.84	18.08



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	6	1.17	48	20.85	8.38
2	12	1.88	58	22.77	11.88
3	21	5.88	82	24.83	18.71
4	14	5.01	88	25.88	18.58
5	28	4.22	58	26.80	20.25
6	12	5.78	84	28.81	20.82
7	17	8.10	87	29.78	18.88



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	6	1.17	37	22.81	7.38
2	12	2.38	48	29.51	12.07
3	21	6.25	82	26.80	18.72
4	14	3.75	88	28.38	18.92
5	28	4.40	86	26.86	19.93
6	12	3.38	87	28.85	21.15
7	17	2.48	87	29.83	20.22



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	6	1.48	49	23.60	10.19
2	12	3.48	56	24.16	16.76
3	21	5.83	88	27.81	20.57
4	14	2.71	45	31.74	17.77
5	28	4.45	66	26.85	20.01
6	12	4.28	70	27.80	21.38
7	17	2.22	57	30.89	20.81



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	6	4.83	60	20.80	10.46
2	12	4.71	63	26.66	19.16
3	21	8.78	71	27.83	21.10
4	14	2.18	81	28.58	18.28
5	28	8.38	65	27.85	20.68
6	12	4.41	84	28.88	20.55
7	17	1.88	57	30.61	21.13

CAPITA



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	0.25	58	30.27	20.86
2	12	4.04	62	27.86	20.06
3	21	5.51	70	27.29	21.24
4	14	2.56	78	23.28	18.56
5	28	2.88	65	28.52	21.30
6	12	3.78	62	28.55	20.78
7	17	1.88	57	30.61	21.28



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	6.75	88	31.10	28.41
2	12	5.06	88	28.67	28.86
3	21	9.76	82	28.20	21.21
4	14	1.51	48	24.52	12.26
5	28	2.44	63	28.88	21.78
6	12	2.55	68	28.30	21.45
7	17	2.21	58	31.27	21.18



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	0.41	86	20.18	17.48
2	12	5.88	82	28.67	21.47
3	21	5.19	68	27.66	20.47
4	14	1.61	68	25.70	19.28
5	28	2.47	68	28.65	20.88
6	12	2.48	82	28.36	21.55
7	17	1.83	58	32.87	21.86



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	5.10	70	28.27	19.44
2	12	3.78	64	27.31	19.09
3	21	3.02	60	28.17	19.35
4	14	1.58	42	30.55	18.22
5	28	2.40	61	28.80	20.63
6	12	2.46	63	28.60	20.92
7	17	1.88	58	32.77	20.71



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	4.23	81	28.74	20.55
2	12	3.97	63	28.32	20.55
3	21	2.44	51	30.79	19.43
4	14	1.64	56	29.44	19.78
5	23	2.72	68	28.46	20.82
6	12	2.79	57	29.65	20.08
7	17	1.98	51	31.50	20.12



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	2.88	58	28.60	18.88
2	12	3.51	58	29.07	19.01
3	21	3.26	55	28.19	18.19
4	14	1.98	53	22.14	11.70
5	28	3.18	63	28.38	20.58
6	12	2.33	55	29.90	19.81
7	17	2.28	58	30.22	19.48

CAPITA

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	1.10	68	29.00	12.88
2	12	3.00	68	25.10	17.44
3	21	6.48	54	27.50	17.58
4	14	1.80	47	26.34	13.52
5	28	2.06	63	28.74	20.00
6	12	3.16	53	30.03	20.06
7	17	3.66	61	29.09	18.84



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	7.16	72	24.67	18.90
2	12	6.83	76	26.00	20.08
3	21	2.92	62	28.08	15.25
4	14	1.87	48	24.71	12.48
5	28	2.62	68	28.62	22.01
6	12	5.13	86	27.00	19.95
7	17	2.68	67	28.67	18.57



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	6.15	82	22.35	21.31
2	12	6.47	82	24.44	21.18
3	21	2.62	66	21.28	16.48
4	14	1.68	56	25.58	8.88
5	28	6.32	76	26.84	20.86
6	12	2.42	58	28.24	17.12
7	17	2.08	47	30.48	17.08



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	9.08	94	19.05	18.08
2	12	3.33	87	21.98	19.62
3	21	4.70	85	21.87	18.48
4	14	1.47	36	26.54	8.88
5	28	2.75	61	25.84	17.67
6	12	2.58	52	25.15	16.56
7	17	2.91	48	30.81	16.78



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	6.05	88	21.10	18.02
2	12	3.65	81	22.35	18.07
3	21	2.37	51	26.57	15.07
4	14	1.47	38	22.17	5.47
5	28	2.68	56	26.82	16.70
6	12	2.50	45	29.48	16.57
7	17	3.10	49	31.01	15.84



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	9.89	70	24.57	18.88
2	12	2.53	68	26.66	18.32
3	21	2.81	48	22.18	9.98
4	14	1.50	38	17.53	2.17
5	28	2.88	53	29.48	18.88
6	12	3.23	55	29.30	19.25
7	17	3.76	54	27.67	18.88

CAPITA



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	0.08	61	28.10	10.05
2	12	6.48	65	23.37	16.26
3	21	2.07	55	18.66	9.25
4	14	1.62	59	14.60	6.80
5	20	3.65	61	28.66	20.11
6	12	6.15	78	25.60	18.78
7	17	2.01	66	26.40	18.06



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	0.56	69	20.41	14.04
2	12	6.88	77	21.60	17.69
3	21	3.32	58	20.57	14.15
4	14	1.80	48	14.55	5.24
5	20	3.05	68	26.80	20.43
6	12	6.58	77	22.82	18.46
7	17	3.78	67	25.05	18.56



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	0.21	76	21.52	18.00
2	12	6.96	70	21.20	15.45
3	21	2.56	63	18.85	11.58
4	14	2.09	64	12.17	6.98
5	20	6.88	70	26.86	20.76
6	12	6.70	70	24.87	18.76
7	17	5.10	75	20.85	15.84



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	1.51	55	18.89	10.55
2	12	6.30	66	18.60	15.02
3	21	10.15	67	17.32	15.10
4	14	2.08	60	14.52	2.97
5	20	3.41	65	27.83	20.63
6	12	5.72	67	26.15	19.39
7	17	2.25	72	17.20	11.92



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	3.24	82	18.80	15.41
2	12	6.83	77	23.37	19.06
3	21	3.44	75	18.26	11.00
4	14	1.60	46	18.21	5.23
5	20	2.95	62	28.76	20.65
6	12	2.75	71	22.72	18.96
7	17	2.03	58	20.32	11.56



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	1.24	69	19.58	12.21
2	12	1.46	58	19.62	11.15
3	21	1.85	47	19.01	7.35
4	14	1.89	51	18.16	6.68
5	20	2.96	64	26.68	19.10
6	12	3.43	68	22.08	15.68
7	17	2.71	69	22.80	15.28

CAPITA



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	1.17	62	10.80	0.10
2	12	1.73	54	10.04	10.02
3	21	2.42	49	20.00	9.45
4	14	2.05	65	18.05	8.00
5	20	4.30	71	24.02	18.10
6	12	5.41	50	20.20	17.50
7	17	4.56	74	22.49	17.41



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	1.17	54	10.71	0.00
2	12	2.42	71	10.02	10.00
3	21	2.00	50	17.50	0.00
4	14	1.47	48	10.00	0.04
5	20	4.40	71	25.06	10.10
6	12	2.07	60	25.20	10.40
7	17	5.00	70	22.00	17.44



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	1.17	57	17.21	2.22
2	12	1.31	41	17.77	6.06
3	21	1.70	44	17.30	5.20
4	14	2.10	48	10.01	0.04
5	20	2.77	60	26.06	17.10
6	12	5.00	50	25.06	17.20
7	17	4.01	70	20.40	10.01



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	1.17	30	16.04	2.22
2	12	1.41	46	16.04	5.27
3	21	5.31	00	14.07	0.07
4	14	5.40	74	10.70	11.70
5	20	3.52	60	23.60	15.23
6	12	5.50	03	20.00	19.25
7	17	2.15	70	20.00	20.71



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	1.50	46	17.40	6.00
2	12	0.04	75	14.04	10.41
3	21	0.40	00	10.05	10.50
4	14	0.00	00	21.40	14.00
5	20	2.07	65	24.50	17.37
6	12	4.05	71	20.15	20.50
7	17	1.00	00	20.21	20.45



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	1.70	50	10.00	0.40
2	12	0.10	70	17.03	13.74
3	21	0.35	70	24.70	20.10
4	14	0.40	07	22.40	10.70
5	20	3.45	02	26.00	10.00
6	12	5.41	04	20.00	20.55
7	17	2.22	00	20.42	20.71

CAPITA

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	2.38	74	17.81	13.16
2	12	6.45	77	21.16	16.98
3	21	5.08	85	20.14	20.04
4	14	1.81	66	22.25	14.83
5	20	2.74	80	27.10	18.06
6	12	2.81	56	29.30	20.16
7	17	2.10	82	28.00	20.40

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	2.01	88	20.90	18.10
2	12	2.09	87	24.98	17.01
3	21	2.47	58	25.49	18.04
4	14	2.06	88	21.96	18.82
5	20	2.62	80	26.90	18.48
6	12	3.32	57	29.25	19.90
7	17	2.48	82	28.58	20.41



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	1.28	41	25.98	8.36
2	12	2.66	68	23.18	16.30
3	21	3.56	80	27.87	19.09
4	14	3.71	81	24.71	18.88
5	20	4.06	61	27.33	18.64
6	12	3.55	55	29.30	19.85
7	17	2.48	84	28.68	19.87



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	1.17	47	20.69	8.88
2	12	1.00	54	23.51	13.42
3	21	5.02	51	28.72	17.84
4	14	3.52	66	23.09	15.08
5	20	6.33	68	26.50	19.43
6	12	5.07	52	29.57	18.83
7	17	2.50	67	28.65	19.74



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	2.07	57	27.63	10.18
2	12	4.74	70	23.42	19.30
3	21	5.50	51	28.35	17.13
4	14	2.57	55	19.71	9.59
5	20	4.59	65	27.40	19.63
6	12	4.39	50	29.11	18.83
7	17	2.24	80	28.30	19.83

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	1.44	59	15.55	7.48
2	12	5.18	77	22.12	17.77
3	21	3.39	64	24.75	17.32
4	14	1.82	66	15.18	4.71
5	20	3.58	60	28.29	19.58
6	12	3.78	54	28.97	18.79
7	17	2.81	64	25.35	18.81



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	6	1.51	62	16.50	9.02
2	12	3.10	72	18.80	14.58
3	21	1.81	52	20.80	10.16
4	14	1.48	45	18.72	5.84
5	28	3.05	63	26.66	18.78
6	12	6.00	58	28.28	19.20
7	17	2.10	69	25.55	18.71

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	6	2.49	82	22.81	19.27
2	12	9.38	63	22.21	16.67
3	21	1.91	43	22.18	9.12
4	14	1.47	42	21.62	7.81
5	28	5.02	53	27.78	18.68
6	12	6.05	64	24.90	17.32
7	17	2.81	80	24.69	19.87



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	6	0.71	72	19.89	14.93
2	12	2.00	66	19.07	12.08
3	21	2.53	56	16.55	7.66
4	14	1.46	41	18.47	5.27
5	28	2.83	62	26.66	16.80
6	12	2.20	47	25.27	15.05
7	17	2.05	48	26.04	15.80



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	6	1.01	60	19.80	7.01
2	12	1.51	62	12.80	5.68
3	21	1.75	51	19.75	3.51
4	14	1.46	41	18.80	0.91
5	28	1.83	45	23.36	10.38
6	12	1.62	38	21.89	6.98
7	17	1.88	43	26.13	12.38

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	6	1.17	49	19.68	1.62
2	12	1.33	47	16.36	4.11
3	21	2.96	63	14.46	8.69
4	14	1.62	41	14.12	-0.29
5	28	1.80	46	22.05	10.1
6	12	1.79	40	22.72	8.48
7	17	2.44	65	22.69	15.65



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	6	2.57	67	14.99	8.48
2	12	1.99	66	17.12	10.45
3	21	2.76	67	12.76	8.37
4	14	1.56	62	12.28	1.74
5	28	3.54	78	22.30	16.42
6	12	2.96	69	18.63	12.30
7	17	2.69	51	22.28	11.13

CAPITA



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	16.10	88	14.88	14.06
2	12	6.06	87	16.82	13.66
3	21	2.14	82	15.11	5.81
4	14	1.62	91	20.27	1.94
5	28	9.28	73	19.75	14.14
6	12	1.76	45	18.47	4.11
7	17	1.76	86	21.82	5.78

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	1.81	94	10.78	7.21
2	12	1.61	67	15.86	7.26
3	21	1.91	45	18.26	4.12
4	14	1.48	36	18.74	0.83
5	28	2.24	50	20.66	8.63
6	12	1.75	39	21.15	8.57
7	17	2.04	48	24.47	10.06

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	1.24	98	14.88	2.68
2	12	1.86	46	16.88	3.81
3	21	1.98	38	18.71	2.48
4	14	1.88	48	17.21	3.84
5	28	2.16	48	28.82	11.88
6	12	3.58	42	25.76	10.09
7	17	2.24	52	24.44	13.78

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	1.10	57	14.44	5.08
2	12	1.58	56	17.82	8.02
3	21	3.25	64	17.42	10.41
4	14	1.71	47	15.47	3.88
5	28	2.42	58	25.11	16.14
6	12	2.49	50	23.88	12.72
7	17	2.12	50	23.39	12.08



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	2.52	88	21.88	15.55
2	12	2.82	66	21.47	14.81
3	21	3.68	59	17.45	9.09
4	14	1.53	40	19.24	4.78
5	28	2.42	60	26.40	18.01
6	12	2.77	51	25.41	14.87
7	17	2.18	50	25.88	14.53

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	3.73	87	22.21	15.83
2	12	3.83	58	21.61	12.81
3	21	5.35	55	22.03	11.87
4	14	2.82	58	16.70	7.67
5	28	2.86	61	26.34	17.99
6	12	3.70	64	24.38	16.98
7	17	2.51	61	26.86	17.80

CAPITA



REGION	# STNS	DEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	9.48	81	20.81	12.88
2	12	7.52	79	18.88	13.78
3	21	5.72	87	20.10	19.05
4	16	5.88	78	15.81	10.78
5	28	4.88	69	24.67	18.46
6	12	8.19	85	24.85	17.58
7	17	2.94	84	28.78	18.21



REGION	# STNS	DEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	1.71	80	18.80	9.85
2	12	9.22	82	19.06	14.61
3	21	7.81	88	18.99	14.06
4	16	6.26	78	18.88	14.08
5	28	6.81	71	23.06	17.81
6	12	6.87	87	24.46	17.82
7	17	5.28	78	24.89	18.78



REGION	# STNS	DEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	1.84	84	16.88	8.80
2	12	1.89	84	17.89	7.58
3	21	9.24	71	20.84	15.18
4	16	6.18	88	20.49	14.88
5	28	9.89	64	21.12	16.43
6	12	9.88	82	24.59	18.86
7	17	2.69	84	25.22	18.18



REGION	# STNS	DEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	2.87	72	15.83	10.69
2	12	1.88	45	21.19	8.78
3	21	4.98	61	23.16	14.58
4	16	1.70	48	17.17	5.31
5	28	2.55	61	22.85	13.78
6	12	3.88	58	23.76	15.88
7	17	2.48	68	23.49	17.44



REGION	# STNS	DEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	1.98	68	14.30	7.35
2	12	2.88	68	16.88	9.71
3	21	3.42	52	25.85	15.19
4	16	2.88	65	14.51	7.99
5	28	3.71	76	22.17	17.47
6	12	2.59	62	25.83	15.92
7	17	2.88	68	20.95	13.71



REGION	# STNS	DEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	3.27	54	19.88	10.41
2	12	5.53	60	18.51	10.48
3	21	3.56	58	21.57	14.59
4	16	7.08	77	14.85	10.55
5	28	3.75	77	22.15	17.75
6	12	5.48	78	21.38	17.03
7	17	1.99	58	22.15	12.87

CAPITA

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	8.27	98	20.27	19.09
2	12	6.00	72	17.81	12.77
3	21	7.48	85	18.45	15.78
4	16	4.29	78	19.60	9.16
5	28	5.22	82	21.93	18.62
6	12	2.87	76	22.58	17.56
7	17	2.46	68	22.18	15.78



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	8.98	96	18.02	10.18
2	12	7.01	78	18.87	16.63
3	21	8.44	88	18.78	16.58
4	16	6.88	76	13.96	9.18
5	28	6.66	80	22.48	18.78
6	12	3.72	78	22.87	17.48
7	17	2.61	66	21.88	13.42



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	2.04	67	16.18	7.83
2	12	6.48	87	14.67	12.48
3	21	8.53	88	18.28	16.25
4	16	4.67	78	19.78	10.18
5	28	6.03	78	23.62	18.88
6	12	4.49	77	20.45	16.28
7	17	2.28	68	22.96	13.88



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	9.70	91	14.85	13.48
2	12	7.04	88	16.98	14.99
3	21	5.85	78	18.87	12.87
4	16	2.00	64	18.81	10.88
5	28	5.02	71	22.81	12.01
6	12	4.18	87	21.81	15.27
7	17	2.48	68	24.11	15.71



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	9.38	81	18.60	15.13
2	12	3.66	79	18.09	14.20
3	21	4.59	87	20.18	13.50
4	16	3.70	87	18.52	11.97
5	28	2.83	62	29.28	15.43
6	12	4.18	65	21.80	14.56
7	17	2.57	64	23.98	16.00



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	3.19	78	17.77	13.32
2	12	3.61	71	18.78	13.37
3	21	3.88	61	20.78	13.01
4	16	3.17	65	12.57	5.51
5	28	3.03	65	23.12	15.88
6	12	3.59	58	24.25	14.95
7	17	2.02	51	29.82	12.41

CAPITA

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	2.70	80	22.35	18.16
2	12	3.08	69	22.60	15.06
3	21	1.98	55	18.82	9.98
4	14	0.42	68	6.74	1.15
5	28	3.96	65	26.30	17.37
6	12	3.55	52	25.07	15.18
7	16	2.93	68	20.55	17.07

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	1.90	48	21.52	9.10
2	12	2.21	60	21.75	10.60
3	21	0.25	55	21.75	12.15
4	14	0.27	82	4.00	1.00
5	28	5.22	71	29.55	17.07
6	12	3.00	55	25.59	15.75
7	17	0.94	66	20.00	17.06



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	2.07	48	18.44	6.00
2	12	4.17	61	20.86	10.23
3	21	3.06	55	25.87	13.00
4	14	0.00	60	7.00	0.00
5	28	4.96	76	29.00	18.96
6	12	3.37	61	24.99	16.00
7	17	2.01	66	22.07	18.40



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	1.71	70	11.80	8.30
2	12	4.48	75	18.10	13.46
3	21	2.32	51	14.54	4.57
4	14	1.45	59	0.54	-2.09
5	28	4.30	70	24.61	20.11
6	12	4.14	70	24.02	18.09
7	17	2.08	56	22.96	12.41



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	2.55	55	20.87	11.30
2	12	0.15	76	10.14	13.32
3	21	2.37	57	14.81	8.38
4	14	4.09	70	7.07	4.20
5	28	3.77	75	25.41	20.53
6	12	2.70	70	25.04	19.07
7	17	2.52	60	24.00	15.07



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	3.17	83	18.52	15.41
2	12	2.51	77	22.21	17.06
3	21	2.21	65	13.98	7.40
4	14	1.06	57	0.20	0.58
5	28	2.48	70	26.50	20.76
6	12	2.87	68	25.00	18.76
7	17	2.16	48	29.19	10.87

CAPITA



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	3.22	78	14.94	9.88
2	12	3.41	73	13.20	8.26
3	21	1.78	68	10.84	-1.25
4	14	1.48	67	8.84	-4.36
5	28	2.65	88	22.81	15.82
6	12	1.78	57	17.30	2.45
7	17	1.88	52	10.88	1.85

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	1.48	68	10.83	-0.87
2	12	1.28	67	8.25	-1.66
3	21	1.01	51	8.78	-2.78
4	14	1.51	81	8.12	-1.02
5	28	1.88	88	15.58	1.68
6	12	1.05	28	14.59	-9.83
7	17	1.78	58	10.88	2.88

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	1.88	68	8.88	-9.88
2	12	1.67	62	11.85	-1.67
3	21	1.88	58	15.81	-8.42
4	14	1.58	68	8.28	-8.27
5	28	2.81	63	18.81	6.58
6	12	1.88	28	17.35	-8.78
7	17	1.87	68	82.78	18.18

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	1.39	87	13.19	4.71
2	12	1.45	48	14.57	3.76
3	21	4.08	51	4.59	-5.78
4	14	1.51	41	-1.58	-13.78
5	28	2.21	55	21.84	12.25
6	12	2.82	82	17.65	9.99
7	17	2.14	55	18.89	7.08

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	1.38	88	5.27	-0.16
2	12	1.33	46	3.76	-6.88
3	21	2.85	55	-1.29	-9.22
4	14	1.48	48	-1.58	-12.21
5	28	1.98	43	15.73	2.77
6	12	1.56	38	8.51	-8.24
7	17	1.87	48	12.21	1.11

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	1.48	47	2.88	-8.48
2	12	1.38	47	3.18	-7.48
3	21	1.97	47	2.98	-7.98
4	14	1.88	52	5.71	-8.88
5	28	1.88	38	12.27	-1.88
6	12	1.88	31	5.82	-8.88
7	17	2.88	62	12.83	4.88

CAPITA



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	6	1.26	86	0.27	-15.18
2	12	1.67	46	2.64	-8.37
3	21	0.88	81	2.05	-0.92
4	14	1.08	60	8.20	-1.56
5	20	2.43	60	12.63	1.86
6	12	2.75	57	8.25	0.51
7	17	2.08	56	10.42	0.98

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	6	1.06	84	3.80	-4.71
2	12	2.01	70	6.68	0.87
3	21	5.25	65	8.32	1.46
4	14	1.46	46	11.06	-0.36
5	20	2.24	62	14.20	6.30
6	12	2.46	52	11.19	1.61
7	17	2.08	48	10.86	0.17

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	6	0.72	77	1.62	-2.22
2	12	2.36	60	4.60	-0.52
3	21	3.95	58	9.43	1.80
4	14	1.08	44	19.06	0.67
5	20	2.21	38	16.06	2.42
6	12	2.08	46	18.75	2.95
7	17	2.01	46	21.19	6.20



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	6	1.01	61	4.96	-2.77
2	12	2.26	61	8.80	1.43
3	21	3.89	57	12.90	4.57
4	14	1.85	48	15.80	2.02
5	20	2.45	38	19.03	4.85
6	12	2.80	41	20.22	8.52
7	17	2.38	47	22.80	10.96



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	6	1.57	61	3.18	-3.76
2	12	2.71	62	8.71	2.54
3	21	5.59	58	10.71	4.46
4	14	2.68	53	12.48	5.27
5	20	2.47	42	22.01	8.54
6	12	2.27	49	22.03	10.70
7	17	2.01	50	24.55	13.10



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	6	1.17	48	2.48	-8.16
2	12	1.03	54	7.21	-1.66
3	21	3.25	60	10.43	10.52
4	14	5.57	60	13.15	6.20
5	20	3.06	63	19.14	9.08
6	12	2.57	53	22.17	12.17
7	17	1.98	53	24.16	19.50

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	2.11	88	8.40	-3.70
2	12	0.32	88	8.34	6.61
3	21	2.87	58	18.08	9.87
4	14	0.98	71	12.65	7.17
5	20	3.62	58	20.88	12.93
6	12	2.47	58	22.12	11.38
7	17	2.40	87	22.28	15.04

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	1.21	96	7.01	-7.01
2	12	2.06	76	8.88	6.48
3	21	4.75	69	16.89	8.17
4	14	0.74	88	10.87	7.18
5	20	2.64	48	23.05	14.64
6	12	4.04	51	22.88	11.43
7	17	2.77	84	21.68	16.68



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	1.40	97	7.21	-0.80
2	12	2.62	68	10.70	0.18
3	21	4.31	57	18.48	8.88
4	14	7.72	88	8.46	6.71
5	20	3.05	53	20.81	10.46
6	12	3.28	51	22.72	12.08
7	17	4.86	71	21.48	16.71



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	1.81	50	8.10	-1.88
2	12	5.00	57	14.76	6.10
3	21	4.79	71	18.75	11.31
4	14	2.06	78	2.57	-0.03
5	20	3.16	55	21.16	11.72
6	12	3.48	83	21.25	15.08
7	17	2.81	84	14.95	7.00



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	5.79	79	12.81	8.10
2	12	7.68	84	11.83	8.38
3	21	5.00	67	4.91	-1.21
4	14	1.76	81	9.13	-5.08
5	20	2.97	61	21.62	13.76
6	12	5.08	82	15.32	10.10
7	17	1.98	55	11.95	2.07

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	1.45	85	8.85	-3.32
2	12	1.68	53	6.20	-2.91
3	21	2.27	68	8.95	1.58
4	14	1.87	78	8.32	-0.15
5	20	1.06	46	16.08	3.31
6	12	2.08	48	12.56	1.68
7	17	1.83	38	17.77	5.18

CAPITA



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	7.38	82	5.83	2.00
2	12	8.86	80	6.27	-0.68
3	21	6.48	83	1.78	-3.98
4	16	1.47	88	0.11	-7.26
5	28	1.83	68	14.28	0.48
6	12	1.78	28	9.98	-3.51
7	17	1.78	48	18.06	6.78



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	1.00	78	1.00	-2.00
2	12	0.30	68	0.76	-6.06
3	21	2.47	49	-1.10	-10.70
4	16	1.78	66	0.10	-6.68
5	28	1.67	37	8.86	-6.06
6	12	1.84	58	8.15	-8.05
7	17	0.02	88	10.71	8.66

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	1.48	82	-1.88	-8.86
2	12	1.88	48	-8.81	-18.86
3	21	5.05	58	-1.85	-8.27
4	16	7.08	77	1.18	-3.77
5	28	1.58	48	8.88	-2.86
6	12	3.18	58	5.62	-3.88
7	17	8.18	88	8.14	3.81



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	1.58	55	0.89	-7.35
2	12	2.85	65	1.26	-4.71
3	21	7.19	79	-0.23	-3.58
4	16	4.78	78	1.88	-2.25
5	28	7.71	82	9.73	6.62
6	12	8.37	88	5.88	2.63
7	17	2.31	88	10.08	6.26



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	16.10	99	2.22	1.25
2	12	6.33	86	1.38	-0.68
3	21	8.40	78	2.26	-1.88
4	16	7.08	88	8.81	-0.18
5	28	2.48	57	10.92	2.71
6	12	2.62	61	5.87	-1.18
7	17	2.48	68	11.85	5.88



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	1.81	58	3.18	-4.18
2	12	2.88	67	4.28	-1.75
3	21	8.27	78	2.85	-1.45
4	16	8.87	89	2.38	-8.43
5	28	2.41	52	11.88	2.14
6	12	3.18	62	9.11	2.28
7	17	2.88	57	18.72	7.87

CAPITA

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	2.47	88	3.80	-1.08
2	12	4.58	70	5.66	2.06
3	21	4.67	69	2.77	-0.23
4	14	2.08	77	0.99	-3.28
5	20	3.62	71	14.40	8.72
6	12	2.09	80	9.85	2.07
7	17	1.99	48	10.66	4.87



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	2.83	88	4.10	0.97
2	12	3.48	78	6.66	1.39
3	21	4.80	77	2.21	-1.90
4	14	0.82	86	-0.07	-3.17
5	20	2.41	68	14.58	5.65
6	12	2.35	58	10.62	2.91
7	17	3.30	83	16.70	8.82



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	5.08	78	8.47	5.00
2	12	6.32	87	4.67	2.84
3	21	5.08	88	2.50	0.87
4	14	3.58	78	-2.67	-6.98
5	20	8.78	82	15.86	12.56
6	12	2.18	85	12.28	9.79
7	17	1.68	83	15.62	8.66



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	3.03	84	9.80	1.24
2	12	4.65	75	2.82	-1.28
3	21	2.08	88	-0.34	-5.63
4	14	5.08	80	-2.87	-5.82
5	20	1.96	51	13.80	3.51
6	12	2.22	55	8.00	-0.50
7	17	3.58	72	8.73	4.80

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	1.44	55	-2.35	-10.55
2	12	1.70	56	-0.83	-9.02
3	21	2.59	60	-1.02	-7.98
4	14	3.71	78	-2.98	-5.82
5	20	2.24	51	11.22	1.23
6	12	2.25	59	8.30	-1.54
7	17	0.98	82	7.87	4.46



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	1.71	51	-9.05	-12.96
2	12	2.41	53	-1.66	-10.23
3	21	3.11	59	-0.07	-7.27
4	14	5.02	82	-2.25	-6.95
5	20	2.10	51	9.80	-0.73
6	12	4.09	57	8.15	-2.12
7	17	0.61	80	5.38	3.76

CAPITA



REGION	# STNS	DEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	5.29	80	0.87	-0.00
2	12	2.55	85	0.04	-0.60
3	21	4.00	85	0.00	-0.21
4	14	0.00	80	-1.00	-1.07
5	20	5.77	78	6.30	2.58
6	12	5.07	78	5.00	0.22
7	17	5.00	78	6.00	1.00



REGION	# STNS	DEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	1.44	67	-2.22	-12.00
2	12	1.00	67	2.10	-5.55
3	21	5.52	00	1.00	-4.22
4	14	7.70	00	0.94	-0.10
5	20	0.10	01	0.20	1.62
6	12	6.05	77	7.21	5.10
7	17	0.00	04	0.27	0.70



REGION	# STNS	DEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	2.07	56	-9.10	-11.02
2	12	1.51	40	0.60	-0.00
3	21	10.01	79	5.00	0.51
4	14	5.07	00	0.10	-2.00
5	20	5.00	71	11.02	5.61
6	12	5.00	02	0.52	5.10
7	17	6.00	00	7.10	0.00



REGION	# STNS	DEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	10.10	01	-2.00	-9.33
2	12	4.72	00	4.05	2.26
3	21	10.50	02	5.07	4.75
4	14	4.00	01	1.70	-1.42
5	20	4.56	76	16.32	11.76
6	12	0.05	00	14.02	12.50
7	17	4.23	00	0.07	0.17

REGION	# STNS	DEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	4.23	70	7.21	3.40
2	12	0.03	05	7.63	6.00
3	21	0.50	07	5.70	3.00
4	14	0.20	00	-1.11	-3.21
5	20	5.10	70	20.05	16.22
6	12	2.20	75	14.44	0.07
7	17	2.00	72	12.77	7.40



REGION	# STNS	DEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	3.43	70	1.30	-2.63
2	12	0.19	67	4.05	2.72
3	21	9.40	07	5.05	3.72
4	14	7.03	01	-4.70	-5.04
5	20	4.30	73	17.23	12.11
6	12	3.52	70	12.17	7.72
7	17	0.12	00	13.30	10.71

CAPITA



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	6	9.86	70	9.80	0.86
2	12	8.95	86	7.07	6.96
3	21	11.56	90	7.11	5.80
4	14	9.04	70	-3.70	-8.80
5	28	6.60	78	16.68	12.57
6	12	8.48	84	15.07	11.33
7	17	8.47	88	13.70	11.78



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	6	8.48	81	8.52	3.98
2	12	6.58	86	10.08	7.96
3	21	8.53	93	14.36	11.58
4	14	8.72	76	2.10	-2.18
5	28	6.00	78	18.16	14.83
6	12	5.76	72	21.81	16.28
7	17	1.87	81	14.89	6.24

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	6	1.48	48	12.77	1.94
2	12	1.32	89	12.26	-1.71
3	21	1.84	52	6.88	-2.04
4	14	2.71	83	-2.10	-6.16
5	28	2.36	56	21.16	11.48
6	12	1.80	55	16.28	7.12
7	17	1.97	61	13.84	6.27

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	6	1.48	51	8.80	-2.91
2	12	2.30	56	0.34	0.78
3	21	3.19	68	4.22	-1.18
4	14	1.50	84	-7.85	-10.48
5	28	2.78	67	21.02	14.41
6	12	3.24	77	17.21	12.95
7	17	2.15	56	15.81	5.97



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	6	1.51	45	6.52	-5.27
2	12	1.48	48	7.07	-4.81
3	21	2.39	57	1.10	-8.55
4	14	5.57	75	-8.14	-9.83
5	28	2.27	53	19.85	9.81
6	12	5.36	75	14.62	9.81
7	17	7.36	80	12.15	8.32



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	6	1.42	48	1.52	-8.02
2	12	3.12	59	2.36	-5.08
3	21	11.04	68	2.82	1.08
4	14	8.15	84	-1.82	-4.20
5	28	6.06	67	17.63	11.36
6	12	2.95	72	20.38	14.99
7	17	6.16	78	18.24	14.34

CAPITA



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	7.81	88	1.11	-0.56
2	12	9.58	87	8.70	6.70
3	21	2.81	73	11.13	8.37
4	14	5.68	79	1.68	-2.14
5	20	2.01	78	22.68	16.68
6	12	2.08	69	20.45	16.36
7	17	1.68	48	16.30	9.72

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	1.81	88	11.06	6.08
2	12	1.67	66	12.86	6.16
3	21	3.13	88	4.22	-1.62
4	14	2.16	66	-3.20	-7.62
5	20	2.08	61	24.10	15.82
6	12	3.26	70	17.72	12.28
7	17	2.61	66	17.15	8.78



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	1.48	47	5.98	-0.98
2	12	8.20	68	6.18	-2.86
3	21	5.24	61	-2.43	-9.20
4	14	1.48	66	-5.52	-9.74
5	20	3.18	73	16.38	11.26
6	12	2.72	70	9.87	6.07
7	17	8.87	67	11.08	2.87



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	4.58	84	-4.72	-10.68
2	12	3.10	58	-2.91	-10.18
3	21	3.08	61	-4.43	-11.05
4	14	1.70	57	0.15	-8.98
5	20	1.70	38	8.23	-5.63
6	12	1.64	37	5.58	-9.07
7	17	1.83	45	10.91	-0.84

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	1.44	43	-7.81	-16.38
2	12	4.23	63	-1.84	-8.37
3	21	2.82	58	2.35	-5.10
4	14	3.28	77	-3.40	-6.68
5	20	1.96	42	12.83	0.06
6	12	1.91	47	10.22	-0.87
7	17	2.48	61	14.88	7.28



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	11.66	85	-1.88	-3.74
2	12	6.32	68	4.38	2.82
3	21	7.58	67	2.61	0.88
4	14	8.91	77	-0.91	-4.78
5	20	5.13	64	16.80	13.94
6	12	5.74	82	16.94	13.88
7	17	2.91	65	17.28	7.48

CAPITA

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	4.78	70	4.43	0.88
2	12	6.26	81	6.26	3.14
3	21	4.95	72	1.55	-2.95
4	14	4.61	72	-3.17	-4.84
5	28	6.70	76	18.30	13.89
6	12	5.10	75	15.22	10.73
7	17	3.28	54	16.77	5.16

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	1.48	80	-5.60	-8.43
2	12	1.22	80	-0.87	-10.87
3	21	2.07	53	0.80	-7.82
4	14	0.86	78	-0.87	-9.72
5	28	2.20	48	12.87	1.16
6	12	2.30	52	12.87	2.48
7	18	7.11	68	12.94	6.00



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	1.36	29	-4.44	-100.00
2	12	1.58	86	1.36	-11.47
3	21	2.78	55	5.88	-2.78
4	14	7.00	84	4.88	1.68
5	28	2.27	69	10.68	6.81
6	12	2.23	48	9.93	-0.84
7	17	6.76	68	15.81	9.14



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	4.49	88	7.77	5.98
2	12	4.15	86	8.23	5.82
3	21	3.90	73	5.81	1.34
4	14	2.08	84	0.00	-5.40
5	28	2.32	65	17.13	10.43
6	12	2.49	68	13.79	7.43
7	17	8.98	73	17.39	12.18



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	1.45	40	-3.61	-15.41
2	12	1.45	48	1.61	-8.68
3	21	9.84	84	9.72	1.16
4	14	10.09	87	1.30	0.89
5	28	2.85	54	16.39	6.70
6	12	4.29	71	15.87	10.41
7	17	2.98	71	19.21	13.85



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	2.46	77	5.55	1.94
2	12	3.76	80	7.46	4.16
3	21	9.75	88	8.47	4.85
4	14	5.73	71	-7.20	-7.48
5	28	2.20	57	20.39	11.64
6	12	2.36	71	16.48	12.96
7	17	9.21	89	20.39	16.94

CAPITA



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	6	9.07	76	-1.66	-8.11
2	12	3.52	78	4.69	0.97
3	21	12.98	81	8.06	5.74
4	14	4.82	71	-0.44	-9.09
5	28	2.64	67	21.14	12.25
6	12	2.52	72	19.62	14.46
7	17	9.35	88	20.78	16.49



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	6	1.61	68	5.67	-1.84
2	12	2.78	68	7.40	1.06
3	21	5.08	67	-5.90	-9.30
4	14	2.10	65	-8.89	-8.89
5	28	2.70	60	21.16	13.19
6	12	4.86	77	15.51	9.87
7	17	5.96	76	19.48	8.34



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	6	1.68	53	4.62	-6.66
2	12	1.80	57	9.83	-2.96
3	21	5.05	69	1.55	-5.96
4	14	6.27	82	-3.21	-4.78
5	28	2.46	52	16.88	8.68
6	12	3.08	72	14.20	8.02
7	17	6.81	86	17.74	14.68



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	6	16.21	83	-4.30	-8.08
2	12	9.38	90	3.14	1.66
3	21	5.59	72	8.42	1.45
4	14	2.06	70	-2.67	-8.68
5	28	3.08	65	20.86	13.98
6	12	5.04	71	19.07	13.26
7	17	1.81	82	16.72	8.87

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	6	9.12	70	-8.47	-10.38
2	12	1.53	59	-3.61	-10.50
3	21	3.62	72	-1.05	-5.48
4	14	2.52	65	-0.43	-8.82
5	28	1.96	53	16.35	5.65
6	12	2.09	58	10.45	2.58
7	17	3.02	67	12.87	8.58

CAPITA


REGION 1, QTR 1 1971
REGION 1, QTR 2 1971
REGION 1, QTR 3 1971
REGION 1, QTR 4 1971
100
15
0
0
RH
BEXT
TEMP
30
-20
40
-10
50
JAN
FEB
MAR
APR
MAY
JUN
JUL
AUG
SEP
OCT
NOV
DEC

CAPITA


REGION 2, QTR 1 1971
100 15
30
RH
BEXT
TEMP
0 0
-20
JAN
FEB
MAR
REGION 2, QTR 2 1971
100 15
40
RH
BEXT
TEMP
0 0
-10
APR
MAY
JUN
REGION 2, QTR 3 1971
100 15
50
RH
BEXT
TEMP
0 0
0
JUL
AUG
SEP
REGION 2, QTR 4 1971
100 15
30
RH
BEXT
TEMP
0 0
-20
OCT
NOV
DEC

CAPITA


REGION 3, QTR 1 1971
100 15
30
RH
BEXT
TEMP
0 0
-20
JAN
FEB
MAR


REGION 3, QTR 2 1971
100 15
40
RH
BEXT
TEMP
0 0
-10
APR
MAY
JUN


REGION 3, QTR 3 1971
100 15
50
RH
BEXT
TEMP
0 0
0
JUL
AUG
SEP


REGION 3, QTR 4 1971
100 15
30
RH
BEXT
TEMP
0 0
-20
OCT
NOV
DEC

COPITA


REGION 4, QTR 1 1971
100 15
30
RH
BEXT
TEMP
0 0
-20
JAN
FEB
MAR

REGION 4, QTR 2 1971
100 15
40
RH
BEXT
TEMP
0 0
-10
APR
MAY
JUN


REGION 4, QTR 3 1971
100 15
50
RH
BEXT
TEMP
0 0
0
JUL
AUG
SEP


REGION 4, QTR 4 1971
100 15
30
RH
BEXT
TEMP
0 0
-20
OCT
NOV
DEC

CAPITA


REGION 5, QTR 1 1971
100 15
30
RH
BEXT
TEMP
0 0
-20
JAN
FEB
MAR
REGION 5, QTR 2 1971
100 15
40
RH
BEXT
TEMP
0 0
-10
APR
MAY
JUN
REGION 5, QTR 3 1971
100 15
50
RH
BEXT
TEMP
0 0
0
JUL
AUG
SEP
REGION 5, QTR 4 1971
100 15
30
RH
BEXT
TEMP
0 0
-20
OCT
NOV
DEC

CAPITA


REGION 6, QTR 1 1971
100 15
30
RH
BEXT
TEMP
0 0
-20
JAN
FEB
MAR


REGION 6, QTR 2 1971
100 15
40
RH
BEXT
TEMP
0 0
-10
APR
MAY
JUN


REGION 6, QTR 3 1971
100 15
50
RH
BEXT
TEMP
0 0
0
JUL
AUG
SEP


REGION 6, QTR 4 1971
100 15
30
RH
BEXT
TEMP
0 0
-20
OCT
NOV
DEC

CAPITA


REGION 7, QTR 1 1971
100 15
30
RH
BEXT
TEMP
0 0
-20
JAN
FEB
MAR


REGION 7, QTR 2 1971
100 15
40
RH
BEXT
TEMP
0 0
-10
APR
MAY
JUN


REGION 7, QTR 3 1971
100 15
50
RH
BEXT
TEMP
0 0
0
JUL
AUG
SEP


REGION 7, QTR 4 1971
100 15
30
RH
BEXT
TEMP
0 0
-20
OCT
NOV
DEC

CAPITA


EUS MEAN, QTR 1 1971
100 15
30
RH
BEXT
TEMP
0 0
-20
JAN
FEB
MAR


EUS MEAN, QTR 2 1971
100 15
40
RH
BEXT
TEMP
0 0
-10
APR
MAY
JUN


EUS MEAN, QTR 3 1971
100 15
50
RH
BEXT
TEMP
0 0
0
JUL
AUG
SEP


EUS MEAN, QTR 4 1971
100 15
30
RH
BEXT
TEMP
0 0
-20
OCT
NOV
DEC

CAPITA



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	1.01	80	-9.27	-10.08
2	12	2.10	56	1.24	-6.67
3	21	2.95	85	4.80	-2.09
4	14	2.34	87	0.96	-5.39
5	28	2.28	58	12.65	4.62
6	12	5.83	88	10.38	8.11
7	17	8.01	80	10.72	10.08



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	0.15	80	0.05	-0.03
2	12	10.07	60	4.11	3.05
3	21	2.78	72	0.78	-3.75
4	14	2.08	71	-2.60	-8.76
5	28	6.63	86	13.60	11.30
6	12	2.78	73	9.60	8.76
7	17	2.84	84	11.60	9.26



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	1.10	67	4.87	-5.02
2	12	1.05	58	4.30	-2.96
3	21	2.75	85	0.83	-5.20
4	14	4.29	89	-11.02	-10.87
5	28	2.37	58	13.98	5.01
6	12	4.91	71	10.08	8.78
7	17	8.71	82	10.62	10.06

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	5.05	80	0.97	-2.22
2	12	8.41	80	4.11	0.83
3	21	10.23	78	-5.10	-8.41
4	14	2.85	62	-13.82	-11.31
5	28	7.98	86	14.57	11.74
6	12	8.13	90	12.31	10.69
7	17	4.68	77	-0.00	-3.38



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	0.48	77	-4.96	-6.25
2	12	9.06	81	-3.70	-6.70
3	21	3.51	68	-9.81	-12.92
4	14	1.62	65	-7.57	-11.46
5	28	3.35	72	12.29	7.29
6	12	2.63	71	-1.52	-6.10
7	17	1.61	58	0.22	-9.21



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	1.01	40	-8.33	-14.71
2	12	2.53	61	-4.81	-11.29
3	21	2.60	60	-5.29	-10.20
4	14	1.65	63	0.27	-8.06
5	28	2.39	59	7.85	-0.07
6	12	2.62	62	0.19	-8.29
7	17	1.94	49	5.84	-4.53

CAPITA

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	3.08	58	-2.77	-8.47
2	12	3.21	67	0.66	-5.04
3	21	1.77	82	1.21	-5.55
4	14	1.56	84	0.50	-5.53
5	28	2.03	48	11.48	-2.26
6	12	2.08	67	7.28	-3.42
7	17	2.26	48	11.43	0.88

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	1.24	35	-7.21	-15.55
2	12	1.30	48	-2.22	-10.00
3	21	2.14	81	2.88	-4.17
4	14	2.14	84	3.82	-1.84
5	28	1.08	38	12.17	-1.08
6	12	1.33	38	10.38	-3.51
7	17	0.32	88	14.47	7.08



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	1.08	79	2.77	-1.08
2	12	3.17	88	4.57	1.36
3	21	8.01	77	5.15	1.16
4	14	1.81	87	2.32	-0.08
5	28	2.68	67	15.01	8.78
6	12	0.88	84	13.80	10.31
7	17	2.28	84	17.80	10.98



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	1.62	55	9.57	0.59
2	12	4.18	78	7.88	3.33
3	21	5.53	78	5.35	1.09
4	14	1.62	57	1.68	-9.18
5	28	6.97	81	18.26	14.71
6	17	4.51	83	17.35	14.30
7	17	3.54	58	16.99	8.30



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	9.54	78	6.93	2.50
2	12	3.42	75	7.77	3.28
3	21	2.96	59	1.76	-5.63
4	14	1.43	55	-3.29	-10.80
5	28	6.88	83	17.31	14.10
6	12	2.64	70	14.67	9.16
7	17	2.35	50	13.65	2.90



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	1.41	53	6.80	-2.21
2	12	1.97	54	5.55	-3.37
3	21	2.55	68	3.99	-3.19
4	14	3.77	63	0.55	-5.12
5	28	2.85	85	18.87	11.14
6	12	2.04	58	18.47	7.54
7	17	1.92	42	19.11	6.37

CAPITA



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	12.48	80	8.80	7.08
2	12	8.66	78	12.80	9.36
3	21	5.55	68	-5.46	-7.86
4	14	2.84	58	-8.16	-13.72
5	28	5.23	81	20.57	16.86
6	12	2.43	75	18.36	12.45
7	17	1.80	58	11.80	2.87



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	1.25	87	-3.68	-10.51
2	12	1.40	48	-0.66	-10.41
3	21	5.02	58	-9.88	-12.43
4	14	2.08	49	-13.80	-100.00
5	28	2.67	67	12.65	6.52
6	12	2.55	83	9.14	-3.37
7	17	2.25	51	8.48	-6.47

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	2.51	48	-9.59	-12.01
2	12	2.02	58	-7.26	-11.06
3	21	5.65	45	-16.64	-100.00
4	14	2.13	61	-13.67	-15.83
5	28	2.38	64	5.05	-1.32
6	12	1.94	59	-4.78	-12.56
7	17	1.88	43	-0.45	-8.87



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	2.21	35	-11.20	-100.00
2	12	2.06	48	-12.17	-20.00
3	21	3.16	40	-16.95	-100.00
4	14	1.87	56	-9.80	-10.56
5	28	1.87	35	-2.20	-2.49
6	12	1.78	36	-7.89	-16.66
7	17	1.72	40	4.80	-7.03



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	1.61	48	-4.71	-13.51
2	12	1.58	37	-2.83	-14.74
3	21	2.14	52	-0.87	-9.91
4	14	1.62	56	4.20	-4.60
5	28	2.16	37	5.78	-7.48
6	12	1.74	38	4.30	-12.03
7	17	1.99	58	11.92	8.19

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	1.05	48	4.71	-8.10
2	12	2.36	62	6.13	-4.21
3	21	2.08	64	5.52	-0.09
4	14	2.61	69	2.05	-1.10
5	28	2.64	41	13.66	0.06
6	12	1.98	48	12.68	1.11
7	17	3.34	84	16.23	10.19

CAPITA



REGION	# STNS	DEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	1.01	80	10.85	8.05
2	12	1.05	61	8.23	-1.00
3	21	2.78	58	-0.57	-7.05
4	14	3.05	69	-4.44	-7.94
5	28	2.44	67	10.10	6.36
6	12	3.98	77	14.36	10.10
7	17	5.06	71	17.74	11.43



REGION	# STNS	DEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	1.34	80	1.10	-0.30
2	12	1.96	66	2.95	-0.20
3	21	3.91	80	3.80	1.00
4	14	6.15	78	-0.80	-0.80
5	28	3.03	85	16.70	0.80
6	12	5.70	87	15.30	13.14
7	17	6.62	86	17.89	0.80



REGION	# STNS	DEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	1.81	84	-0.87	-0.82
2	12	2.11	69	0.50	-6.67
3	21	4.73	76	-1.37	-6.88
4	14	7.46	76	-6.80	-7.77
5	28	4.36	76	10.96	11.00
6	12	6.72	82	14.25	11.24
7	17	8.22	76	12.74	7.10



REGION	# STNS	DEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	2.16	67	0.27	-5.33
2	12	3.00	78	5.36	1.80
3	21	7.00	88	7.28	5.36
4	14	4.75	70	-0.85	-3.93
5	28	9.15	88	13.90	11.00
6	12	3.69	79	16.84	15.14
7	17	5.27	82	16.60	8.19



REGION	# STNS	DEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	3.35	81	6.69	3.60
2	12	3.43	78	7.03	3.29
3	21	7.02	76	-0.81	-4.41
4	14	4.49	74	-7.36	-5.11
5	29	6.59	79	16.26	12.37
6	12	3.31	77	17.54	13.51
7	17	9.10	46	20.35	8.59



REGION	# STNS	DEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	1.67	60	5.27	-2.08
2	12	1.68	63	5.13	-1.61
3	21	9.35	65	2.72	0.56
4	14	7.58	70	-4.39	-8.07
5	28	9.28	69	19.18	13.32
6	12	2.13	63	21.47	14.16
7	17	2.47	58	20.42	7.46

CAPITA



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	1.47	84	8.98	8.27
2	12	1.77	40	2.17	-10.87
3	21	2.83	54	-10.85	-18.76
4	14	2.03	48	-10.88	-15.55
5	20	2.04	38	16.51	0.67
6	12	1.56	33	7.03	-8.19
7	17	1.83	86	13.78	-4.16



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	1.17	89	-7.88	-100.00
2	12	1.81	48	-4.67	-16.20
3	21	3.04	55	-8.48	-15.61
4	14	3.36	53	-7.88	-11.88
5	20	1.82	38	12.81	-2.57
6	12	1.72	55	10.06	-4.30
7	17	3.01	80	12.77	6.89

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	1.21	35	-5.88	-17.77
2	12	1.54	47	-4.88	-16.88
3	21	8.35	63	-8.57	-13.35
4	14	10.08	62	-11.28	-11.38
5	20	2.48	50	13.27	2.55
6	12	4.27	65	10.84	3.88
7	17	7.37	78	10.81	8.48



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	9.19	78	-4.58	-8.19
2	12	6.17	77	-3.65	-7.17
3	21	3.73	65	-10.11	-12.69
4	14	1.48	55	-12.45	-15.03
5	20	4.12	73	15.40	10.31
6	12	3.65	83	7.80	4.76
7	17	5.26	78	5.65	1.79



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	1.17	49	-3.80	-11.28
2	12	2.14	59	-4.39	-12.48
3	21	2.56	56	-10.92	-14.66
4	14	1.68	57	-5.55	-11.65
5	20	4.74	89	11.80	5.99
6	12	11.24	84	6.83	3.88
7	17	7.34	78	8.86	2.45



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	2.88	54	-0.69	-0.16
2	12	4.13	56	-1.94	-9.62
3	21	3.82	60	-10.33	-13.68
4	14	1.52	53	-4.69	-11.29
5	20	4.99	72	12.13	6.74
6	12	3.80	73	2.22	-2.21
7	17	3.42	68	4.83	-2.15

CAPITA



REGION	# STNS	DEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	1.10	88	-2.77	-14.06
2	12	2.09	69	-4.84	-13.20
3	21	5.78	83	-5.83	-11.27
4	14	1.81	57	-2.57	-10.56
5	20	2.38	60	0.80	-2.06
6	12	1.63	50	2.82	-6.98
7	17	3.96	52	5.67	-4.21



REGION	# STNS	DEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	3.57	44	-0.80	-11.00
2	12	2.66	66	-0.04	-8.08
3	21	6.27	72	-1.85	-8.36
4	14	5.04	72	-5.10	-9.47
5	20	4.13	66	10.05	1.06
6	12	3.50	92	4.70	-2.17
7	17	8.01	77	8.49	2.58



REGION	# STNS	DEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	4.07	84	-2.22	-8.10
2	12	4.28	72	-0.00	-4.67
3	21	7.04	75	0.52	-3.80
4	14	8.34	74	-0.51	-8.77
5	20	5.10	83	8.68	5.81
6	12	8.25	86	8.69	6.87
7	17	6.14	74	7.80	3.20



REGION	# STNS	DEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	12.65	78	-1.25	-4.72
2	12	9.37	82	2.00	-0.78
3	21	7.91	80	-2.43	-5.36
4	14	2.03	58	-12.80	-14.99
5	20	8.00	89	10.80	8.90
6	12	8.59	78	9.33	-0.10
7	17	1.74	87	2.84	-10.04



REGION	# STNS	DEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	1.67	45	1.52	-9.10
2	12	3.78	60	-3.42	-10.41
3	21	5.02	62	-11.76	-15.47
4	14	1.48	58	-11.18	-13.60
5	20	1.08	38	4.26	-8.88
6	12	1.67	44	-1.62	-12.56
7	17	1.70	33	7.96	-7.00



REGION	# STNS	DEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	1.34	53	-6.38	-100.00
2	12	1.56	48	-8.05	-16.84
3	21	2.88	60	-9.52	-14.61
4	14	2.42	67	-7.17	-9.50
5	20	1.77	36	5.78	-8.80
6	12	1.74	50	2.98	-10.41
7	17	3.42	58	10.84	2.08

CAPITA



REGION	# STNS	DEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	9.40	49	-4.30	-13.47
2	12	7.61	66	-2.68	-9.31
3	21	10.08	79	-5.12	-7.77
4	14	9.14	86	-10.21	-10.40
5	28	2.62	63	11.85	2.08
6	12	7.48	80	6.57	3.19
7	17	9.94	84	14.40	8.01



REGION	# STNS	DEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	1.78	80	-5.89	-10.56
2	12	1.69	56	-4.62	-13.08
3	21	1.85	54	-11.60	-18.17
4	14	2.21	58	-6.71	-19.10
5	28	2.17	64	8.34	2.52
6	12	2.09	68	1.08	-4.56
7	17	2.66	87	4.48	-3.93



REGION	# STNS	DEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	1.29	46	-0.82	-17.48
2	12	3.07	53	-0.08	-15.55
3	21	3.57	58	-11.28	-15.89
4	14	3.71	81	-0.54	-11.42
5	28	2.30	48	5.81	-4.78
6	12	2.08	64	3.10	-0.16
7	17	3.36	62	8.69	-1.48



REGION	# STNS	DEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	1.38	51	-1.80	-10.98
2	12	2.45	56	-6.55	-13.23
3	21	3.39	58	-9.81	-15.25
4	14	5.48	86	-12.20	-12.12
5	28	3.05	53	5.67	-3.80
6	12	2.52	68	7.80	-4.39
7	17	2.48	67	12.15	0.52



REGION	# STNS	DEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	1.58	49	-1.80	-8.86
2	12	2.11	57	-3.97	-11.47
3	21	7.11	66	-7.24	-12.53
4	14	6.00	68	-10.55	-11.38
5	28	2.60	48	8.66	-2.16
6	12	2.82	65	8.23	-3.33
7	17	3.17	58	10.87	2.81



REGION	# STNS	DEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	1.40	46	-2.49	-12.77
2	12	2.45	53	-2.58	-11.01
3	21	7.28	67	-5.09	-8.51
4	14	5.83	69	5.27	-10.81
5	28	2.06	46	10.67	-1.01
6	12	3.15	49	11.81	-1.94
7	17	7.34	58	7.49	3.49

CAPITA



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	1.86	46	3.89	-9.71
2	12	3.38	55	1.88	-8.29
3	21	7.79	69	3.70	-2.88
4	14	4.55	67	0.00	-8.75
5	20	5.78	67	11.30	6.72
6	12	8.87	79	7.91	6.12
7	17	4.86	87	8.81	2.77



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	3.58	71	4.94	-0.56
2	12	8.54	89	4.94	3.33
3	21	10.76	80	1.02	-1.98
4	14	2.09	85	1.98	-4.60
5	20	2.91	65	12.13	5.35
6	12	6.06	77	5.78	2.03
7	17	2.06	96	10.76	1.82

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	2.98	81	6.24	3.18
2	12	3.81	88	4.96	-0.92
3	21	3.21	87	3.98	-2.10
4	14	2.06	88	2.77	-3.41
5	20	2.00	39	12.79	-1.12
6	12	2.18	45	12.77	0.92
7	17	1.80	47	10.39	9.55



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	2.01	50	9.30	-0.03
2	12	3.03	62	7.40	0.41
3	21	4.70	72	0.10	-4.30
4	14	1.67	63	-5.07	-8.53
5	20	2.34	56	16.16	6.84
6	12	2.75	73	10.92	6.06
7	17	2.75	58	14.40	4.99



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	1.67	46	2.50	-8.18
2	12	2.81	54	1.24	-7.35
3	21	3.36	62	-1.37	-7.71
4	14	5.33	68	1.19	-4.40
5	20	4.22	60	11.84	3.51
6	12	2.57	59	8.48	0.41
7	17	2.38	48	15.55	2.94

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	1.97	60	-1.53	-8.33
2	12	2.55	62	-0.32	-6.04
3	21	3.75	62	4.17	-2.66
4	14	3.61	53	1.78	-7.17
5	20	6.87	62	9.02	6.05
6	12	4.57	60	10.68	3.93
7	17	2.14	39	18.91	9.29

CAPITA



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	2.08	80	0.85	-0.30
2	12	6.43	72	2.21	-2.40
3	21	5.82	73	-1.71	-8.02
4	14	1.69	59	-2.87	-12.38
5	28	7.28	82	9.80	6.16
6	12	2.33	48	7.86	-3.10
7	17	1.71	28	14.44	-4.50



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	16.18	88	-1.39	-2.77
2	12	11.04	88	0.04	-1.38
3	21	9.41	58	-4.88	-12.13
4	14	1.55	46	-0.67	-10.97
5	28	8.64	52	4.28	-5.97
6	12	4.28	41	2.28	-11.28
7	17	1.79	28	14.79	-4.04



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	2.08	58	-9.30	-14.81
2	12	6.55	63	-9.89	-14.60
3	21	2.82	51	-4.82	-12.41
4	14	1.47	45	5.03	-8.82
5	28	1.77	33	5.08	-11.02
6	12	1.71	27	6.70	-11.93
7	17	1.80	47	10.28	5.12



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	1.58	38	-8.72	-100.00
2	12	1.55	40	-3.33	-11.86
3	21	2.78	62	6.13	-0.68
4	14	3.42	66	-0.31	-4.99
5	28	2.06	35	11.22	-4.30
6	12	1.98	49	13.23	2.49
7	17	1.65	51	22.18	10.48



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	1.28	45	-6.24	-14.05
2	12	1.79	52	-5.36	-13.53
3	21	2.55	51	-5.23	-13.50
4	14	1.79	52	-5.98	-12.91
5	28	2.15	47	13.76	2.33
6	12	2.08	61	9.62	2.03
7	17	2.23	57	15.16	8.56



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	1.10	32	-19.74	-100.00
2	12	2.21	46	-7.61	-15.26
3	21	10.27	78	-2.24	-6.05
4	14	4.64	63	1.90	-4.01
5	28	2.72	55	9.14	0.15
6	12	8.49	78	11.42	7.31
7	17	2.17	58	21.39	11.59

CAPITA



REGION	# STNS	DEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	6	2.62	70	-4.10	-8.98
2	12	5.30	76	0.32	-3.56
3	21	6.35	69	-0.88	-5.78
4	14	2.62	69	-5.72	-9.38
5	28	3.57	67	15.82	9.38
6	12	5.82	73	15.90	10.83
7	17	2.79	66	20.39	9.86



REGION	# STNS	DEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	6	9.22	69	-3.74	-8.74
2	12	3.55	83	1.43	-4.86
3	21	10.88	74	0.13	-5.99
4	14	7.59	75	-4.40	-8.28
5	28	3.21	68	17.21	10.17
6	12	4.04	73	16.84	11.56
7	17	3.96	67	20.87	10.25



REGION	# STNS	DEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	6	10.21	89	-2.22	-3.74
2	12	11.10	87	0.64	-1.38
3	21	9.72	82	-1.78	-5.18
4	14	6.18	81	-2.85	-7.88
5	28	5.62	74	17.35	12.21
6	12	6.00	75	9.62	5.48
7	17	2.84	56	14.69	5.81



REGION	# STNS	DEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	6	1.77	52	-6.14	-9.02
2	12	2.08	56	0.46	-7.35
3	21	3.02	64	2.77	-3.40
4	14	3.56	58	9.84	-5.31
5	28	2.40	58	11.82	2.73
6	12	2.48	52	12.17	2.45
7	17	3.58	51	17.74	6.66



REGION	# STNS	DEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	6	2.78	57	4.85	-9.05
2	12	2.54	58	6.15	-1.47
3	21	5.68	67	7.33	2.03
4	14	3.11	48	9.89	-2.39
5	28	2.65	47	18.30	6.26
6	12	2.54	47	18.85	8.75
7	17	4.48	51	21.78	9.57



REGION	# STNS	DEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	6	2.70	62	5.41	-1.39
2	12	4.29	62	10.27	2.86
3	21	8.13	58	9.89	2.98
4	14	4.56	57	6.38	-1.53
5	28	2.79	45	22.61	9.48
6	12	4.60	61	21.15	13.09
7	17	2.52	56	22.80	11.96

CAPITA



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	3.56	66	11.00	2.50
2	12	6.62	66	14.02	6.31
3	21	8.54	62	9.33	0.40
4	14	8.00	68	-5.66	-9.13
5	20	2.53	48	24.05	12.25
6	12	6.65	78	18.65	16.07
7	17	5.10	80	16.80	10.70



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	11.76	88	9.81	1.84
2	12	9.88	77	12.49	9.46
3	21	6.87	73	-0.39	-9.93
4	14	1.66	88	-7.60	-11.58
5	20	2.78	68	23.48	15.03
6	12	6.22	84	9.95	7.22
7	17	2.22	94	10.02	-2.46



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	8.27	82	-1.94	-4.56
2	12	5.43	81	-3.84	-6.61
3	21	2.66	67	-3.88	-9.22
4	14	3.82	81	-0.99	-4.08
5	20	2.96	67	13.11	6.68
6	12	2.69	76	2.40	-1.84
7	17	1.84	88	15.97	0.76



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	1.01	62	-4.99	-8.51
2	12	2.38	58	-3.70	-10.78
3	21	5.52	69	-1.29	-6.45
4	14	2.66	54	-6.86	-12.38
5	20	2.62	59	11.89	3.39
6	12	3.21	63	10.41	3.66
7	17	2.29	52	18.79	8.24



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	0.01	85	-0.55	-2.77
2	12	4.04	65	0.81	-5.68
3	21	4.07	55	-0.55	-15.78
4	14	1.57	43	-9.17	-10.12
5	20	2.48	58	12.85	1.62
6	12	1.73	58	7.62	-5.98
7	17	2.69	35	14.36	-1.89



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	1.38	48	-5.80	-13.08
2	12	2.38	48	-4.30	-13.83
3	21	3.78	54	0.05	-8.58
4	14	2.67	46	10.49	-3.82
5	20	1.80	32	10.17	-6.68
6	12	1.68	28	10.78	-7.48
7	17	1.92	48	18.79	3.05

CAPITA



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	1.71	87	0.87	-6.13
2	12	1.71	97	0.87	-1.88
3	21	2.12	58	8.98	1.00
4	14	2.68	48	0.30	-9.18
5	20	1.88	36	18.80	2.58
6	12	1.71	45	18.38	3.18
7	17	2.48	84	22.83	11.06



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	2.11	68	9.18	-2.38
2	12	2.10	83	1.76	-5.46
3	21	3.71	52	-4.85	-13.17
4	14	1.48	45	-2.96	-12.82
5	20	2.16	61	16.12	5.67
6	12	1.71	56	9.30	-8.01
7	17	1.89	42	15.19	1.01



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	1.21	41	-0.24	-14.71
2	12	2.32	48	-4.36	-14.20
3	21	3.85	55	-0.87	-9.70
4	14	1.68	49	2.96	-6.68
5	20	1.88	32	9.67	-6.08
6	12	1.49	28	8.52	-9.58
7	17	1.88	35	18.68	0.38



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	2.07	43	-9.05	-16.02
2	12	2.53	51	-1.69	-10.78
3	21	2.53	48	-1.18	-10.97
4	14	1.53	44	6.62	-6.18
5	20	2.30	38	13.03	-3.25
6	12	2.08	32	13.80	-5.28
7	17	2.49	51	21.98	10.02



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	1.40	45	-1.80	-12.35
2	12	1.71	82	1.06	-10.41
3	21	2.75	49	12.58	2.14
4	14	2.46	48	16.31	2.58
5	20	2.22	35	14.28	-1.16
6	12	2.33	53	20.09	3.83
7	17	2.58	67	22.76	13.48



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	2.38	78	4.58	0.55
2	12	4.01	76	6.29	2.03
3	21	4.61	69	11.92	4.97
4	14	3.08	70	7.48	2.10
5	20	2.51	39	20.89	6.44
6	12	2.17	41	22.58	8.68
7	17	2.31	65	23.18	13.03

CAPITA



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	1.87	57	0.00	-8.06
2	12	6.00	60	5.60	0.10
3	21	11.11	52	4.99	1.95
4	14	9.32	72	5.11	0.31
5	20	3.08	42	21.56	7.53
6	12	3.56	55	20.27	10.56
7	17	2.61	81	20.81	11.66



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	1.54	55	0.00	-0.10
2	12	10.25	96	1.20	-1.20
3	21	4.88	72	3.85	-2.55
4	14	4.10	66	7.77	1.20
5	20	4.27	60	17.73	9.04
6	12	2.04	55	15.97	5.13
7	17	2.48	56	22.67	12.67



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	0.06	84	0.67	-1.30
2	12	2.67	76	2.54	-1.70
3	21	8.47	77	3.19	-0.55
4	14	4.61	66	10.39	3.20
5	20	2.26	44	18.34	5.35
6	12	2.92	55	18.69	9.11
7	17	2.29	66	21.49	11.66



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	2.01	73	3.60	-0.60
2	12	3.55	69	6.80	1.52
3	21	8.08	89	5.70	3.22
4	14	2.36	61	9.20	1.10
5	20	3.58	67	19.10	12.30
6	12	2.47	65	15.67	8.60
7	17	1.76	31	21.80	2.90



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	12.63	82	7.07	5.03
2	12	8.12	87	7.03	4.94
3	21	4.59	78	5.31	1.37
4	14	1.03	51	10.15	-0.51
5	20	2.02	55	15.05	5.01
6	12	1.93	55	12.03	2.68
7	17	1.77	26	23.75	2.22



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	5.51	65	5.55	-0.03
2	12	2.16	59	5.50	-2.31
3	21	2.27	61	2.19	-4.70
4	14	1.00	57	0.25	-0.43
5	20	2.24	44	16.48	3.90
6	12	2.65	64	13.83	7.07
7	17	1.02	40	21.26	0.01

CAPITA



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	1.38	48	1.52	-9.02
2	12	1.38	41	9.16	-9.02
3	21	2.10	51	5.60	-5.00
4	14	9.97	84	18.17	2.85
5	20	2.16	48	17.35	5.51
6	12	2.68	54	15.98	8.33
7	17	1.78	38	23.29	7.81



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	1.98	38	-0.91	-14.71
2	12	1.61	58	4.20	-0.76
3	21	2.58	49	13.27	2.45
4	14	3.70	61	12.61	6.78
5	20	2.26	46	18.80	6.62
6	12	1.98	42	21.33	8.37
7	17	2.26	66	23.96	11.27



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	1.76	50	4.05	-4.05
2	12	2.10	65	9.76	0.06
3	21	3.71	63	18.87	9.46
4	14	3.41	60	9.20	2.96
5	20	2.29	54	21.50	11.68
6	12	2.26	66	20.15	15.09
7	17	2.36	51	22.26	11.00

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	7.68	89	8.88	5.55
2	12	5.33	88	9.16	7.63
3	21	3.61	68	2.19	-3.25
4	14	1.42	48	7.61	-2.93
5	20	2.33	51	19.55	9.13
6	12	1.65	33	15.91	1.01
7	17	1.84	38	23.82	7.88



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	9.32	84	6.52	0.00
2	12	4.51	66	2.88	-3.37
3	21	4.08	58	-1.18	-8.87
4	14	1.85	41	4.78	-7.41
5	20	2.08	35	16.25	-0.89
6	12	1.77	39	13.80	-1.10
7	17	2.19	48	22.41	10.35



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	8.48	68	3.05	-0.27
2	12	3.09	61	0.66	-6.24
3	21	2.71	54	0.39	-8.08
4	14	3.86	58	2.53	-5.99
5	20	3.02	36	12.95	-2.01
6	12	2.04	49	8.48	-3.73
7	17	4.24	64	21.00	12.67

CAPITA



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	2.07	52	2.60	-0.04
2	12	1.62	50	1.98	-0.06
3	21	2.13	45	2.15	-7.56
4	14	3.07	80	4.92	-9.21
5	28	4.64	61	10.17	2.10
6	12	2.10	72	8.29	1.62
7	17	2.98	60	10.87	7.90



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	1.51	45	1.11	-0.86
2	12	1.31	36	3.47	-11.06
3	21	2.18	49	4.85	-0.71
4	14	4.92	87	8.42	0.40
5	28	2.05	38	12.46	-1.24
6	12	2.23	45	10.62	-0.83
7	17	3.58	67	21.88	11.56



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	1.61	47	0.41	-0.86
2	12	1.51	38	4.03	-0.11
3	21	3.93	56	4.61	-4.28
4	14	5.62	76	9.29	-1.58
5	28	2.69	53	16.26	8.14
6	12	5.75	78	15.58	11.80
7	17	2.56	68	23.85	12.85



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	1.61	50	3.01	-0.10
2	12	1.20	42	4.67	-7.48
3	21	2.63	55	4.97	-4.07
4	14	3.40	65	1.00	-4.48
5	28	3.12	60	17.07	8.72
6	12	3.50	68	19.50	15.00
7	17	3.15	57	20.42	8.96



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	1.51	58	7.35	-0.41
2	12	1.54	42	8.98	-2.31
3	21	10.74	75	2.21	-1.90
4	14	1.53	53	1.78	-7.25
5	28	4.45	66	16.74	8.68
6	12	2.55	58	17.58	11.01
7	17	1.08	45	19.72	1.66



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	2.23	61	3.47	0.41
2	12	3.38	76	4.99	0.97
3	21	2.07	58	2.61	-5.41
4	14	3.58	87	2.80	-5.27
5	28	3.22	66	16.84	9.80
6	12	2.48	45	10.82	-0.55
7	17	3.27	61	11.07	0.45

CAPITA



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	2.47	68	4.46	1.24
2	12	2.26	57	7.40	-0.97
3	21	4.01	58	6.05	-2.85
4	14	2.56	59	1.60	-5.78
5	20	5.42	75	12.81	7.76
6	12	2.87	53	12.77	2.48
7	17	1.80	36	15.84	0.48



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	1.87	98	10.55	-0.52
2	12	1.86	35	13.14	-1.69
3	21	4.53	87	2.82	-2.85
4	14	2.00	84	5.72	-5.51
5	20	3.03	66	14.89	5.78
6	12	2.05	45	11.88	-0.55
7	17	1.76	35	16.82	1.07



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	6.67	85	7.07	0.55
2	12	3.36	56	6.75	-1.70
3	21	2.78	58	5.55	-3.99
4	14	1.74	44	9.38	-2.09
5	20	2.16	38	19.72	-0.41
6	12	2.54	48	12.77	-1.29
7	17	1.78	34	24.27	8.84



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	2.13	53	5.41	-3.76
2	12	1.76	48	7.83	-3.65
3	21	3.07	55	7.35	-1.37
4	14	3.68	62	1.18	-5.83
5	20	2.76	30	17.73	3.53
6	12	2.20	51	19.39	8.42
7	17	2.48	47	21.93	9.57



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	9.30	78	3.88	0.00
2	12	8.14	68	3.74	1.68
3	21	1.97	52	2.27	-6.87
4	14	1.58	39	5.51	-8.19
5	20	2.87	58	18.82	10.17
6	12	2.66	67	11.15	4.95
7	17	2.24	44	18.48	3.69

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	1.35	33	5.82	-8.49
2	12	1.73	61	6.75	-3.19
3	21	2.08	43	9.25	-2.90
4	14	1.57	35	13.60	-2.26
5	20	2.20	41	10.46	4.68
6	12	2.41	59	10.88	2.17
7	17	4.70	57	22.51	12.41

CAPITA



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	1.71	48	5.80	-6.10
2	12	5.78	55	8.62	0.10
3	21	2.74	47	18.25	4.65
4	14	1.98	42	18.68	3.68
5	28	2.32	36	22.75	6.26
6	12	2.65	45	22.17	9.25
7	17	2.43	54	20.82	14.08



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	1.87	58	-3.05	-12.08
2	12	1.96	61	-2.58	-8.30
3	21	8.58	71	-2.86	-7.48
4	14	2.58	81	4.58	-3.06
5	28	3.87	58	20.65	11.30
6	12	5.35	73	20.08	16.05
7	17	2.52	43	27.44	12.44



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	1.47	57	1.08	-11.08
2	12	1.67	48	-0.18	-10.36
3	21	2.51	55	-0.15	-8.43
4	14	3.03	64	2.68	-5.68
5	28	2.65	63	12.18	4.95
6	12	2.35	62	8.05	-0.73
7	17	2.62	46	20.78	7.56



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	1.51	57	8.52	-7.95
2	12	1.48	44	5.87	-5.87
3	21	1.97	51	5.87	-4.41
4	14	3.01	57	8.48	-0.31
5	28	2.64	43	12.23	-0.75
6	12	1.75	38	12.58	-1.01
7	17	2.55	48	19.44	7.64



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	1.48	32	8.80	-7.08
2	12	2.02	46	9.02	-3.18
3	21	2.79	49	14.22	2.08
4	14	2.55	47	16.14	4.36
5	28	2.30	38	18.18	3.08
6	12	2.15	45	19.02	8.57
7	17	9.20	56	26.23	15.45



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	0.45	65	3.74	1.38
2	12	3.13	59	11.88	3.78
3	21	2.98	48	14.48	2.03
4	14	4.19	60	15.38	5.91
5	28	3.31	59	21.02	12.25
6	12	6.81	78	19.71	15.45
7	17	2.31	83	23.88	18.88

CAPITA



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	1.03	47	10.27	-0.87
2	12	2.62	42	13.42	0.58
3	21	5.19	55	15.97	8.38
4	14	7.14	71	13.44	8.88
5	20	3.81	61	21.62	13.38
6	12	3.27	72	25.19	17.85
7	17	2.37	44	30.48	15.12



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	10.09	87	9.38	1.38
2	12	8.58	88	10.56	8.76
3	21	2.78	61	19.33	11.33
4	14	2.21	57	15.88	6.00
5	20	4.05	61	24.45	16.84
6	12	2.62	68	25.89	17.46
7	17	2.18	44	28.83	14.50



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	1.71	65	7.38	1.11
2	12	1.82	54	11.38	2.26
3	21	4.01	70	10.25	4.97
4	14	4.99	72	9.74	4.12
5	20	2.32	64	25.88	16.53
6	12	2.57	66	24.82	17.03
7	17	2.58	58	27.56	14.90



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	3.73	80	4.30	1.10
2	12	3.56	81	10.87	7.56
3	21	5.64	75	14.87	10.33
4	14	4.73	64	13.54	4.20
5	20	3.38	58	26.54	15.63
6	12	3.13	60	26.80	17.72
7	17	3.08	48	29.11	11.34



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	2.11	88	12.21	9.83
2	12	4.11	75	11.43	7.12
3	21	7.10	81	11.50	8.01
4	14	1.50	42	16.46	2.65
5	20	2.85	56	26.46	16.66
6	12	1.91	42	25.80	9.80
7	17	1.67	28	25.74	5.35



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	1.51	65	15.47	4.30
2	12	1.65	51	15.59	5.31
3	21	2.07	49	16.55	4.20
4	14	1.73	40	18.72	4.30
5	20	1.02	42	29.42	9.77
6	12	1.68	48	19.53	8.20
7	17	1.69	33	28.29	7.96

CAPITA



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	1.48	38	14.44	-1.80
2	12	1.56	38	18.86	3.60
3	21	1.87	39	22.19	7.74
4	14	1.68	67	18.40	6.48
5	20	1.89	38	25.03	8.14
6	12	1.91	59	25.50	10.82
7	17	2.10	48	27.44	12.77



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	4.08	81	14.18	9.82
2	12	2.96	46	22.17	9.20
3	21	4.70	72	18.18	11.10
4	14	3.04	71	9.75	6.24
5	20	2.28	45	26.66	15.68
6	12	2.27	50	26.29	15.13
7	17	2.12	68	27.28	18.59



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	10.18	88	2.48	0.88
2	12	6.80	82	8.38	6.43
3	21	4.01	75	9.52	4.99
4	14	8.81	74	10.19	8.27
5	20	2.68	52	26.83	15.88
6	12	2.28	58	25.27	18.47
7	17	2.42	54	25.77	18.01



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	1.39	28	10.13	-7.68
2	12	1.27	29	13.28	-4.57
3	21	8.57	61	9.98	1.53
4	14	2.05	70	9.71	3.96
5	20	4.41	58	19.55	9.81
6	12	4.59	71	22.77	17.03
7	17	1.97	58	22.21	11.99



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	1.40	25	11.68	-8.33
2	12	4.77	78	7.31	3.14
3	21	2.67	70	9.57	4.12
4	14	2.73	81	10.11	7.02
5	20	4.87	75	18.72	13.62
6	12	2.03	61	19.71	11.75
7	17	1.68	30	25.58	5.71

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	1.67	70	7.91	4.90
2	12	2.62	66	13.42	6.06
3	21	1.98	58	11.08	2.48
4	14	1.78	51	10.63	-0.07
5	20	2.48	51	23.94	12.73
6	12	1.68	42	23.83	9.78
7	17	1.08	40	25.08	8.88

CAPITA



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	2.03	49	12.21	1.30
2	12	2.33	61	10.86	3.46
3	21	2.10	84	7.58	1.02
4	14	1.62	46	8.55	-1.58
5	28	2.36	56	21.76	12.04
6	12	1.76	42	18.36	6.01
7	17	1.82	36	24.40	8.86



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	1.34	44	8.76	-3.99
2	12	1.38	41	9.20	-3.37
3	21	1.88	42	9.12	-3.17
4	14	2.04	47	10.68	-0.49
5	28	2.40	48	18.17	6.58
6	12	1.84	43	15.18	2.58
7	17	1.94	41	22.44	7.76



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	1.18	58	0.18	-8.38
2	12	1.31	50	11.06	-5.87
3	21	2.20	54	15.84	-2.29
4	14	4.65	64	10.43	8.01
5	28	2.01	35	17.68	1.68
6	12	1.98	54	16.80	8.84
7	17	2.33	48	21.18	8.82



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	1.15	34	7.91	-7.49
2	12	1.33	30	11.01	-5.87
3	21	2.10	30	15.57	-2.19
4	14	3.56	67	11.54	4.60
5	28	2.06	30	20.76	2.67
6	12	1.99	34	20.82	6.31
7	17	3.68	67	20.09	12.91



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	1.34	22	13.00	-7.48
2	12	1.48	20	13.00	-4.30
3	21	2.76	40	15.33	0.90
4	14	3.59	69	12.49	8.10
5	28	2.39	37	21.84	6.46
6	12	2.45	45	21.30	8.65
7	17	3.93	70	20.71	13.70

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	1.48	25	17.21	-2.72
2	12	1.53	28	18.51	0.27
3	21	3.55	51	15.89	4.01
4	14	2.80	67	14.04	7.01
5	28	2.51	48	23.14	11.10
6	12	2.28	58	22.35	12.26
7	17	2.56	62	24.27	15.45



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	1.44	29	20.00	-1.30
2	12	1.80	33	20.02	3.33
3	21	4.02	66	18.75	12.00
4	14	3.07	76	15.59	11.14
5	20	2.96	56	22.07	13.30
6	12	2.08	57	23.03	14.05
7	17	2.07	60	20.20	10.06



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	1.00	33	22.40	6.27
2	12	4.25	58	20.70	11.66
3	21	3.46	71	19.49	15.50
4	14	1.75	80	12.97	9.75
5	20	2.20	49	25.35	13.06
6	12	2.21	57	24.02	14.78
7	17	2.30	56	24.87	13.85



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	0.75	83	8.76	6.07
2	12	3.62	67	20.55	14.06
3	21	2.17	58	17.71	8.99
4	14	2.01	64	12.77	5.80
5	20	2.29	55	25.80	15.02
6	12	2.87	68	23.62	18.81
7	17	2.26	56	23.18	12.71



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	7.04	88	11.10	8.74
2	12	5.98	81	16.93	13.60
3	21	2.76	62	13.51	6.18
4	14	1.08	52	15.10	5.10
5	20	3.12	73	22.61	17.31
6	12	2.78	65	20.10	13.29
7	17	1.89	45	24.24	11.04



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	13.58	89	10.83	8.18
2	12	6.82	82	13.05	9.99
3	21	3.15	56	14.07	4.59
4	14	2.23	58	14.24	5.27
5	20	2.08	48	29.22	11.82
6	12	2.08	51	19.81	9.30
7	17	1.94	46	25.51	11.88



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	2.17	58	13.10	4.71
2	12	1.75	65	13.37	6.46
3	21	2.41	42	17.98	4.67
4	14	3.35	60	16.96	8.78
5	20	2.13	41	22.79	8.72
6	12	2.01	43	22.35	8.97
7	17	2.08	52	24.08	13.13

CAPITA

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	1.25	39	18.24	1.98
2	12	1.72	42	18.60	4.84
3	21	2.55	39	22.50	12.03
4	14	3.85	70	17.84	5.56
5	28	2.42	48	24.48	10.08
6	12	1.94	40	25.38	11.01
7	17	2.44	68	22.80	16.91



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	1.40	88	20.13	4.50
2	12	2.18	84	18.87	9.21
3	21	3.30	75	12.45	7.80
4	14	3.08	88	11.18	6.88
5	28	2.61	82	26.37	14.58
6	12	4.59	89	22.21	15.98
7	17	5.34	82	18.14	15.80



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	1.99	85	10.88	8.61
2	12	3.47	72	13.88	8.76
3	21	8.92	85	10.96	7.90
4	14	2.88	88	12.48	6.32
5	28	5.01	76	22.36	17.57
6	12	2.87	81	20.87	17.40
7	17	2.08	87	21.85	18.18



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	3.48	78	7.91	4.16
2	12	5.16	80	9.25	5.68
3	21	2.88	51	12.64	1.87
4	14	2.18	52	14.48	3.49
5	28	3.69	62	23.01	14.87
6	12	2.94	68	18.48	12.40
7	17	2.39	80	29.45	16.83



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	1.38	87	12.07	-2.35
2	12	1.34	49	13.32	0.83
3	21	1.08	38	16.10	0.21
4	14	3.49	55	15.23	4.59
5	28	2.16	50	21.14	10.03
6	12	2.08	46	18.69	6.84
7	17	4.18	67	21.39	15.62

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	1.34	59	13.32	-1.94
2	12	1.54	54	18.14	1.88
3	21	2.12	54	19.90	3.19
4	14	2.64	55	16.58	0.70
5	28	2.40	46	22.27	9.55
6	12	3.59	54	21.57	11.61
7	17	4.85	72	22.18	16.01

CAPITA

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	1.48	96	16.66	1.98
2	12	1.42	31	18.84	2.35
3	21	2.57	38	21.87	8.13
4	16	3.07	61	18.28	10.23
5	28	2.26	46	23.62	10.62
6	12	4.90	61	22.12	15.51
7	17	3.17	76	21.95	18.07



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	1.40	86	21.26	6.80
2	12	1.50	28	28.65	4.67
3	21	5.01	65	18.77	12.48
4	16	2.55	65	15.58	8.80
5	28	3.10	62	22.97	16.57
6	12	3.36	81	20.86	18.81
7	17	2.48	56	24.59	15.08



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	1.97	51	20.90	10.27
2	12	3.08	78	17.58	13.68
3	21	2.80	70	18.89	13.08
4	16	1.98	69	17.13	9.48
5	28	3.78	71	23.76	17.95
6	12	2.18	64	24.11	18.06
7	17	1.85	50	24.68	13.18



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	0.15	83	15.83	12.77
2	12	2.66	68	20.27	16.20
3	21	4.46	71	17.05	11.63
4	16	2.38	48	22.61	10.43
5	28	2.66	68	24.14	17.05
6	12	1.94	53	23.89	12.08
7	17	1.78	45	26.23	13.13

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	4.20	81	17.77	14.44
2	12	3.20	64	20.73	19.60
3	21	4.11	68	18.72	11.90
4	16	2.05	40	26.82	11.02
5	28	2.40	52	25.31	16.52
6	12	2.43	48	24.59	12.01
7	17	1.98	47	27.51	14.31



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	9.73	77	18.76	14.71
2	12	6.01	68	18.56	12.35
3	21	9.95	54	22.52	12.03
4	16	1.68	38	28.08	12.65
5	28	2.06	62	25.31	16.51
6	12	2.72	52	24.25	13.79
7	17	2.06	51	27.31	15.84

CAPITA



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	6	9.00	56	22.43	13.19
2	12	6.22	55	22.12	12.45
3	21	5.57	53	25.96	11.88
4	14	1.69	42	28.28	12.93
5	28	4.36	56	24.83	15.40
6	12	2.62	48	25.88	13.34
7	17	1.85	48	28.60	15.28



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	6	6.99	70	14.10	10.41
2	12	2.90	55	22.04	12.58
3	21	5.17	44	25.80	12.13
4	14	2.12	39	27.37	11.84
5	28	3.92	67	22.31	16.68
6	12	3.21	51	24.96	13.55
7	17	2.92	48	27.96	14.78

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	6	8.05	84	14.67	11.88
2	12	7.71	86	16.52	13.97
3	21	2.83	44	25.57	11.87
4	14	2.34	43	27.15	13.21
5	28	4.53	68	22.01	15.53
6	12	5.39	53	24.36	13.55
7	17	2.76	44	27.83	14.26

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	6	1.64	99	24.97	15.69
2	12	1.99	62	22.86	15.13
3	21	2.39	42	27.69	13.43
4	14	2.29	46	27.97	14.63
5	28	3.33	65	22.77	15.63
6	12	3.50	48	26.10	13.65
7	17	2.75	42	29.27	14.78



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	6	1.34	31	22.85	6.02
2	12	1.06	46	24.30	10.82
3	21	2.63	45	28.21	13.06
4	14	2.77	47	27.70	14.08
5	28	3.88	62	24.48	16.32
6	12	3.08	45	28.37	14.99
7	17	2.61	45	28.88	14.24

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	6	1.34	27	26.55	6.71
2	12	1.66	22	26.62	6.89
3	21	2.86	40	27.19	12.32
4	14	2.57	67	22.41	13.01
5	28	3.23	58	23.76	14.47
6	12	2.41	50	27.12	15.04
7	17	2.38	61	28.32	15.87

CAPITA



REGION	# STNS	DEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	1.48	40	20.13	5.84
2	12	2.76	37	26.73	9.76
3	21	2.67	38	27.48	11.50
4	14	2.48	67	22.48	19.46
5	20	2.85	48	28.10	16.02
6	12	2.88	53	28.29	15.55
7	17	2.88	47	29.16	15.71

REGION	# STNS	DEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	1.24	33	17.83	-0.27
2	12	1.83	36	20.08	6.53
3	21	2.71	35	27.45	10.55
4	14	1.86	98	24.71	14.58
5	20	3.11	63	25.61	14.69
6	12	2.57	48	28.52	14.85
7	17	2.76	43	30.42	15.84



REGION	# STNS	DEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	1.29	55	17.98	1.52
2	12	1.32	26	18.76	1.89
3	21	2.78	37	25.42	9.41
4	14	2.16	52	25.38	14.51
5	20	2.84	48	22.17	10.21
6	12	2.58	48	27.56	15.19
7	17	2.88	49	30.12	16.68

REGION	# STNS	DEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	1.34	33	22.77	5.41
2	12	1.56	32	21.30	3.76
3	21	2.06	35	25.41	8.58
4	14	2.25	62	22.53	16.75
5	20	2.48	59	20.76	11.06
6	12	2.21	43	25.90	12.55
7	17	2.33	43	90.25	15.04



REGION	# STNS	DEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	1.45	35	26.24	8.16
2	12	1.62	31	24.30	5.92
3	21	2.68	35	26.83	9.67
4	14	3.02	69	20.71	14.65
5	20	2.35	59	23.26	14.47
6	12	1.01	51	25.38	14.40
7	17	2.47	50	28.49	16.60



REGION	# STNS	DEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	1.41	28	28.96	8.18
2	12	1.46	28	25.32	8.53
3	21	4.60	59	24.38	15.10
4	14	2.60	68	18.80	11.87
5	20	2.31	64	25.26	17.77
6	12	2.29	59	25.58	16.98
7	17	2.44	54	28.85	16.53

CAPITA

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	1.51	55	25.89	15.97
2	12	3.22	70	23.95	17.21
3	21	4.08	80	14.30	10.04
4	14	1.48	48	18.90	6.76
5	28	2.68	68	26.66	19.02
6	12	3.08	66	24.57	17.63
7	17	2.42	48	28.97	16.50



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	3.29	78	22.21	18.38
2	12	4.72	88	20.96	18.70
3	21	2.93	85	11.84	9.25
4	14	1.58	41	18.89	8.34
5	28	2.85	66	25.53	18.60
6	12	1.96	48	20.22	9.02
7	17	1.84	43	25.28	11.46



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	4.35	88	18.82	17.21
2	12	2.38	84	16.84	9.84
3	21	1.97	46	20.07	7.77
4	14	1.42	40	28.22	11.38
5	28	2.06	48	22.13	10.21
6	12	1.88	37	21.89	8.52
7	17	2.52	43	28.72	12.77

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	2.02	54	18.80	8.80
2	12	3.43	57	20.13	11.06
3	21	2.16	48	25.92	12.98
4	14	1.68	44	27.73	14.16
5	28	2.21	43	25.74	12.07
6	12	2.05	38	25.55	9.34
7	17	2.34	47	28.75	15.64



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	2.28	48	29.74	11.66
2	12	2.71	54	26.27	15.18
3	21	2.35	48	28.17	15.81
4	14	1.57	38	28.80	13.20
5	28	2.35	46	27.69	14.18
6	12	2.28	37	28.23	12.08
7	17	2.10	46	29.47	16.10



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	3.41	68	29.88	18.84
2	12	3.43	60	25.18	16.70
3	21	2.48	47	25.97	13.27
4	14	1.31	52	25.80	14.63
5	28	2.42	48	28.66	16.42
6	12	2.43	48	29.44	16.18
7	17	2.28	46	29.17	16.88

CAPITA

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	2.04	61	18.80	12.08
2	12	2.36	53	23.61	13.42
3	21	3.14	53	22.50	11.81
4	14	2.18	58	20.10	10.08
5	20	2.07	61	20.40	14.04
6	12	2.96	43	30.04	10.29
7	17	2.25	42	29.60	10.22

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	2.08	61	19.44	11.88
2	12	3.17	68	20.50	13.16
3	21	3.35	58	23.43	14.80
4	14	1.81	67	27.61	16.80
5	20	4.02	56	27.73	17.45
6	12	3.67	48	30.67	18.51
7	17	2.44	48	30.25	16.80



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	2.21	74	17.21	12.69
2	12	1.22	36	32.26	5.76
3	21	2.00	55	24.52	8.01
4	14	2.48	48	28.19	15.82
5	20	2.67	45	27.38	14.26
6	12	3.07	48	28.79	15.62
7	17	2.88	48	30.62	15.94



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	1.57	65	18.32	11.68
2	12	1.78	66	24.46	11.75
3	21	2.69	58	24.73	13.03
4	14	2.78	45	30.07	16.06
5	20	3.10	43	27.90	14.24
6	12	3.00	43	29.39	15.09
7	17	2.66	48	30.20	16.48



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	2.97	55	23.05	13.33
2	12	2.77	61	25.60	14.53
3	21	4.31	62	22.19	14.20
4	14	2.67	48	26.68	13.72
5	20	4.22	51	20.80	17.53
6	12	4.66	60	20.85	19.81
7	17	3.06	53	20.81	17.03

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	1.91	83	14.02	8.68
2	12	1.38	46	14.76	3.00
3	21	1.69	41	14.38	1.08
4	14	2.85	48	10.52	0.54
5	20	3.20	83	25.59	15.01
6	12	3.57	59	24.99	18.33
7	17	3.47	56	29.97	18.98

CAPITA

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	1.18	56	18.86	9.56
2	12	1.32	36	16.70	9.68
3	21	1.74	51	19.91	1.82
4	14	2.08	59	22.03	12.46
5	20	2.01	46	22.87	8.61
6	12	2.02	46	24.87	10.92
7	17	3.96	61	27.67	19.14



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	1.48	48	20.87	9.80
2	12	1.67	41	20.66	6.47
3	21	5.81	80	22.27	15.40
4	14	3.45	56	28.17	17.57
5	20	2.08	47	25.62	13.16
6	12	2.84	56	26.35	18.84
7	17	2.02	80	26.68	20.92



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	2.04	69	20.81	12.81
2	12	6.03	72	21.81	15.50
3	21	4.49	72	25.25	19.48
4	14	3.31	58	28.08	18.50
5	20	2.70	69	26.42	17.71
6	12	2.92	59	28.33	19.46
7	17	2.43	81	28.14	20.71



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	3.99	64	25.69	18.32
2	12	6.65	72	24.06	18.65
3	21	3.68	63	28.72	20.92
4	14	2.14	55	22.89	12.73
5	20	3.48	61	27.71	19.28
6	12	2.57	55	29.62	19.53
7	17	1.79	63	28.99	20.01



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	5.54	69	27.07	19.30
2	12	4.29	64	26.98	18.53
3	21	2.41	61	25.98	15.79
4	14	1.42	48	22.41	11.10
5	20	2.42	68	28.40	19.22
6	12	2.06	54	29.30	18.97
7	17	1.79	61	29.04	20.71



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	2.21	71	24.44	18.74
2	12	3.70	78	22.87	16.29
3	21	1.04	57	19.04	10.12
4	14	2.42	61	19.81	11.30
5	20	2.59	69	28.30	19.59
6	12	3.14	63	26.57	18.69
7	17	1.98	59	29.88	18.78

CAPITA



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	2.76	66	23.30	16.02
2	12	2.22	68	21.95	15.42
3	21	2.23	57	19.16	10.48
4	14	2.59	81	22.17	16.08
5	20	3.02	66	27.03	19.01
6	12	2.61	60	27.85	18.83
7	17	2.21	58	28.48	18.91



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	5.24	78	18.74	14.02
2	12	7.08	76	23.88	16.47
3	21	2.90	58	23.45	12.37
4	14	3.17	86	25.62	16.08
5	20	4.62	70	35.90	20.63
6	12	2.54	55	29.02	19.11
7	17	2.07	54	30.92	20.09



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	4.79	84	17.48	14.56
2	12	6.23	74	29.51	18.33
3	21	4.50	55	28.40	18.43
4	14	3.36	70	31.76	18.67
5	20	8.01	76	35.05	21.36
6	12	5.20	65	28.89	18.78
7	16	2.10	47	32.08	18.81



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	3.20	76	29.88	18.16
2	12	2.03	65	26.36	18.23
3	21	3.05	69	24.57	18.55
4	14	1.62	59	18.82	8.52
5	20	5.11	83	24.71	21.48
6	12	2.08	83	27.54	19.71
7	17	2.08	49	32.80	18.63

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	2.27	76	29.40	18.74
2	12	4.20	83	22.21	18.16
3	21	2.98	71	15.20	9.85
4	14	1.56	48	18.40	8.85
5	23	4.06	87	27.23	19.98
6	12	1.99	52	26.52	15.78
7	17	3.01	58	29.05	18.98



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	7.58	62	19.71	18.24
2	12	7.06	87	17.77	15.58
3	21	4.00	58	16.18	7.42
4	14	1.39	49	21.48	8.01
5	20	2.56	83	24.87	14.36
6	12	1.95	48	25.37	10.87
7	17	2.35	56	30.32	18.59

CAPITA

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	4.45	83	18.80	16.80
2	12	2.50	85	16.96	12.03
3	21	2.31	80	15.30	8.37
4	14	1.47	42	22.80	8.92
5	29	2.00	52	28.31	11.80
6	12	1.72	52	24.55	8.61
7	17	2.91	80	28.97	20.28



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	2.45	77	18.02	14.71
2	12	2.70	78	16.66	11.56
3	21	3.48	70	15.75	9.65
4	14	1.03	52	21.04	10.94
5	29	2.00	62	25.31	16.24
6	12	1.98	41	27.35	12.35
7	17	2.08	57	31.39	21.07

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	3.09	71	18.74	13.48
2	12	4.64	77	16.88	12.81
3	21	2.52	62	20.92	13.24
4	14	1.42	48	24.81	13.08
5	29	2.48	61	26.18	16.58
6	12	4.16	68	25.32	18.29
7	17	1.84	49	33.40	18.78



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	2.78	69	20.27	14.30
2	12	4.45	68	20.22	14.16
3	21	3.06	57	23.40	14.20
4	14	1.82	50	25.47	14.24
5	29	3.06	58	27.59	18.44
6	12	2.72	55	26.05	17.95
7	17	1.84	48	33.23	18.79

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	3.48	61	23.33	15.13
2	12	4.27	56	23.60	14.30
3	21	3.01	48	26.29	14.15
4	14	2.20	48	26.94	15.11
5	29	3.55	56	28.36	18.68
6	12	3.50	61	28.23	19.57
7	17	1.84	47	33.78	19.37



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	5.34	59	25.41	18.80
2	12	4.83	56	26.05	16.10
3	21	4.15	59	24.78	18.23
4	14	1.78	47	25.35	12.97
5	29	4.00	68	27.67	21.04
6	12	2.65	68	26.68	20.06
7	17	1.97	48	32.87	20.16

CAPITA



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	5.78	68	23.05	16.68
2	12	7.17	74	22.07	17.03
3	21	4.85	70	22.03	16.18
4	14	1.82	41	20.20	19.96
5	20	4.16	66	20.13	20.06
6	12	2.39	58	27.05	17.48
7	17	1.84	50	32.15	19.65



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	13.54	90	17.90	15.83
2	12	5.59	78	21.19	17.26
3	21	4.38	62	24.88	16.84
4	14	1.54	34	30.07	12.53
5	20	2.82	61	27.69	19.20
6	12	2.68	55	28.42	18.19
7	17	1.98	51	31.75	19.70

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	3.82	78	21.94	17.48
2	12	3.48	68	25.62	17.07
3	21	2.08	45	28.11	14.79
4	14	1.68	48	27.14	15.31
5	20	3.12	52	30.20	19.29
6	12	2.21	58	29.81	19.53
7	17	1.75	50	31.88	20.08



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	2.28	46	30.65	16.00
2	12	3.07	48	29.44	17.67
3	21	2.75	66	24.20	17.45
4	14	1.73	58	20.70	11.94
5	20	2.69	56	30.92	20.08
6	12	2.56	66	27.72	21.01
7	17	2.00	50	31.80	19.66

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	8.33	78	22.21	18.05
2	12	5.21	77	23.28	18.74
3	21	3.65	63	20.34	12.74
4	14	1.81	54	19.12	9.12
5	20	2.48	58	30.81	21.58
6	12	2.23	61	28.14	20.08
7	17	2.21	58	29.68	20.12

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	1.35	50	22.07	11.24
2	12	1.43	49	21.66	10.64
3	21	2.19	53	19.51	9.57
4	14	1.50	45	19.55	8.88
5	20	2.92	66	28.82	19.30
6	12	2.79	70	25.89	19.76
7	17	2.79	64	28.72	19.34



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	6	1.87	81	17.85	8.72
2	12	5.21	78	16.52	12.31
3	21	2.65	47	19.12	6.88
4	14	1.42	90	22.60	7.17
5	28	3.70	72	24.44	18.00
6	12	5.52	66	22.88	15.62
7	17	2.22	90	25.09	18.10



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	6	1.21	43	21.88	8.48
2	12	1.89	67	20.84	11.70
3	21	1.83	40	21.84	7.58
4	14	1.68	65	21.76	11.70
5	28	2.58	62	24.42	16.68
6	12	2.33	45	25.85	11.35
7	17	2.06	47	27.02	14.70



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	6	1.76	48	29.74	11.96
2	12	2.37	60	23.23	12.21
3	21	2.42	47	22.58	10.55
4	14	1.80	53	25.49	13.58
5	28	2.72	63	26.88	16.94
6	12	2.58	46	25.58	12.45
7	17	2.50	60	28.45	18.88



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	6	2.97	58	23.80	14.16
2	12	3.37	59	22.68	14.20
3	21	3.05	56	23.98	14.14
4	14	4.09	68	23.15	15.68
5	28	2.78	54	26.60	16.30
6	12	3.04	48	27.60	15.18
7	17	2.57	54	29.63	18.24

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	6	2.18	47	25.55	13.48
2	12	4.27	55	25.04	15.36
3	21	3.85	61	24.69	16.74
4	14	2.42	54	28.21	17.65
5	28	3.08	53	28.01	17.51
6	12	3.12	40	28.55	16.94
7	17	1.81	62	31.23	20.12



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	6	3.88	62	24.98	16.88
2	12	4.74	65	25.64	18.42
3	21	5.69	58	28.09	18.93
4	14	2.31	57	28.60	18.88
5	28	2.68	56	29.32	18.62
6	12	5.34	51	28.97	17.77
7	17	1.88	58	30.97	18.24

CAPITA

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	2.91	58	28.19	17.91
2	12	5.26	56	28.83	19.38
3	21	3.59	56	30.06	20.55
4	14	2.47	65	28.19	18.26
5	28	3.27	64	28.18	20.41
6	12	3.92	52	29.35	18.16
7	17	1.63	58	30.70	18.98



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	2.86	48	30.55	18.46
2	12	4.68	58	29.76	20.68
3	21	4.97	55	29.48	19.35
4	14	2.23	63	24.49	18.62
5	28	3.31	67	28.17	21.28
6	12	3.98	58	30.22	18.83
7	17	2.18	54	30.25	18.80

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	5.08	81	29.88	20.41
2	12	6.40	73	29.68	20.27
3	21	6.08	85	26.15	18.72
4	14	1.88	54	27.59	17.25
5	28	2.58	58	29.88	21.10
6	12	4.37	54	29.48	19.18
7	17	2.03	54	30.12	20.88



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	3.04	66	28.05	20.03
2	12	6.65	58	29.02	20.08
3	21	4.09	61	29.46	21.08
4	14	1.62	60	28.82	17.93
5	28	3.76	55	31.00	20.98
6	12	2.38	58	29.57	19.85
7	17	1.84	51	31.78	20.52

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	4.04	68	30.89	22.21
2	12	4.26	59	29.89	21.18
3	21	3.25	72	24.49	19.16
4	14	1.55	58	29.88	19.80
5	28	2.52	58	30.59	21.46
6	12	2.79	68	27.58	21.08
7	17	2.07	68	31.59	20.25

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	3.42	68	29.46	22.35
2	12	2.91	65	28.37	21.05
3	21	2.62	68	26.15	17.81
4	14	1.48	51	25.68	14.55
5	28	2.48	65	29.41	22.01
6	12	2.68	73	28.70	21.58
7	17	1.84	68	30.65	20.55

CAPITA



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	3.02	69	28.74	20.88
2	12	3.38	58	28.63	19.81
3	21	4.14	65	28.55	19.29
4	14	3.38	70	27.60	19.42
5	28	2.66	66	28.26	22.01
6	12	2.43	69	28.88	21.10
7	17	1.88	58	28.50	20.29

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	3.09	80	29.10	20.41
2	12	4.48	61	30.22	21.75
3	21	5.19	71	26.92	21.00
4	14	1.58	88	24.75	15.29
5	28	2.66	69	30.31	22.49
6	12	2.45	58	30.32	21.47
7	17	2.13	62	29.87	21.48



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	0.79	76	27.81	22.95
2	12	8.06	61	30.73	22.31
3	21	4.03	70	27.78	21.79
4	14	2.01	71	26.87	18.04
5	28	3.76	66	29.88	21.92
6	12	2.38	54	31.26	21.08
7	17	1.79	69	30.82	21.43



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	3.57	72	29.80	18.48
2	12	6.11	60	30.55	21.84
3	21	4.38	59	31.82	22.85
4	14	2.05	83	25.59	17.93
5	28	3.19	56	31.12	21.46
6	12	2.19	57	30.38	20.87
7	17	1.58	57	30.42	21.00



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	8.07	78	27.77	23.74
2	12	8.02	61	31.47	22.85
3	21	4.14	58	32.30	22.88
4	14	1.77	85	27.21	19.87
5	28	4.86	56	32.20	22.31
6	12	2.55	52	31.89	20.73
7	17	2.02	64	28.58	20.74



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	1.19	49	27.77	14.58
2	12	2.68	61	30.82	19.62
3	21	3.43	58	32.08	22.27
4	14	1.72	61	27.69	18.28
5	28	4.30	58	32.52	22.11
6	12	4.05	52	32.73	21.61
7	17	1.74	59	29.83	20.87



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	1.57	64	28.10	18.78
2	12	3.20	62	32.26	21.38
3	21	2.12	58	30.65	20.71
4	14	1.58	69	28.72	18.19
5	20	5.73	55	32.71	22.63
6	12	6.42	58	32.38	21.98
7	17	1.81	59	31.68	20.55



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	2.27	68	28.98	20.19
2	12	1.66	45	29.90	16.70
3	21	2.56	68	27.95	19.12
4	14	1.51	65	27.01	17.29
5	20	5.62	54	32.18	22.08
6	12	5.10	55	31.80	21.52
7	17	2.13	50	31.79	18.84

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	1.81	52	28.48	17.89
2	12	2.70	50	26.61	17.68
3	21	2.02	55	25.33	15.16
4	14	1.58	50	26.67	16.06
5	20	3.81	60	30.59	21.07
6	12	5.08	50	30.68	21.47
7	17	2.10	48	32.91	18.24

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	1.08	62	29.92	19.27
2	12	1.82	54	23.60	13.78
3	21	2.73	70	21.10	15.28
4	14	2.91	66	25.55	18.25
5	20	3.51	55	30.21	20.07
6	12	3.86	59	30.10	21.38
7	17	2.06	47	32.60	18.53

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	1.78	57	29.92	18.30
2	12	1.60	52	23.18	12.86
3	21	4.50	76	21.37	16.45
4	14	4.34	77	21.58	17.21
5	20	4.60	63	29.63	21.82
6	12	3.82	69	30.41	22.83
7	17	1.77	48	33.90	19.78

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	2.42	61	24.02	18.10
2	12	1.58	48	24.20	11.69
3	21	2.89	57	23.88	13.80
4	14	3.78	72	21.88	18.50
5	20	4.44	65	28.62	21.30
6	12	2.81	68	28.25	21.47
7	17	1.92	54	31.36	20.61

CAPITA

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	2.46	80	23.80	18.27
2	12	1.48	67	26.00	12.77
3	21	2.51	58	24.00	13.00
4	16	2.36	86	28.00	18.10
5	20	4.62	85	27.07	20.35
6	12	3.80	78	25.22	20.95
7	17	2.50	80	31.40	18.24

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	1.44	45	28.18	12.36
2	12	1.73	60	24.71	13.66
3	21	2.42	67	28.57	16.28
4	16	2.10	84	27.79	17.97
5	20	4.32	70	26.76	20.58
6	12	4.00	72	25.50	20.08
7	17	2.68	48	30.64	17.67



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	2.90	63	24.71	17.00
2	12	6.10	72	22.68	16.00
3	21	5.89	59	26.50	18.10
4	16	9.24	81	24.59	19.08
5	20	8.77	70	27.61	21.48
6	12	6.90	87	26.89	20.22
7	17	8.18	47	31.82	18.20



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	2.04	60	24.50	17.77
2	12	5.68	60	27.12	18.05
3	21	4.96	66	25.39	18.11
4	16	4.90	70	22.53	18.54
5	20	2.93	60	29.50	21.00
6	12	3.97	65	27.91	20.64
7	17	2.55	48	31.95	18.68



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	1.80	60	29.33	18.99
2	12	5.00	64	25.36	17.77
3	21	3.73	72	25.41	19.03
4	16	2.48	87	23.80	16.66
5	20	3.78	61	29.81	21.36
6	12	3.00	64	28.80	21.52
7	17	1.93	51	31.01	19.04



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	7.58	72	28.26	20.68
2	12	6.48	68	26.75	20.27
3	21	3.98	72	22.00	17.50
4	16	1.49	58	20.74	11.38
5	20	3.06	58	30.85	21.40
6	12	2.23	61	30.13	21.98
7	17	2.03	58	29.66	20.25

CAPITA



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	1.34	47	21.84	10.13
2	12	1.53	48	22.95	11.57
3	21	2.09	55	21.18	11.83
4	14	1.73	58	22.85	13.24
5	20	3.53	58	30.67	21.30
6	12	2.87	65	29.11	21.68
7	17	2.20	87	30.62	28.97

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	1.14	48	20.87	8.18
2	12	1.37	48	22.58	8.71
3	21	1.83	49	25.08	11.68
4	14	2.54	84	24.95	17.48
5	20	3.12	62	27.87	18.08
6	12	3.01	69	28.00	20.22
7	17	2.15	91	31.37	28.08



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	1.25	54	25.80	13.74
2	12	1.93	48	24.53	13.00
3	21	5.18	74	22.21	17.21
4	14	2.27	60	23.68	14.75
5	20	3.52	64	28.18	20.74
6	12	5.06	64	28.51	20.92
7	17	2.01	43	32.84	18.42



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	4.44	85	21.84	18.90
2	12	4.49	78	24.85	19.76
3	21	3.55	75	19.33	14.52
4	14	3.58	87	21.80	12.73
5	20	3.69	84	20.87	22.37
6	12	2.55	87	29.82	19.05
7	17	1.87	47	31.20	18.98



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	1.93	88	25.27	15.55
2	12	1.98	84	23.92	13.88
3	21	5.12	77	18.91	14.57
4	14	1.42	84	21.98	11.18
5	20	2.66	56	30.11	20.45
6	12	2.17	55	28.74	18.93
7	17	2.18	48	32.12	18.83

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	3.50	64	25.80	18.05
2	12	2.73	58	25.36	15.13
3	21	1.75	59	18.48	10.02
4	14	1.96	66	23.28	11.62
5	20	2.35	66	30.61	20.76
6	12	2.17	64	27.45	19.99
7	17	1.68	62	30.28	18.78

CAPITA

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	1.29	47	20.88	8.74
2	12	1.26	49	21.10	7.81
3	21	1.78	58	21.50	10.55
4	14	1.88	65	25.35	15.81
5	29	2.15	66	27.61	17.88
6	12	3.12	65	28.10	18.97
7	17	2.00	61	28.58	18.86



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	1.18	48	21.10	8.58
2	12	1.48	48	23.68	9.02
3	21	3.08	67	22.11	15.28
4	14	1.76	57	28.25	18.84
5	29	3.42	61	26.60	18.28
6	12	3.40	58	28.35	19.05
7	17	2.23	58	29.09	20.68



REGION	# STNS	BEXT	[illegible] %	TEMPERATURE,C	DEWPOINT,C
1	4	2.14	68	22.08	18.83
2	12	3.6[illegible]	68	23.78	18.52
3	21	4.12	71	24.67	19.09
4	14	1.68	57	29.24	18.48
5	28	3.26	60	28.64	20.16
6	12	4.08	66	28.14	21.08
7	17	1.82	56	30.68	20.81

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	2.29	59	26.30	16.10
2	12	3.62	56	26.84	17.31
3	21	3.08	60	28.15	19.70
4	14	1.98	55	30.79	20.58
5	28	3.05	60	29.94	20.77
6	12	3.07	80	28.42	20.08
7	17	1.08	58	30.32	21.13

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	1.61	76	19.05	15.18
2	12	2.62	65	27.03	17.07
3	21	3.41	64	29.46	22.05
4	14	1.84	58	29.40	18.36
5	29	3.01	60	29.41	20.80
6	12	3.32	58	29.81	20.22
7	17	1.05	55	30.78	20.61



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	1.55	48	20.69	8.16
2	12	1.23	45	21.93	8.38
3	21	3.84	65	23.60	18.63
4	14	2.93	56	30.39	20.91
5	28	3.76	57	29.22	19.77
6	12	3.82	57	29.67	20.31
7	17	2.02	50	30.78	19.01

CAPITA

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	1.20	88	21.88	8.96
2	12	1.84	42	33.88	8.26
3	21	5.56	84	28.88	18.48
4	14	2.54	58	30.81	18.87
5	28	3.16	66	26.82	17.81
6	12	5.21	55	30.50	20.59
7	17	2.08	80	30.88	18.17

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	1.81	88	20.88	12.85
2	12	3.37	73	30.31	16.27
3	21	8.39	68	29.17	22.06
4	14	2.26	47	32.88	19.28
5	28	6.86	68	27.37	20.72
6	12	7.25	65	29.72	21.88
7	17	2.54	48	31.97	19.01

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	2.47	81	21.52	17.91
2	12	4.85	68	26.13	18.02
3	21	4.81	83	30.56	22.45
4	14	2.48	52	30.88	19.98
5	28	6.18	81	30.45	22.21
6	12	7.58	56	31.68	21.75
7	17	2.85	83	31.20	20.86

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	1.61	56	24.90	15.55
2	12	1.48	48	26.66	14.76
3	21	3.51	64	28.79	19.75
4	14	2.18	64	30.50	18.87
5	28	5.16	56	31.20	21.48
6	12	5.99	53	32.49	21.75
7	17	2.23	62	31.93	20.22



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	1.34	50	22.63	11.66
2	12	1.31	48	25.83	12.40
3	21	5.11	59	27.76	18.88
4	14	2.11	51	31.50	19.95
5	29	3.96	58	29.10	19.85
6	12	4.58	55	31.43	21.15
7	17	1.83	48	32.41	19.73

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	1.35	46	26.52	14.16
2	12	1.52	46	27.03	13.76
3	21	3.78	59	28.77	20.02
4	14	2.02	62	27.10	18.60
5	28	3.48	67	28.50	18.98
6	12	3.95	50	30.27	20.87
7	17	1.88	46	33.62	19.40

CAPITA



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	2.79	48	29.10	15.80
2	12	3.16	48	28.32	16.24
3	21	5.63	70	27.28	21.29
4	14	2.10	68	20.36	14.04
5	20	3.11	60	29.50	19.83
6	12	5.77	62	29.30	21.15
7	17	1.93	54	30.42	20.02

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	4.25	56	27.49	17.68
2	12	4.21	58	28.63	18.76
3	21	8.50	78	24.30	20.48
4	14	2.78	68	20.56	12.88
5	20	3.02	63	28.84	21.08
6	12	5.17	57	28.46	20.18
7	17	1.87	53	30.26	19.70

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	5.90	59	28.60	18.98
2	12	6.48	57	30.18	20.68
3	21	9.29	71	24.94	19.12
4	14	2.89	71	19.63	14.00
5	20	3.31	62	28.83	21.66
6	12	5.48	62	29.38	21.53
7	17	2.16	57	30.18	20.52



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	5.95	69	27.77	21.64
2	12	5.53	66	29.71	20.13
3	21	3.80	65	27.11	19.99
4	14	2.81	67	21.10	14.08
5	20	3.23	60	30.43	21.62
6	12	3.28	61	30.04	21.75
7	17	1.98	60	28.62	18.88



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	9.95	66	27.91	18.18
2	12	6.13	54	29.53	18.25
3	21	4.78	74	24.59	19.59
4	14	2.17	62	22.41	13.80
5	20	3.85	65	29.18	21.86
6	12	5.01	62	30.04	21.89
7	17	1.94	57	29.18	19.60



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	13.08	87	22.83	20.27
2	12	6.55	67	27.77	20.96
3	21	9.68	77	21.53	17.21
4	14	1.42	48	28.28	14.08
5	20	2.54	66	29.34	21.07
6	12	2.37	57	28.47	18.97
7	17	1.88	55	29.98	19.57

CAPITA

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	2.00	58	27.40	18.33
2	12	2.06	62	25.50	17.72
3	21	2.54	56	28.28	17.42
4	14	1.43	48	29.80	16.76
5	28	3.06	60	28.22	18.71
6	12	2.82	56	27.72	17.43
7	17	1.62	50	30.45	18.56

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	2.06	47	26.94	14.58
2	12	3.21	51	27.31	16.24
3	21	2.40	52	27.53	16.68
4	14	1.77	57	27.87	16.06
5	28	3.28	56	28.34	18.65
6	12	2.69	48	28.97	16.75
7	17	2.22	52	30.08	18.17



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	1.95	48	25.68	10.97
2	12	1.83	43	26.81	13.16
3	21	2.65	52	28.06	17.23
4	14	2.10	56	25.68	16.76
5	28	3.42	53	28.08	18.62
6	12	2.65	48	28.62	16.75
7	17	2.76	47	30.28	17.54



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	1.61	42	27.80	12.91
2	12	2.19	43	27.95	14.21
3	21	3.65	53	27.61	17.21
4	14	2.90	62	22.97	14.05
5	28	3.73	56	28.14	18.40
6	12	4.07	49	29.83	17.72
7	17	5.39	52	29.83	18.78



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	1.61	46	26.68	14.02
2	12	2.86	45	27.03	14.21
3	21	4.84	61	25.69	17.61
4	15	2.17	62	18.73	10.95
5	28	3.48	63	26.06	18.21
6	12	4.44	51	29.06	18.09
7	17	3.68	62	28.28	20.02



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	2.78	69	24.30	18.18
2	12	4.15	69	24.06	17.31
3	21	5.30	77	18.75	14.38
4	15	1.87	59	18.29	9.82
5	28	3.71	68	27.27	18.56
6	12	4.42	51	29.34	18.05
7	17	3.71	69	26.69	18.98

CAPITA



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	0.48	85	19.18	16.86
2	12	2.33	65	23.28	15.62
3	21	2.22	67	17.95	11.47
4	15	1.78	68	18.77	11.38
5	20	4.58	52	20.46	10.38
6	12	8.42	58	28.28	18.66
7	17	9.79	68	26.67	19.69

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	1.08	78	19.82	15.89
2	12	1.38	46	21.96	8.11
3	21	1.85	52	19.67	9.55
4	15	2.56	68	19.82	11.81
5	20	4.10	58	28.11	18.04
6	12	5.89	64	28.47	18.76
7	17	9.42	88	27.74	80.41



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	1.34	48	22.21	9.10
2	12	1.38	46	20.82	8.06
3	21	2.24	55	22.19	12.58
4	15	2.26	64	22.61	15.06
5	20	4.51	72	23.26	17.45
6	12	9.27	64	24.68	16.38
7	17	2.82	88	27.80	80.16



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	1.48	45	29.19	10.69
2	12	2.28	46	24.53	12.21
3	21	2.55	58	23.91	12.95
4	15	2.68	65	23.14	15.73
5	20	2.91	56	25.67	15.06
6	12	3.09	58	25.50	16.70
7	17	2.68	59	30.15	21.83



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	1.38	50	22.77	11.00
2	12	2.61	45	26.06	13.32
3	21	7.50	71	23.51	17.69
4	15	2.26	69	19.55	13.55
5	20	3.00	52	27.57	16.70
6	12	3.13	57	28.28	19.20
7	17	1.00	56	31.00	21.69



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	5.48	68	27.39	15.19
2	12	5.62	61	24.34	15.87
3	21	5.05	77	21.62	17.00
4	15	2.41	59	20.10	11.58
5	20	9.36	81	28.24	17.07
6	12	4.54	65	28.80	21.38
7	17	2.03	86	31.39	21.96

CAPITA

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	9.76	70	18.85	14.16
2	12	2.18	63	22.81	12.56
3	21	1.80	58	20.23	9.28
4	15	9.76	87	21.98	15.38
5	28	5.20	56	28.78	18.82
6	12	3.57	58	28.89	19.50
7	17	2.34	57	30.94	21.17

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	1.14	49	18.18	5.19
2	12	1.28	32	21.28	6.16
3	21	2.11	54	20.65	10.97
4	15	4.01	67	23.21	15.88
5	28	2.73	50	25.84	16.45
6	12	5.38	53	28.52	17.95
7	17	2.76	54	31.20	20.84

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	1.91	48	22.08	8.28
2	12	1.69	48	24.20	9.67
3	21	5.52	69	23.48	17.28
4	15	3.95	64	22.44	15.61
5	28	2.38	56	25.88	15.88
6	12	3.76	59	28.23	17.77
7	17	3.79	58	30.48	21.13



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	2.58	51	23.88	12.77
2	12	6.86	78	21.70	16.96
3	21	11.32	81	22.11	18.67
4	15	9.38	66	25.58	18.58
5	28	3.41	56	28.83	18.88
6	12	3.69	49	29.20	17.31
7	17	2.39	54	31.11	20.81

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	2.68	73	19.18	14.30
2	12	13.48	66	21.89	19.25
3	21	4.37	70	26.79	20.88
4	15	2.82	67	29.06	18.47
5	28	3.44	51	30.27	18.78
6	12	3.21	45	30.78	17.45
7	17	1.98	56	30.76	20.87



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	5.56	80	22.91	19.18
2	12	3.05	67	24.57	17.72
3	21	3.22	68	20.38	14.14
4	15	1.69	53	21.38	10.99
5	28	3.38	51	31.12	19.57
6	12	3.14	50	30.97	19.07
7	17	2.28	60	29.47	20.84

CAPITA

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	1.85	87	18.18	10.41
2	12	1.58	80	21.70	10.73
3	21	2.34	58	22.35	13.83
4	15	1.62	64	22.66	12.25
5	20	2.78	63	20.82	10.36
6	12	2.62	48	30.84	17.77
7	17	2.16	57	30.02	20.45

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	1.91	53	29.74	19.38
2	12	2.66	48	24.81	13.28
3	21	4.41	66	24.46	18.22
4	15	1.84	48	27.51	13.43
5	20	3.17	50	30.58	18.88
6	12	2.60	55	29.78	19.78
7	17	2.26	62	28.37	20.04

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	0.48	58	27.77	18.74
2	12	3.88	53	28.16	18.51
3	21	2.73	61	27.88	19.50
4	15	1.55	48	25.88	13.18
5	20	3.71	58	30.25	20.88
6	12	6.12	74	25.85	20.59
7	17	1.88	58	31.87	20.78



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	3.42	63	24.71	17.07
2	12	5.63	73	25.13	19.01
3	21	3.11	73	24.73	19.62
4	15	1.70	52	27.40	15.77
5	20	3.24	67	28.40	21.48
6	12	3.28	69	27.49	21.15
7	17	1.78	52	32.15	20.84

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	11.03	94	16.52	15.55
2	12	3.27	70	20.92	15.13
3	21	5.45	71	22.92	16.84
4	15	1.93	55	28.40	17.95
5	20	2.80	64	30.23	19.89
6	12	3.57	60	30.27	21.57
7	17	1.74	52	31.82	20.74

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	1.59	64	14.68	7.35
2	12	1.41	55	18.05	8.70
3	21	2.68	55	24.52	14.65
4	15	2.89	68	20.85	13.10
5	20	2.80	61	25.07	16.68
6	12	2.98	58	29.90	18.23
7	17	1.85	51	31.33	18.88

CAPITA



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	2.51	72	16.84	11.68
2	12	3.67	72	18.37	12.86
3	21	2.48	69	18.94	12.45
4	15	1.43	98	16.09	1.34
5	28	4.10	66	23.82	16.76
6	12	3.98	58	28.16	18.97
7	17	2.65	62	25.96	18.68

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	2.18	56	20.68	11.24
2	12	1.73	48	20.04	8.70
3	21	1.58	55	18.29	8.78
4	15	1.34	98	18.84	9.88
5	28	3.17	54	27.55	17.35
6	12	5.85	65	25.92	18.79
7	17	2.43	68	23.89	15.58

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	1.34	43	15.88	9.19
2	12	1.35	45	18.05	5.68
3	21	5.48	77	15.49	11.23
4	15	2.58	60	17.88	8.51
5	28	2.75	54	25.88	15.88
6	12	4.51	61	27.82	19.56
7	17	5.52	61	26.68	18.38



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	1.61	69	16.66	10.68
2	12	3.91	82	17.48	14.34
3	21	0.57	83	21.07	18.96
4	15	2.65	63	20.14	12.61
5	28	3.65	64	25.84	18.28
6	12	3.79	58	28.42	19.25
7	17	2.50	66	27.08	18.53



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	3.54	71	22.48	17.07
2	12	5.08	70	23.79	18.05
3	21	6.88	82	22.37	19.20
4	15	4.34	78	16.84	10.89
5	28	3.53	60	28.69	20.05
6	12	2.78	58	28.37	19.38
7	17	2.17	62	28.29	18.63



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	8.65	78	24.71	19.99
2	12	5.38	80	25.87	19.57
3	21	4.54	81	21.92	18.51
4	15	1.43	62	12.43	5.22
5	28	3.07	60	29.73	20.74
6	12	3.88	78	25.98	21.34
7	17	1.95	64	27.21	18.78

CAPITA



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	6	2.78	55	29.19	19.55
2	12	4.61	67	22.72	16.28
3	21	3.20	76	16.29	11.55
4	15	2.78	67	15.00	9.02
5	20	3.46	66	20.40	21.10
6	12	5.23	77	25.83	21.29
7	17	2.19	68	27.26	20.81



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	6	1.07	58	15.19	8.04
2	12	1.66	58	19.34	10.87
3	21	7.08	81	19.94	18.68
4	15	2.18	61	15.58	7.53
5	20	3.61	68	26.72	20.07
6	12	4.95	76	25.92	20.87
7	17	1.68	56	28.60	20.56



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	6	7.24	87	18.10	19.00
2	12	8.25	85	18.62	15.83
3	21	5.55	75	15.89	11.34
4	15	1.72	63	8.58	1.70
5	20	4.62	72	26.76	20.06
6	12	3.04	75	25.64	20.75
7	17	2.26	67	27.87	17.77



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	6	2.73	82	20.41	17.21
2	12	2.61	82	14.76	11.75
3	21	2.09	55	10.80	1.61
4	15	1.91	42	16.73	3.14
5	20	2.27	72	21.18	15.76
6	12	1.98	68	14.62	8.75
7	17	1.76	46	18.76	7.12



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	6	1.29	58	11.66	4.02
2	12	1.27	46	13.88	2.12
3	21	2.08	53	16.39	6.53
4	18	1.45	40	22.42	7.08
5	20	1.84	52	20.43	10.09
6	12	1.68	45	17.62	4.95
7	17	1.88	36	23.75	7.88

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	6	1.40	49	14.85	4.16
2	12	1.72	46	18.00	5.06
3	21	2.54	53	21.74	11.03
4	18	1.68	45	22.07	8.19
5	20	1.82	48	23.13	11.64
6	12	1.68	47	21.80	9.58
7	17	1.78	40	25.80	10.91



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	6	2.07	84	18.62	8.56
2	12	2.50	48	20.73	8.39
3	21	2.46	51	21.87	11.39
4	18	3.06	83	18.80	10.41
5	28	2.36	58	23.26	14.20
6	12	2.22	55	25.09	15.46
7	17	1.91	48	28.56	16.54

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	6	2.86	56	20.88	11.86
2	12	2.67	61	20.86	10.50
3	21	4.86	75	18.87	15.84
4	18	1.07	56	20.88	8.30
5	28	2.58	66	23.62	16.01
6	12	5.87	72	22.03	18.52
7	17	2.52	46	27.60	18.12



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	6	2.18	55	18.30	8.44
2	12	3.07	67	18.40	13.37
3	21	7.05	78	17.84	15.81
4	18	4.88	76	16.18	11.91
5	28	5.00	73	23.72	18.36
6	12	5.53	65	25.37	18.43
7	17	2.41	59	28.42	17.88



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	6	2.26	68	18.87	12.77
2	12	3.72	69	20.32	14.25
3	21	7.30	83	16.55	13.81
4	18	3.41	81	12.18	9.19
5	28	3.59	64	23.90	16.18
6	12	3.96	58	25.65	18.55
7	17	2.35	52	24.89	14.18



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	6	0.31	82	15.27	14.02
2	12	3.06	83	14.02	10.96
3	21	1.78	58	15.35	5.04
4	18	1.46	42	17.98	6.87
5	28	2.51	55	22.87	13.15
6	12	3.18	62	20.59	13.00
7	17	2.60	54	22.87	12.76

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	6	1.34	42	17.63	4.41
2	12	1.48	53	16.76	8.00
3	21	1.78	45	18.08	8.00
4	18	1.52	45	15.98	5.95
5	28	1.65	37	23.64	8.01
6	12	1.98	48	20.87	9.50
7	17	2.47	58	25.90	14.43

CAPITA

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	6	1.98	42	8.66	-2.83
2	12	1.26	41	10.86	-2.03
3	21	1.67	45	11.88	-0.02
4	18	1.56	47	15.51	5.08
5	20	2.23	38	23.18	7.78
6	12	1.06	46	22.65	9.76
7	17	2.87	52	27.77	18.86

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	6	1.58	56	8.67	-6.00
2	12	1.20	35	10.66	-6.20
3	21	2.02	45	14.22	1.84
4	18	2.58	60	19.47	11.00
5	20	2.11	46	20.80	8.27
6	12	1.77	48	23.85	10.70
7	17	3.01	51	28.76	17.36

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	6	1.44	48	14.48	0.88
2	12	1.61	46	16.43	3.93
3	21	5.87	71	18.75	13.22
4	18	3.21	68	15.29	9.09
5	20	2.09	52	23.82	11.48
6	12	1.95	53	23.09	13.05
7	17	3.12	57	28.65	18.04



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	6	6.00	87	12.83	10.41
2	12	5.04	83	13.74	10.87
3	21	3.49	75	13.72	9.30
4	18	2.94	67	10.78	4.71
5	20	2.44	56	23.72	14.10
6	12	2.53	58	24.81	15.58
7	17	2.00	55	28.85	18.78

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	6	1.34	43	8.02	-8.05
2	12	1.36	52	10.22	0.60
3	21	2.04	68	12.19	5.89
4	18	2.07	68	16.67	8.04
5	20	3.55	58	22.67	13.78
6	12	3.48	64	25.83	18.38
7	17	2.76	58	28.45	18.79

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	6	1.47	54	12.21	2.91
2	12	2.91	58	16.64	7.48
3	21	3.77	63	15.80	8.59
4	18	1.67	48	11.55	0.93
5	20	3.62	61	24.37	15.98
6	12	4.05	63	24.78	17.07
7	17	2.45	48	29.37	18.48

CAPITA

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	1.01	39	7.49	-5.97
2	12	1.22	38	8.05	-3.97
3	21	1.05	43	10.44	-1.71
4	18	1.02	51	9.39	-0.41
5	28	2.08	48	22.85	8.36
6	12	2.53	51	19.90	9.30
7	17	2.58	56	24.57	15.15



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	1.87	58	9.68	0.87
2	12	1.65	59	11.38	3.46
3	21	3.67	68	14.50	7.77
4	18	1.47	48	10.69	2.53
5	28	3.48	64	21.36	14.06
6	12	3.48	67	21.19	14.34
7	17	2.83	47	28.68	18.48



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	1.96	58	12.83	-1.31
2	12	1.97	43	19.28	0.87
3	21	1.77	41	7.11	-5.38
4	18	1.47	48	5.65	-5.69
5	28	2.82	48	26.80	14.77
6	12	2.45	48	23.58	11.28
7	17	2.21	44	30.12	18.17



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	1.38	39	7.35	-6.52
2	12	2.57	45	6.24	-5.60
3	21	4.38	73	2.83	-2.11
4	18	1.61	50	1.73	-7.94
5	28	2.70	56	19.83	10.53
6	12	3.96	74	18.83	13.74
7	17	1.87	58	24.80	15.71

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	3.22	64	4.02	-2.50
2	12	2.76	64	4.11	-2.63
3	21	1.09	48	5.02	-5.84
4	18	1.47	40	3.81	-8.50
5	28	3.99	74	15.88	10.71
6	12	2.48	71	9.39	4.50
7	17	2.08	67	13.28	6.85



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	1.34	52	5.41	-9.08
2	12	1.37	59	6.75	-6.43
3	21	1.90	42	8.18	-4.20
4	18	3.48	69	5.58	0.00
5	28	1.91	49	13.80	0.99
6	12	2.59	48	12.28	1.58
7	17	6.08	74	13.88	9.01

CAPITA



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	1.38	80	0.10	-5.41
2	12	1.76	38	0.16	-4.16
3	21	0.97	76	9.28	4.09
4	18	0.16	81	8.40	6.07
5	28	1.92	43	16.89	4.00
6	12	1.08	47	15.30	3.93
7	17	0.63	80	20.81	17.06



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	1.01	60	9.60	2.06
2	12	2.33	65	11.30	6.90
3	21	0.84	84	12.61	9.70
4	18	5.63	87	8.20	6.56
5	28	1.86	52	21.32	10.86
6	12	2.40	58	23.28	12.56
7	17	2.78	64	22.41	14.85



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	2.01	71	14.85	8.80
2	12	3.66	76	14.62	10.36
3	21	5.11	80	13.55	8.14
4	18	1.68	87	6.78	-0.04
5	28	2.62	61	29.68	15.25
6	12	2.64	75	20.38	16.33
7	17	1.78	81	18.32	15.61



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	4.60	70	16.38	10.27
2	12	2.43	68	14.16	7.77
3	21	4.16	82	8.21	5.40
4	18	3.03	68	8.21	0.45
5	28	3.43	68	22.35	15.72
6	12	2.92	63	15.00	9.16
7	17	2.00	85	14.89	8.38



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	2.62	80	8.80	2.91
2	12	1.77	62	9.06	1.98
3	21	2.87	65	7.98	1.37
4	18	2.30	58	11.97	9.78
5	28	2.71	61	18.13	10.31
6	12	2.58	65	11.98	5.04
7	17	2.57	68	14.21	7.80

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	1.65	48	10.69	-0.69
2	12	2.61	51	10.59	0.64
3	21	2.92	57	11.78	3.40
4	18	2.27	63	15.65	5.58
5	28	3.22	58	18.44	9.05
6	12	3.57	60	14.57	8.84
7	17	3.65	83	12.34	9.97

CAPITA



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	2.42	42	16.41	2.22
2	12	3.40	61	14.16	6.02
3	21	5.53	84	15.25	8.57
4	16	9.47	88	10.78	8.10
5	28	6.53	87	18.84	12.61
6	12	7.00	83	18.01	15.00
7	17	2.36	71	15.20	9.79

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	5.20	85	12.48	10.19
2	12	7.81	87	15.82	13.68
3	21	9.68	88	11.87	9.91
4	16	9.31	74	4.02	-0.20
5	28	8.68	81	20.20	16.56
6	12	4.20	83	15.38	12.49
7	17	8.20	76	17.64	13.10

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	3.10	88	13.76	12.21
2	12	6.14	88	13.88	12.20
3	21	2.82	75	8.38	4.09
4	16	0.86	76	6.24	1.98
5	28	3.13	68	20.88	14.77
6	12	3.56	71	18.57	11.33
7	17	0.44	76	21.87	16.96



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	1.01	56	6.38	-1.96
2	12	1.41	60	6.84	-0.69
3	21	2.68	67	7.93	2.19
4	16	0.41	80	5.78	3.02
5	28	2.37	55	20.31	10.78
6	12	4.40	64	18.56	11.43
7	17	3.40	77	22.54	18.08



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	1.58	81	5.27	-1.88
2	12	1.66	56	5.82	-2.31
3	21	8.65	81	8.98	5.83
4	16	9.16	68	3.78	1.94
5	28	3.33	64	18.50	11.40
6	12	5.57	75	20.55	15.82
7	17	8.43	81	18.85	15.38



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	1.40	58	7.77	-0.13
2	12	4.58	68	9.20	3.28
3	21	9.55	68	9.80	7.66
4	16	10.30	60	5.17	3.60
5	28	5.45	50	20.11	13.08
6	12	6.57	71	22.91	17.35
7	17	2.05	73	13.81	8.78

CAPITA



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	6	7.02	96	9.10	8.33
2	12	6.06	89	13.66	11.61
3	21	3.80	84	14.85	8.27
4	10	2.05	77	5.06	1.16
5	29	3.00	84	24.73	17.20
6	12	2.82	87	21.57	16.85
7	17	1.71	86	10.46	7.46



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	6	1.61	83	13.48	9.47
2	12	1.38	67	16.36	3.63
3	21	4.51	74	6.98	4.35
4	10	2.23	71	5.61	0.45
5	28	2.12	67	25.10	15.96
6	12	2.13	56	19.25	9.82
7	17	2.51	57	10.10	0.04



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	6	2.30	80	3.61	0.41
2	12	4.24	78	0.61	0.06
3	21	5.08	74	0.74	2.37
4	10	5.71	68	0.01	2.07
5	28	2.68	58	21.78	12.95
6	12	1.85	58	15.50	7.07
7	17	1.85	58	10.88	0.68



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	6	5.60	59	9.76	2.07
2	12	2.56	76	7.69	3.46
3	21	2.09	68	8.83	3.03
4	10	2.41	65	12.59	5.51
5	28	2.76	52	10.38	0.72
6	12	2.30	51	18.24	8.06
7	17	1.54	57	20.12	11.07



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	6	1.77	89	8.94	1.66
2	12	1.69	66	8.99	1.52
3	21	3.35	58	13.48	5.17
4	10	6.03	81	8.08	4.05
5	29	2.78	58	17.77	8.04
6	12	2.51	52	19.39	8.88
7	17	4.61	70	21.78	15.45



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	6	3.10	88	8.88	2.77
2	12	2.91	80	13.09	5.31
3	21	9.90	80	10.10	8.14
4	10	2.50	88	0.40	-0.13
5	29	5.10	78	17.01	13.68
6	12	7.40	87	15.41	13.28
7	17	1.62	98	10.08	9.01

CAPITA



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	4.05	87	8.60	6.52
2	12	8.78	89	12.12	11.01
3	21	5.48	85	8.51	5.59
4	18	5.08	88	7.21	1.29
5	28	2.04	58	17.75	8.08
6	12	1.94	81	12.40	4.81
7	17	1.82	48	17.80	6.76

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	4.35	88	5.41	3.88
2	12	1.05	78	8.80	3.18
3	21	3.28	80	6.05	2.77
4	18	0.58	79	6.48	2.72
5	28	2.12	58	18.70	7.66
6	12	2.57	57	14.67	8.01
7	17	2.16	54	20.88	10.66



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	1.51	60	10.10	2.40
2	12	1.68	64	9.57	2.91
3	21	7.50	79	7.84	4.08
4	18	4.82	77	5.88	1.58
5	28	2.38	57	19.28	10.55
6	12	3.01	71	17.07	11.55
7	17	1.88	47	17.18	8.82



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	2.01	74	8.10	1.80
2	12	9.88	92	8.29	7.03
3	21	4.67	75	7.05	2.76
4	18	4.78	78	4.80	0.45
5	28	3.28	60	20.17	11.80
6	12	2.71	67	12.12	6.08
7	17	1.84	58	15.87	7.51



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	2.54	81	6.68	3.60
2	12	2.12	66	8.97	2.91
3	21	3.64	67	7.19	1.53
4	18	0.63	78	3.43	-0.08
5	28	2.43	57	19.41	10.53
6	12	2.80	56	16.58	7.82
7	17	4.67	78	17.81	13.82



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	2.63	70	8.47	3.05
2	12	3.38	68	8.78	3.00
3	21	8.76	81	4.87	1.53
4	18	8.01	79	-0.41	-3.80
5	28	4.40	70	10.81	16.08
6	12	4.68	89	18.19	14.87
7	17	2.02	51	16.58	8.98

CAPITA



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	8.00	85	2.38	0.19
2	12	10.40	82	6.00	3.07
3	21	7.01	82	2.00	-0.70
4	18	5.18	77	-5.57	-7.01
5	20	9.12	68	20.61	14.52
6	12	2.05	69	11.42	5.08
7	17	1.84	57	8.98	0.71

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	1.71	88	0.90	-3.05
2	12	1.08	72	0.41	-4.18
3	21	2.57	88	0.96	-4.54
4	18	0.14	88	-2.76	-5.79
5	20	1.08	55	12.43	3.30
6	12	2.22	85	5.80	-0.48
7	17	2.98	88	7.51	1.88

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	1.41	88	0.19	-5.83
2	12	1.00	58	2.56	-4.00
3	21	3.21	68	1.15	-3.98
4	18	0.78	80	-0.41	-5.50
5	20	2.20	56	11.10	2.61
6	12	2.68	68	8.81	0.55
7	17	3.40	60	12.80	6.76



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	1.69	68	0.69	-5.55
2	12	2.71	69	3.51	-1.85
3	21	4.42	70	1.74	-3.22
4	18	4.65	74	-0.55	-4.75
5	20	3.05	62	11.42	4.14
6	12	3.01	68	8.30	0.04
7	17	2.02	66	10.55	4.14



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	1.44	52	4.50	-4.05
2	12	3.50	58	5.22	-2.77
3	21	4.10	67	2.21	-3.48
4	18	4.32	75	-0.07	-4.06
5	20	2.87	54	13.82	4.64
6	12	5.43	78	7.91	2.77
7	17	0.68	85	8.75	0.23



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	2.37	60	4.02	-3.80
2	12	4.07	71	3.05	-1.75
3	21	8.77	79	2.50	-0.79
4	18	5.37	74	0.19	-4.12
5	20	8.20	65	12.89	10.25
6	12	8.84	91	9.85	8.42
7	17	2.95	70	7.93	2.64

CAPITA

REGION	# STNS	DEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	2.62	89	8.98	8.00
2	12	2.26	79	5.22	0.60
3	21	2.72	87	3.48	-2.21
4	18	4.25	75	-0.10	-5.98
5	28	2.40	68	14.00	9.26
8	12	3.41	78	5.55	1.80
7	17	3.51	79	8.06	1.40



REGION	# STNS	DEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	2.11	58	1.11	-7.91
2	12	1.62	66	2.12	-6.10
3	21	5.18	72	2.42	-2.29
4	18	2.96	70	-1.11	-5.08
5	28	2.36	63	11.46	2.10
8	12	2.95	59	7.17	-0.27
7	17	7.29	81	6.96	1.92

REGION	# STNS	DEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	1.81	88	-2.77	-8.72
2	12	3.37	63	-1.15	-7.48
3	21	5.56	70	0.73	-4.25
4	18	3.08	79	-0.63	-8.18
5	28	3.03	61	9.24	1.86
8	12	3.62	72	4.78	0.00
7	17	2.01	88	8.40	-1.23

REGION	# STNS	DEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	1.41	52	-3.05	-11.94
2	12	1.77	65	-0.09	-8.18
3	21	2.38	65	0.23	-5.68
4	18	3.51	69	1.87	-3.25
5	28	2.61	52	8.42	-0.91
8	12	2.61	58	4.87	-3.32
7	17	2.48	82	7.09	0.08



REGION	# STNS	DEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	2.07	68	3.88	-2.08
2	12	2.58	67	3.83	-4.20
3	21	3.09	68	4.30	-1.50
4	18	3.73	67	4.80	-1.45
5	28	2.71	50	10.78	0.67
8	12	2.55	59	6.58	-2.31
7	17	8.10	87	5.91	9.75



REGION	# STNS	DEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	1.98	87	4.30	-1.52
2	12	3.60	66	5.45	-2.63
3	21	10.20	82	1.87	-0.92
4	18	9.58	73	2.35	-2.35
5	28	7.47	60	10.82	7.27
8	12	8.84	58	7.21	5.78
7	17	1.95	83	10.71	9.48

CAPITA

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	7.00	66	11.80	10.97
2	12	1.33	78	8.05	2.72
3	21	7.07	66	1.21	-0.81
4	18	1.81	68	1.87	-4.39
5	28	2.63	64	12.05	5.31
6	12	2.08	59	7.20	-0.60
7	17	1.81	54	13.68	-2.05



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	1.81	81	7.36	-2.21
2	12	1.48	55	6.67	-2.26
3	21	3.78	78	2.80	-1.62
4	18	2.02	82	1.38	-3.20
5	28	1.75	42	14.97	1.86
6	12	1.04	52	15.14	3.09
7	17	1.68	59	16.00	8.11



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	2.90	79	8.32	8.47
2	12	0.64	77	5.27	1.31
3	21	3.47	66	0.50	-5.18
4	18	1.58	67	-0.45	-8.22
5	28	3.37	64	17.65	10.41
6	12	3.56	82	8.37	5.55
7	17	1.81	54	10.00	0.87

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	1.81	82	4.30	-6.19
2	12	1.66	55	8.39	-5.06
3	21	2.69	60	2.11	-4.09
4	18	1.52	57	1.68	-8.24
5	28	2.77	59	12.61	4.48
6	12	2.20	58	7.49	-0.27
7	17	2.43	65	7.02	0.65

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	1.62	64	1.26	-4.99
2	12	7.08	68	1.71	-3.93
3	21	3.50	63	9.17	-3.22
4	18	2.20	60	2.53	-4.78
5	28	10.69	80	8.86	7.12
6	12	7.00	81	5.55	2.45
7	17	1.91	57	9.97	1.01



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	1.61	76	2.35	-1.68
2	12	2.59	68	3.46	-2.12
3	21	0.91	71	1.81	-5.40
4	18	1.82	55	3.50	-4.36
5	28	1.00	48	10.88	0.55
6	12	1.98	58	8.51	0.13
7	17	1.00	42	15.92	1.99

CAPITA



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	1.98	90	-1.10	-10.27
2	12	1.03	86	4.82	-4.07
3	21	2.99	86	5.84	-0.25
4	18	3.47	83	2.70	-2.56
5	28	1.90	66	16.12	9.80
6	12	2.08	46	14.08	2.28
7	17	2.00	64	10.28	4.48



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	2.22	81	7.08	-0.66
2	12	2.41	83	7.31	0.18
3	21	4.69	72	-0.81	-5.28
4	18	3.75	80	-0.44	-12.45
5	28	2.23	53	17.80	7.67
6	12	2.80	87	14.62	8.56
7	17	3.05	60	10.89	10.16



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	8.22	78	-6.65	-8.76
2	12	8.02	78	-0.18	-3.61
3	21	7.47	81	-2.58	-5.42
4	18	5.85	66	-11.88	-19.17
5	28	3.02	62	18.80	10.96
6	12	7.91	69	14.56	12.56
7	18	6.46	76	8.78	2.48



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	8.47	98	-1.94	-2.48
2	12	9.90	88	6.27	3.46
3	21	7.26	87	1.37	-0.60
4	18	7.13	71	-11.26	-12.40
5	28	4.64	70	20.29	14.39
6	12	5.67	78	19.11	15.22
7	17	9.13	81	14.80	10.85



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	10.83	97	6.24	5.83
2	12	6.82	91	10.41	9.11
3	21	4.20	69	-7.53	-10.55
4	18	1.36	52	-14.16	-12.22
5	28	4.27	86	18.99	17.27
6	12	2.35	78	7.54	3.98
7	17	2.54	58	0.62	-8.00

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	1.96	56	-2.00	-12.48
2	12	2.06	60	-0.60	-10.13
3	21	2.45	65	-0.09	-12.00
4	18	2.58	65	-11.10	-13.60
5	28	2.31	59	12.53	4.50
6	12	2.58	60	4.18	-2.91
7	17	2.21	62	2.74	-4.31

CAPITA



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	8.38	79	-3.81	-8.08
2	12	9.61	88	0.00	-1.61
3	21	13.68	91	-1.69	-2.95
4	18	9.09	82	-10.75	-11.47
5	28	7.46	80	11.62	8.05
6	12	6.95	87	11.89	9.83
7	17	7.76	90	8.87	8.08

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	9.58	96	4.88	4.02
2	12	9.38	91	5.22	3.88
3	21	7.95	89	-5.48	-5.70
4	18	8.67	81	-14.06	-14.88
5	28	7.23	84	17.58	14.67
6	12	8.08	88	13.88	12.03
7	17	8.81	86	9.21	8.48



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	10.21	88	1.84	1.60
2	12	10.81	95	6.88	6.86
3	21	6.80	78	-8.47	-8.78
4	18	1.37	84	-19.18	-12.22
5	28	9.77	76	30.71	15.76
6	12	5.52	84	11.20	8.80
7	17	6.18	76	4.88	-0.18



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	1.35	50	-1.25	-10.55
2	12	1.76	57	0.09	-7.72
3	21	3.35	65	-8.17	-12.28
4	18	2.08	58	-10.23	-18.56
5	28	3.29	66	15.01	8.41
6	12	7.52	84	4.95	2.40
7	17	11.15	89	0.18	-1.48



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	6.84	82	-4.71	-11.10
2	12	9.61	87	-1.20	-3.14
3	21	13.38	93	-0.21	-1.21
4	18	7.15	77	-8.57	-11.46
5	28	8.84	79	13.70	9.69
6	12	6.23	78	10.09	16.16
7	17	9.67	82	6.58	5.46

REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	1.88	84	7.21	0.83
2	12	1.57	67	6.42	0.60
3	20	3.34	75	-4.08	-7.91
4	18	2.22	68	-12.48	-11.08
5	28	4.31	74	17.98	12.98
6	12	8.51	85	8.89	5.92
7	17	2.30	68	4.50	-1.06

CAPITA



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	2.82	56	2.38	-5.09
2	12	2.77	61	5.60	-3.56
3	21	6.23	74	-4.04	-9.03
4	18	4.62	72	-12.07	-19.20
5	28	7.28	80	15.05	11.32
6	12	8.80	90	8.32	6.84
7	17	7.70	88	4.11	2.68



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	8.17	78	-3.47	-7.07
2	12	10.22	86	0.18	-1.67
3	21	10.87	82	-3.75	-8.76
4	18	1.82	62	-8.81	-16.25
5	28	7.53	87	13.06	11.75
6	12	4.56	86	6.01	5.95
7	17	1.77	94	4.17	-0.68



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	2.53	77	-1.96	-5.41
2	12	7.63	87	-0.51	-3.25
3	21	5.68	87	-10.94	-15.04
4	18	1.94	68	-19.19	-18.18
5	28	1.88	38	5.23	-8.27
6	12	1.50	45	-0.60	-11.18
7	17	1.57	48	4.60	-8.26



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	1.28	55	-10.55	-18.11
2	12	1.68	55	-6.89	-15.08
3	21	1.98	64	-8.82	-15.28
4	18	1.81	61	-9.74	-18.08
5	28	1.84	38	2.87	-10.57
6	12	1.61	43	-1.48	-12.77
7	17	1.57	39	7.48	-5.78



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	1.71	51	-2.69	-11.52
2	12	3.32	57	-0.92	-9.30
3	21	1.97	60	0.88	-8.39
4	18	3.40	72	0.20	-4.65
5	28	2.15	36	9.85	-5.09
6	12	1.93	38	8.96	-7.59
7	17	3.08	68	10.42	3.08



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	8.81	81	-0.19	-3.33
2	12	3.16	62	9.83	-3.08
3	21	8.56	68	2.58	0.55
4	18	8.21	66	-1.07	-3.04
5	28	2.36	41	15.76	1.86
6	12	2.31	60	12.72	6.98
7	17	2.00	67	10.92	6.52

CAPITA



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	8.88	81	-8.10	-4.44
2	12	10.58	80	5.85	2.08
3	21	10.73	81	2.85	0.78
4	18	8.11	85	0.98	-1.60
5	20	2.87	78	17.87	11.88
6	12	3.06	62	15.37	10.41
7	17	2.52	66	18.87	10.08



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	8.47	86	-5.62	-6.52
2	12	10.38	81	2.69	1.26
3	21	10.67	80	2.45	1.05
4	18	2.08	75	-1.62	-5.51
5	20	8.48	88	15.67	13.38
6	12	10.00	92	10.78	9.59
7	17	2.66	81	11.98	9.72



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	8.89	86	0.88	-0.13
2	12	8.79	82	4.69	3.42
3	21	10.06	90	0.69	-0.81
4	18	6.06	75	2.88	-1.67
5	20	6.70	86	14.82	11.70
6	12	8.01	87	8.15	6.18
7	17	2.04	81	11.98	8.66



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	3.42	89	1.93	0.41
2	12	5.93	89	4.81	3.14
3	21	10.22	88	1.19	-0.52
4	18	6.64	80	-0.83	-3.98
5	20	4.12	81	12.05	8.58
6	12	6.34	86	6.10	3.97
7	17	2.29	43	18.78	3.19



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	2.72	84	2.21	-0.14
2	12	6.37	87	4.11	2.12
3	21	9.28	87	2.08	0.21
4	18	4.38	82	-4.37	-6.10
5	20	3.98	73	12.55	7.41
6	12	7.58	84	8.00	5.50
7	17	1.88	52	11.33	1.50



REGION	# STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	4	4.29	68	0.98	-0.83
2	12	9.05	67	4.67	2.68
3	21	10.18	89	1.02	-0.63
4	18	7.58	78	0.10	-3.58
5	20	6.31	75	13.74	7.27
6	12	3.45	78	6.52	2.45
7	17	2.23	67	11.95	3.48

CAPITA



REGION	% STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	6	5.48	66	2.22	0.14
2	12	8.50	86	3.74	1.88
3	21	5.68	82	-1.29	-4.01
4	18	1.07	68	-1.67	-7.18
5	28	6.85	75	10.30	6.86
6	12	6.18	80	4.82	1.43
7	17	1.81	67	11.76	0.42

REGION	% STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	6	1.78	88	1.28	-4.49
2	12	3.10	86	1.84	-4.16
3	21	2.65	76	0.60	-5.43
4	18	1.65	83	0.20	-1.50
5	28	1.92	68	8.86	-1.78
6	12	2.25	87	5.78	-2.31
7	17	1.66	86	13.94	-1.90

REGION	% STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	6	2.98	79	-1.28	-4.67
2	12	1.72	66	3.65	-4.06
3	21	2.45	71	1.98	-2.82
4	18	2.11	74	2.74	-1.88
5	28	1.98	41	13.64	-8.08
6	12	2.15	48	11.98	0.55
7	17	2.98	64	14.67	8.17



REGION	% STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	6	1.38	55	-8.52	-16.44
2	12	1.48	57	-1.52	-9.38
3	21	7.62	82	2.66	-0.10
4	18	10.35	87	4.98	2.88
5	28	2.42	50	13.52	3.01
6	12	2.29	56	15.32	4.57
7	17	3.38	73	10.65	13.69



REGION	% STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	6	8.68	85	-3.88	-6.10
2	12	2.60	73	5.22	0.64
3	20	4.29	78	10.48	6.15
4	18	7.63	78	-3.28	-6.58
5	28	6.14	68	16.18	10.19
6	12	3.58	70	18.94	11.26
7	17	1.81	81	19.75	2.45

REGION	% STNS	BEXT	RH %	TEMPERATURE,C	DEWPOINT,C
1	1	6.05	100	-2.77	-2.77
2	10	6.68	84	11.38	8.46
3	17	2.78	69	5.23	-1.92
4	0	2.16	58	-9.84	-0.92
5	17	3.12	77	18.11	14.53
6	0	1.89	84	19.57	8.68
7	0	1.84	48	8.94	-2.28

CAPITA


REGION 1, QTR 1 1972
100 15
30
RH
BEXT
TEMP
0 0
-20
JAN
FEB
MAR


REGION 1, QTR 2 1972
100 15
40
RH
BEXT
TEMP
0 0
-10
APR
MAY
JUN


REGION 1, QTR 3 1972
100 15
50
RH
BEXT
TEMP
0 0
0
JUL
AUG
SEP


REGION 1, QTR 4 1972
100 15
30
RH
BEXT
TEMP
0 0
-20
OCT
NOV
DEC

CAPITA


REGION 2, QTR 1 1972
100 15
30
RH
BEXT
TEMP
0 0
-20
JAN
FEB
MAR


REGION 2, QTR 2 1972
100 15
40
RH
BEXT
TEMP
0 0
-10
APR
MAY
JUN


REGION 2, QTR 3 1972
100 15
50
RH
BEXT
TEMP
0 0
0
JUL
AUG
SEP


REGION 2, QTR 4 1972
100 15
30
RH
BEXT
TEMP
0 0
-20
OCT
NOV
DEC

CAPITA


REGION 3, QTR 1 1972
100 15
30
RH
BEXT
TEMP
0 0
-20
JAN
FEB
MAR
REGION 3, QTR 2 1972
100 15
40
RH
BEXT
TEMP
0 0
-10
APR
MAY
JUN
REGION 3, QTR 3 1972
100 15
50
RH
BEXT
TEMP
0 0
0
JUL
AUG
SEP
REGION 3, QTR 4 1972
100 15
30
RH
BEXT
TEMP
0 0
-20
OCT
NOV
DEC
CAPITA


REGION 4, QTR 1 1972
100 15
30
RH
BEXT
TEMP
0 0
-20
JAN
FEB
MAR


REGION 4, QTR 2 1972
100 15
40
RH
BEXT
TEMP
0 0
-10
APR
MAY
JUN


REGION 4, QTR 3 1972
100 15
50
RH
BEXT
TEMP
0 0
0
JUL
AUG
SEP


REGION 4, QTR 4 1972
100 15
30
RH
BEXT
TEMP
0 0
-20
OCT
NOV
DEC

CAPITA


REGION 5, QTR 1 1972
100 15
30
RH
BEXT
TEMP
0 0
-20
JAN
FEB
MAR


REGION 5, QTR 2 1972
100 15
40
RH
BEXT
TEMP
0 0
-10
APR
MAY
JUN


REGION 5, QTR 3 1972
100 15
50
RH
BEXT
TEMP
0 0
0
JUL
AUG
SEP


REGION 5, QTR 4 1972
100 15
30
RH
BEXT
TEMP
0 0
-20
OCT
NOV
DEC

CAPITA


REGION 6, QTR 1 1972
100 15
30
RH
BEXT
TEMP
0 0
-20
JAN
FEB
MAR


REGION 6, QTR 2 1972
100 15
40
RH
BEXT
TEMP
0 0
-10
APR
MAY
JUN


REGION 6, QTR 3 1972
100 15
50
RH
BEXT
TEMP
0 0
0
JUL
AUG
SEP


REGION 6, QTR 4 1972
100 15
30
RH
BEXT
TEMP
0 0
-20
OCT
NOV
DEC

CAPITA


REGION 7, QTR 1 1972
100 15
30
RH
BEXT
TEMP
0 0
-20
JAN
FEB
MAR


REGION 7, QTR 2 1972
100 15
40
RH
BEXT
TEMP
0 0
-10
APR
MAY
JUN


REGION 7, QTR 3 1972
100 15
50
RH
BEXT
TEMP
0 0
0
JUL
AUG
SEP


REGION 7, QTR 4 1972
100 15
30
RH
BEXT
TEMP
0 0
-20
OCT
NOV
DEC

COPITA


EUS MEAN, QTR 1 1972
100 15
30
RH
BEXT
TEMP
0 0
-20
JAN
FEB
MAR


EUS MEAN, QTR 2 1972
100 15
40
RH
BEXT
TEMP
0 0
-10
APR
MAY
JUN


EUS MEAN, QTR 3 1972
100 15
50
RH
BEXT
TEMP
0 0
0
JUL
AUG
SEP


EUS MEAN, QTR 4 1972
100 15
30
RH
BEXT
TEMP
0 0
-20
OCT
NOV
DEC

CAPITA